

**BHARAT SANCHAR NIGAM LIMITED** 

(A GOVERNMENT OF INDIA ENTERPRISE)

Tender for the work of – Call basis maintenance / repairing of AC & Electrical Installation at various TE / BTS sites under OA Banswara

\*\*ISSUED TO : (NAME OF AGENCY)\_

\*\* To be filled by the agency itself if tender is downloaded from internet

SIGNATURE OF OFFICER ISSUING THE DOCUMENTS (Not to be filled if tender is downloaded from internet) DESIGNATION (Not to be filled if tender is downloaded from internet) DATE OF ISSUE\_\_\_\_\_\_ (Not to be filled if tender is downloaded from internet)

Description	Page No.
Index	1
Notice Inviting Tender	2 to 6
Section II : BSNL / CPWD -8 with Correction slips & Schedules	7 to 12
Section III : Annexure I to IV ( Model form / Undertaking)	13 to 16
Section III : Annexure V ( Performa for Agreement)	17 To 17
Section V : Special and Additional Conditions	18 to 22
Schedule of Quantity	23 to 27
Section VI :Specifications	28 to 31
List of approved makes	32 to 33
BSNL EW-8 FORM	34 to 71
	Index Notice Inviting Tender Section II : BSNL / CPWD -8 with Correction slips & Schedules Section III : Annexure I to IV ( Model form / Undertaking) Section III : Annexure V ( Performa for Agreement) Section V : Special and Additional Conditions Schedule of Quantity Section VI :Specifications List of approved makes

Executive Engineer(E) BSNL, ED ,AJMER

# BHARAT SANCHAR NIGAM LIMITED

## (A GOVERNMENT OF INDIA ENTERPRISE)

## Executive Engineer (E), BSNL, Electrical Division, Ist floor Telephone Exchange Building ,Vaishali Nagar , AJMER (Mob. 9413395225)

## SHORT NOTICE INVITING TENDER

NIT No. : 34/23-24/BSNL/ED /AJMER dated 28.03.2024

NAME OF WORK		Call basis maintenance / repairing of AC & Electrical Installation at various TE / BTS sites under OA Banswara
ESTIMATEDCOST	:	187028.00
EARNEST MONEY DEPOSIT (EMD)	•••	3741.00
PAYABLE AT		"AO (Cash), O/o GMTD BSNL, Udaipur"
TIME FOR COMPLETION		06 Months
TENDER COST (Non refundable)	:	Rs.590/- (Non refundable)(i/c 18.0%GST)
LAST DATE OF RECEIPT OF APPLICATION	:	08.04.2024
	:	11:00 Hrs. to 16:00 Hrs.
LAST DATE OF ISSUE OF TENDER	:	08.04.2024
	:	11:00 Hrs. to 16:00 Hrs.
LAST DATE FOR SUBMISSION OF		09.04.2024
TENDER	:	UPTO 15:00 hrs
DATE FOR OPENING OF TENDER		09.04.2024
	:	15:30 hrs

## 2.0 Eligibility conditions

2.1 Average annual turnover during the last 3 years , ending 31 st March of the previous financial year should be at least 30% of the estimated cost put to tender.

#### AND

2.2 BSNL enlisted contractors in Electrical category of respective class as per their tendering limits.(The enlistment of the contractors should be valid on the last date of submission of bids.)

or

- 2.3 The Manufacturer/ authorised dealer/ OEM of any of the makes of major equipement included in the NIT. The letter of authorisation from manufacturer in original/ photocopy attested by BSNL Executive will be submitted.
  - or
- 2.4 Experience of having successfully completed similar works in BSNL work during last 7 years ending last day of month previous to the one in which application are invited , should be either of the following:-

\*Three similar successfully completed works costing not less than the amount equal to 40% of the estimated cost put to tender.

or

\*Two similar successfully completed works costing not less than the amount equal to 60% of the estimated cost put to tender.

or

\*One similar successfully completed work costing not less than the amount equal to 80% of the estimated cost put to tender.

Note:- Similar works means- Repairing and maintenance of Split / Window AC units

## 3.0 BID DOCUMENTS:

3.1 The tender documents consisting of Specifications, Schedule of quantities of the work to be done and the set of terms & conditions of the contract to be complied with by the contractor whose tender may be accepted and all other relevant information/ documents pertaining to the work can be downloaded for quoting the tender from our website <u>www.rajasthan.bsnl.co.in</u> /<u>www.bsnl.co.in</u>.

## <u>ALTERNATIVELY</u>

- 3.2 The tender documents consisting of Specifications, Schedule of quantities of the work to be done and the set of terms & conditions of the contract to be complied with by the contractor, whose tender may be accepted and all other information / documents pertaining to the work will be open for inspection by tenderers and can be had from the Office of Executive Engineer (E), BSNL,Electrical Division, Telephone Exchange ,Vaishali Nagar , AJMER 11:00Hrs to 16:00Hrs on every working day except on Sundays and public holidays.
- 3.3 The firms shall submit application for issue of tender documents on its printed letter- head along with following:
- i) Copies of the documents in support of fulfilling the eligibility criteria as per Clause- 2.0 above submitted by the firm shall be self attested as well as certified by any BSNL Executive.
- ii) Chartered Accountant Certificate for turnover.(whereever applicable)
- iii) Copy of PAN card issued by Income Tax department.
- iv) GST Registration details of the firm.
- V) EPF and ESI registration certificate.
- vi) Copy of Electrical License and Enlistment order. (Not applicable for manufacturer/authorized dealer)
- vii) Declaration of EW-6 / EW-8 in same format as given in tender document Section-III, Annexure -IV (duly Ink Signed).
- (VIII) Certificate about Relative not working in BSNL in same format given in tender documents at Section-III, Annexure -I, (duly filled & Ink Signed).
- $i_{IX}$ ) Tender Cost (Non Refundable) in prescribed form as specified in point no- 5 above.
- x) EMD in prescribed form as specified in point no- 6.
- xi) Power of Attorney in accordance with relevant clause and authorization for executing the power of Attorney as per para 28. (if applicable)
- 3.4 The cost of tender documents deposited along with application for tender issue shall not be refunded, even if bidder is found ineligible for issue of tender documents.
- 3.5 The tender docments shall not be issued/sent through Post/Courier.

The tender documents shall not be received by tender opening authority through Post/ Courier and are 3.6 required to be dropped in tender box available with tender opening authority.

- 4.0 The intending Tenderer must read the terms and conditions of BSNL EW-6 & EW8 carefully. He should only submit his Tender if he considers himself eligible and he is in possession of all the documents required.
- 5.0 Cost of Tender Document in the form of Demand Draft/Pay order amounting to Rs. 590.00 (inclusive of 18% GST) shall be drawn in favour of "AO (Cash), O/o GMTD BSNL Udaipur" The Tender Cost document submitted for the tender must not be issued before the Date of NIT. (Note: Tender cost & EMD both should be deposited seperately)
- 6.0 EMD amounting to Rs 3741.00 in the form of Demand Draft/Pay order/Bankers cheque/Deposit at call receipt/FDR/BG of Nationalized/scheduled bank drawn in favour of "AO (Cash), O/o GMTD BSNL, Udaipur".

Note:- The EMD document in the form of Demand Draft / Pay order / Bankers cheque / Deposit at call receipt submitted for the tender must not be issued before the Date of NIT. Minimum Validity Period of FDR / B.G. as EMD shall be 120 days from the date of opening of tender.

7.0 All the credentials shall be self attested /attested by BSNL Executive.

#### 8.0 SUBMISSION OF TENDERS:

- 8.1 The bids shall be submitted as per Two Envelope system described below:
- 8.2 The tenderer shall submit the tender in two nos. sealed Envelopes marked as Cover 1<sup>st</sup> and Cover 2<sup>nd</sup>. Both the cover should be separate and they should not be enclosed in a common 3rd cover. The name of the work, Name of tenderer, last date of receipt of tender should be mentioned on each envelope.

#### 8.3 The envelope-I shall contain the following:

8.3.1 In case tender documents are got issued from Division office: The first cover should contain the following.

The first cover should contain the Earnest money deposit in the form of CDR/FDR/DD/BG of a scheduled Bank or Nationalized Bank /State Bank guaranteed by ReserveBank of India drawn in favourof "AO (Cash), O/o GMTD BSNL Udaipur" (Performa as per Annexure-II).

The second cover should contain tender documents

- 8.3.2 In case tender documents are downloaded from the internet: The first cover should contain the following.
- (i) Documentary Proof of Satisfying the Eligibility Conditions as per Point no 2 above.
- (ii) Chartered Accountant Certificate for Turnover.
- (iii) Copy of PAN Card issued by Income Tax department
- (iv) GST Registration details of the firm.
- (v) EPF and ESI registration certificate.
- (vi) Copy of Electrical License and Enlistment order. (Not applicable for manufacturer/authorized dealer)
- vii) Declaration of EW-6 / EW-8 in same format as given in tender document Section-III, Annexure -IV (duly Ink Signed).
- (VIII) Certificate about Relative not working in BSNL in same format given in tender documents at Section-III, Annexure -I, (duly filled & Ink Signed).
- $i_{IX}$ ) Tender Cost in prescribed form as specified in point no- 5 above.
- x) EMD in prescribed form as specified in point no- 6.
- xi) Power of Attorney in accordance with relevant clause and authorization for executing the power of Attorney as per para 28. (if applicable)
- 9.1 In case **Envelope-I** is not annexed tender cost, EMD, Eligibility documents etc or tender cost and EMD are not found in proper form, the **Envelope-II** containing tender documents will not be opened at all and such unopened tender shall be returned on spot to the bidder or his representative during the process of opening of tenders. The cost of tender documents deposited for tender issue/Demand Draft along with downloaded tender shall not be refunded, if bidder is found ineligible.
- 9.2 After the opening of **Envelope-II of eligible bidders**, the Tender documents containing terms & conditions, specifications and Schedule of quantities etc. shall be evaluated by BSNL.
- 9.3 If a holiday is declared on the tender opening day, the tenders will be opened on the next working day.
- **10.0** Every page of downloaded tender shall be signed by the tenderer with stamp (seal) of his firm/organization and the tenderer shall furnish a declaration" that No addition/ deletion/ correction have been made in the tender document submitted and it is identical to the tender document appearing on website. (In case of the downloaded tender documents from the internet)".
- **11.0** In case the eligibility credentials are found to be fake or falsified at any stage i.e. before award of work or during execution of the work or after completion of the work, the contractor will be debarred from tendering in BSNL for three years including any other action under the contract or existing law.
- 12.0 If it is found at any stage of tender scrutiny after submission of tender that the bidder has made any correction/addition/alternation/omission in tender documents vis-a-vis tender documents available on the website/original draft NIT in office, the bid shall be treated as non responsive and shall be summarily rejected and the EMD deposited by tenderer shall be forfeited in addition to any other action as per prevalent rules.
- **13.0** Conditional tenders or tender with conditional rebates shall be summarily rejected.
- **14.0** The tenderer shall submit the original computer printout of the tender documents downloaded from the internet. The photo copy shall not be accepted.
- **15.0** The tender documents shall neither be issued / sent nor received through Post / Courier.

- **16.0** Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.
- **17.0** Any Corrigendum / Amendment issued up to last date / time of on line submission of bid & Uploaded / posted on Web site shall also form part of bid document.

#### 18.0 WORK/QUANTITY DISTRIBUTION:

The work/quantities of work will not be split and 100% work shall be awarded to the lowest bidder.

#### 19.0 Performance guarantee:

The successful tenderer shall upon issue of letter of award of tender, shall be required to furnish irrevocable performance guarantee for an amount equal to 5% of the contract value in the form of CDR/FDR/DD/Bank Guarantee (Annexure-IIIto the tender documents) within 15 days from the date of issue of the acceptance letter of the tender by the BSNL. In the event of failure on the part of the successful tenderer to furnish the performance guarantee within 15 days, the earnest money deposited (EMD) will be forfeited and tender shall be cancelled.

- 19.1 In case the work is not started by the contractor with in specified time, the full performance guarantee will be forfeited.
- **20.0** The Notice Inviting Tender shall form part of the contract document, In accordance with clause-1 of the contract, the tender acceptance letter shall be issued first in favour of the successful tenderer/contractor. The contract shall be deemed to have come into effect on issue of communication of acceptance of the tender. On such communication of acceptance, the successful tenderer/ contractor shall within 15 days from such date, formally sign the contract which includes all relevent documents.
- **20.1** The Notice Inviting Tender, all the documents including additional conditions, specifications and drawings, if any, forming part of the tender and as issued at the time of invitation of tenders and acceptance thereof together with any correspondence leading thereto.
- **20.2** Standard BSNL EW-8 Form as availableon our web site www.electrical.bsnl.co.inhallbe part of the agreement.
- 20.3 The successful tenderer shall be required to execute an agreement on non-judicial stamp paper approprite value as notified by Rajasthan state Govt., which shall be purchased by tenderer with the Engineer-in-charge in the Performa annexed (annexure -VI of section -3) to the tender document, within 15 days of the issue of letter of award by the BSNL. The First running account bill shall be paid only after signing of the Agreement/Contract by both the parties.
- 21.0 Tenderers are advised to inspect and examine the site and its surrounding and satisfy themselves before submitting their tenders as to the nature of the ground and the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity, access facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of tender by a tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and local conditions and other factors having a bearing on the execution of the work.
- **22.0** The competent authority on behalf of the BSNL does not bind himself to accept the lowest or any other tender, and reserves to himself the authority to reject any or all of the tenders received without the assignment of a reason. All tenders in which any of the prescribed conditions are not fulfilled or are incomplete in any respect are liable to be rejected.
- **23.0** The competent authority on behalf of BSNL reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.

- **24.0** The tender of the works shall remain open for acceptance for a period of **90 days** from the date of opening of tenders. If any tenderer withdraws his tender before the said period or date of issue of letter of acceptance/intent,whicheveris earlier or makes any modifications in terms and conditions of the tender which are not acceptable to BSNL, then BSNL shall without prejudice to any right or remedy be at libertyto forfeit50% of the said earnest money as aforesaid.
- **25.0** No exemption certificate for payment of EMD is acceptable.
- **26.0** The company or firm or any other person is not permitted to tender for works in BSNL Unit in which his near relative(s) is (are) posted. (details as per ANNEXURE-I attached)
- 27.0 No Engineer of gazetted rank or other gazetted officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as contractor for a period of two years after his retirement from Government service, without the previous permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the tender or engagement in the contractor's service.

#### 28.0 Power of Attorney :-

- **28.1** The power of Attorney should be submitted and executed on the non-judicial stamp paper of appropriate value as prevailing in the concerned states(s) and the same be attested by a Notary public or registered before Sub-registrar of the state(s) concerned.
- **28.2** The power of Attorney be executed by a person who has been authorized by the Board of Directors of the bidder in this regard, on behalf of the Company/ institution/ Body corporate.
- **28.3** In case of the bidder being a firm, the said Power of Attorney should be executed by all the partner(s) in favourof the said Attorney.
- **28.4** Attestation of the specimen signatures of authorized signatory by the Company's/ firm's bankers shall be furnished. Name, designation, Phone number, mobile number, email address and postal address of the authorized signatory shall be provided.

EE (E), BSNL, ED, AJMER For & on behalf of BSNL

**BSNL EW-8** 

## Item Rate Tender & Contract for Works

## BHARAT SANCHAR NIGAM LIMITED

(A GOVERNMENT OF INDIA ENTERPRISE)

## Office of Executive Engineer (E), BSNL, Electrical Division, Ist floor Telephone Exchange Building ,Vaishali Nagar , AJMER (Mob. 9413395225)

STATE : RAJASTHAN BRANCH : TELECOM ELECTRICAL DIVISION CIRCLE: JAIPUR DIVISION : AJMER

#### Item Rate Tender & Contract for Works

Tender for work: Call basis maintenance / repairing of AC & Electrical Installation at various TE / BTS sites under OA Banswara

#### TENDER

I/We have read and examined the notice inviting tender, schedule, A, B,C, D, E & F, Specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, clauses of contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work

I/We hereby tender for the execution of the work specified for the BSNL within the time specified in Schedule 'F', viz., schedule of quantities and in accordance in all respects with the specifications, designs, drawings and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respects in accordance with, such conditions so far as applicable

We agree to keep the tender open for 90 days from the due date of submission thereof and not to make any modifications in its terms and conditions.

A sum of Rs. \_\_\_\_\_\_\_is hereby forwarded in the form of CDR of a Scheduled Bank/Fixed Deposit Receipt /Pay Order of a Scheduled Bank/Demand Draft of a Scheduled Bank as earnest money. If I/we fail to furnish the prescribed performance guarantee within prescribed period, I/we agree that the said BSNL or his successors in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely.

Further, If I/we fail to commence work as specified, I/we agree that BSNL or his successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said earnest money and performance guarantee absolutely, otherwise the said earnest money shall be retained by him towards security deposit to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to therein and to carry out such deviations as may be ordered, up to maximum of the percentage mentioned in Schedule 'F' and those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.3 of the tender form

I/We hereby declare that I/we shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derivedthere from to any person other than a person to whom I/we am/are authorised to communicate the same or use the information in any manner prejudicial to the Safety of the State.

I/We herby certify that none of my relative(s) as defined in the tender document is/are employed in BSNL unit as per details given in tender document. In case at any stage, it is found that the information given by me/us is false/incorrect, BSNL shall have the absolute right to take any action as deemed fit/without any prior information to me

I/we abide by the original CPWD/BSNL 8 form referred to in the tender document.

(Applicable if tender is downloaded from internet) I/We hereby declare that the tender submitted is the original downloaded computer printout and not the photocopy. I/We agree that during the process of tender finalisation if it is detected that the tender documents submitted has been changed/ made additions or/ and deletions, the offer may be summarily rejected and that I/we agree that BSNL or his successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said earnest money absolutely in addition to any other action as per prevalent rules.

Dated :

Witness : Address : Occupation : Signature of Contractor : Name of Signatory : Postal Address : Seal of Agency if any :

# ACCEPTANCE

The above tender alongwith the letters mentioned here under is accepted by me for and on behalf of the BSNL for a sum of Rs. \_\_\_\_ Rupees\_\_\_\_

\_\_\_\_

The Letters referred to below shall form part of this contract agreement :

1.\_\_\_\_\_ 2.\_\_\_\_\_ 3.\_\_\_\_\_

For and on behalf of the BSNL

Signatures\_\_\_\_ Designation\_\_\_\_\_

Dated\_\_\_\_\_

## **SECTION - II**

## **CORRECTION SLIP**

Addendum/ Modification to CPWD-8 and CPWD-6 forms conditions of contract definitions. <u>All reference to :-</u>

- (i) CPWD/Public Work Department/ P&T Department
- (ii) D.G. Works Additional Chief Engineer CPWD / Chief Engineer of Zone.
- (iii) Administrative Head of CPWD/ P&T Department.
- (iv) CPWD Circle/ Civil Circle.
- (v) Ministry of Works, Housing & Supply/ DOT.
- (vi) Govt. of India/ President of India.
- (vii) For and on behalf of President of India/ For and on behalf of Govt. of India. In various clauses shall be taken to mean :-
- (i) B.S.N.L. (Elect. Wing)
- (ii) PRINCIPAL Chief Engineer (Electrical), B.S.N.L.
- (iii) Administrative Head of B.S.N.L.
- (iv) B.S.N.L. Electrical Circle
- (v) B.S.N.L. (Govt. of India Enterprises)
- (vi) B.S.N.L.
- (vii) For or on behalf of B.S.N.L.

#### PROFORMA OF SCHEDULES

(Operative Schedules to be supplied separately to each intending tenderer)

## SCHEDULE 'A'

Schedule of quantities (Enclosed)

## SCHEDULE 'B'

Schedule of materials to be issued to the contractor:

S. No.	Description of Item	Quantity	Rates in figures & words at which the material will be charged to the contractor	Place of issue
Α	В	С	D	Е
1.0				
2.0				
3.0				
4.0				
5.0				

#### **SCHEDULE 'C'**

Tools and plants to be hired to the contractor.

S. No. Description		Hired charges per day	Place of issue			
1	2	3	4			
	NIL					

#### **SCHEDULE 'D'**

Extra schedule for specific requirements/ document for the work, if any

(a) General Conditions and Specifications

(b) List of Approved makes

#### **SCHEDULE 'E'**

Schedule of component of Materials, Labour etc. for escalation

NIL

#### **CLAUSE 10 CC**

Component of materials- "X" expressed as a per cent of total value of work.

1.0 Cement	Xc	%
2.0 Steel Xs	Xs	%
3.0 Civil(Except Cement/Steel)/Electrical construction materials	Xm	%
Component of labour- "Y" expressed as a per cent of total value of work.	Y	_%
Component of P.O.L "Z" expressed as a per cent of total value of work.	Ζ	_%

**Clause 10CC stands deleted** 

#### **SCHEDULE 'F'**

Reference to General Conditions of contract. Call basis maintenance / repairing of AC & Electrical Installation at various TE / BTS sites under OA Banswara

Estimated cost of work:	187028.00
Earnest money:	3741
Performance Guarantee	5% of tendered value of the work
Security Deposit:	5% of tendered value of the work
Conciallation Authority	SE(E) BSNL ,not incharge of the work

#### **GENERAL RULES & DIRECTIONS**

Officer inviting tender

Executive Engineer (E), BSNL, Electrical Division, Ist floor Telephone Exchange Building , Vaishali Nagar , AJMER (Mob. 9413395225)

Maximum percentage for quantity of items of work to be executed beyond which rates are to be determined in accordance with Clause 12.2 & 12.3

#### **DEFINITIONS:**

2(v) Engineer-in-charge :

As per the NIT documents

Executive Engineer (E)

2(viii) Accepting Authority :	Page 11 of 71 EE(E), BSNL, Electrical Division, AJMER
2(x) Percentage on cost of materials and labour to cover all overhead and profits	10%
2(xi) Standard Schedule of rates	SBP Rates and DSR (Internal & External)
2(xii) Department	BSNL
9(ii) Standard BSNL/ CPWD contract Form Clause 1	BSNL/CPWDForm -6/8 as modified & corrected up to date.
(i) Time allowed for submission of Performance guarantee( If Age days from the date of acceptance of tender, the EMD amount shall	
<u><b>Clause 2</b></u> Authority for fixing compensation under clause 2	Superintending Engineer (Electrical)
(Refer "ESSENTIALCONDITIONSBROUGHTTO THE ATTENTIC	NOF CONTRACTOR" for amendment in clause 2 of standard form)
<u>Clause 5</u> Number of days from the date of issue of letter of acceptance for reckoning date of start.	. 15 days
Time allowed for execution of work.	As per the NIT documents
Authority to give fair and reasonable extension of time for completion of work	As per the NIT documents
<u>Clause 7</u> Gross work to be done together with net payment/ adjustment of advances for material collected, if any, since the last such payment for being eligible to interim payment	*
<b>Clause 10CC</b> Clause 10CC to be applicable in contracts with stipulated period of completion exceeding the period shown in next column	Claus 10 CC stands deleted.
<u><b>Clause 11</b></u> Specification to be followed for execution of work	As per specifications attached and as per CPWD specifications, where BSNL specifications not mentioned
Clause 12 12.2 & 12.3 Deviation limit beyond which clauses 12.2& 12.3 shall apply	As per the NIT documents
12.5 Deviation limit beyond which clauses 12.2& 12.3 shall apply for foundation work	NA
Clause 16	
Competent Authority for deciding reduced rates	Superintending Engineer(E),BSNL,ElectricalCircle,Jaipur

Clause 36 (i) Minimum Qualification & experience required for Principal T <i>a) For works with estimated cost put to tender more than</i> (i) Rs. 10 lakhs for Civilwork	Fechnical Representative
(ii)Rs. 5 lakhs for Elec./Mech work	Engineering Graduate or retired AE possessing at least recognized Diploma
(b) For works with estimated cost put to tender (i) Rs. 5 lakhs but less than Rs. 10 lakhs for Civilworks	
(ii) More than Rs. 1 lakh but less than Rs. 5 lakhs for Elec./Mech works	n Recognized Engineering Diploma holder
(c) Discipline to which the Principal Technical Representative should belong	Electrical/ Mechanical
(d) Minimum Experience of works	3 years
(e) Recovery to be effected from the contractor in the event of not fulfilling provision of clause $36(i)$	-
Assistant Engineers retired from Government services that ar Engineers Clause 42	e holding Diploma will be treated at par with Graduate
(i) (a) Schedule/ statement for determining theoretical quantity of cement & bitumen on basis of Delhi Schedule of Rates printed	
by CPWD	NA
(ii) Variation permissible on theoretical quantities	
(a) Cement for works with estimated cost put tender not more than Rs. 5 lakhs	NA
for works with estimated cost put tender more than Rs.5 lakhs	NA
<ul> <li>(b) Bitumen for all works</li> <li>(c) Steel Reinforcement and structural steel for each diameter, section and category</li> </ul>	NA
(d) All other materials	NA NIL

## Executive Engineer(E)

#### ANNEXURE-I

#### Certificate in respect of relative(s) being Non BSNL Employee :

" I\_\_\_\_\_\_ S/o \_\_\_\_\_ r/o \_\_\_\_\_\_ hereby certify that none of my relative(s) as defined below / in the tender document is/are employed in BSNL unit as per details given in tender document. In case at any stage, it is found that the information by me is false / incorrect, BSNL shall have the absolute right to take any action as deemed fit/without any prior information me"

#### Signature & seal of contractor(s)

#### NOTE:-

(i) The company or firm or any other person is not permitted to tender for works in BSNL Unit in which his near relative(s)is(are) posted. The unit is defined as SSA/Circle/ChiefEngineer/ChiefArcht. / Corporate office for non executive employees and all SSA in a circle includingcircle office/ChiefEng./ChiefArcht./Corporate office for executiveemployees(includinghose called as Gazetted officersat present).

(ii) The near relatives for this purpose are defined as under:

a) Members of a HinduUndividedfamily.

b) They are husband and wife.

c) The one is related to the other in the manner as father, mother, son(s) & son's wife (daughter-in-law) Daughter(s)&daughter'shusband (son-in-law), brother(s) & brother's wife, sister(s) & sister's husband(brother-in-law).

(iii) The certificateshall be given by all the partners for partnership firm and in case of limitedcompany by all the directors of the company. Any breach of these conditions by the company or firm or any other person, the tender/work will be cancelled and earnest money / security deposit will be forfeited at any stage whenever it is so noticed. The department willnot pay any damage to the company or firm or the concerned person. The company or firm or the person will also be debarred for further participation in the concerned unit.

#### ANNEXURE-II

#### MODEL FORM OF BANK GUARANTEE

BANK GUARANTEE BOND FOR EMD FOR AIR CONDITIONING, DIESEL ENGINE ALTERNATOR, LIFTS AND SUB-STATION WORKS WHEREVERTHE AMOUNT OF EMD IS MORE THAN Rs. 20,000/-

 Whereas\_\_\_\_\_\_ (here in after called" the Contractor(s)" has submitted its Tender dated\_\_\_\_\_\_

 for\_\_\_\_\_\_\_ (Name of work) \_\_\_\_\_\_.

KNOWN ALL MEN By these presents that We\_\_\_\_\_ of\_\_\_\_\_

havingour registered officeat \_\_\_\_\_(here in after called "The Bank")

are bound up to \_\_\_\_\_ (here in after called "The BSNL") in the sum of \_\_\_\_\_

\_\_\_\_\_for which payment will and truly to be made of the said BSNL,

the Bank binds itself, its successors and assigns by these presents.

#### THE CONDITIONS OF THE OBLIGATIONS ARE:-

1. If the Contractor(s) withdrawits Tender during the period of Tender validityspecified on the Tender Form; or

2. If the Contractor(s) having been notified of the acceptance of its Tender by the BSNL during the period of Tender validity.

(a) Fails or refuses to execute the Contract.

(b) Fails or refuses to furnishSecurityDeposit in accordance with the conditions of Tender document.

We undertake to pay to the BSNL up to the above amount upon the receipt of its first written demand, without the BSNL having to substantiate its demand, provided that in its demand, the BSNL willnote that the amount claimed by it is due to it owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.

This guarantee will remain in force as specified in the tender document up to and including thirty (30) days after the period of the Tender validity, and any demand in respect thereof should reach the Bank not later than the specified date/dates.

Signature of the Bank

**Signature of the Witness** Name of Witness Address of Witness.

#### **ANNEXURE III**

#### MODEL FORM OF PERFORMANCE GUARANTEE

**1.0** BANK GUARANTEE BOND FOR PERFORMANCE GUARANTEE FOR ELECTRICAL INSTALLATION/O&M/AIR CONDITIONING, DIESEL ENGINE ALTERNATOR, LIFTS AND SUB-STATION WORKS etc.

KNOWN ALL MEN By these presents that We\_\_\_\_\_\_of\_\_\_\_\_havingour registered office at \_\_\_\_\_\_\_(here in after called "The Bank") are bound up to \_\_\_\_\_\_(here in after called "The BSNL") in the sum of \_\_\_\_\_\_\_for which payment will and truly to be made of the said BSNL, the Bank binds itself, its successors and assigns by these presents.

**2.0** We (name of the bank) \_\_\_\_\_\_ do hereby undertake to pay the amounts due and payable under this guarantee without any demure, merely on a demand from the BSNL by reason of breach by the said contractor(s)' of any of the terms or conditionscontained in the said Agreementor by reason of the contractors(s)' failureto perform the said Agreement. Any such demand made on the bank shall be conclusive regards the amount due and payable by the Bank under this guarantee where the decision of BSNL in these counts shall be final and binding on the bank. However, our liability under this guarantee shall be restricted to an amount not exceeding

**3.0** We under take to pay to the BSNL any money so demanded notwithstanding any dispute or disputes raised by the contractor(s)/supplier(s) in any suit or proceeding pending before any court or tribunal relating thereto our liability under this present being absolute and unequivocal. The payment so made by us under this bond shall be valid discharge of our liability for payment there under and the contractor(s)/supplier(s) shall have no claim against us for making such payment.

**4.0** We (name of the bank) \_\_\_\_\_\_\_ further agree that the guarantee herein contained shall remain in full force and effect during the period that would be taken for the performance of the said agreement and that it shall continue to be enforceable till all the dues of the BSNL under or by virtue of the said Agreement have been fullypaid and its claimssatisfied or discharged or till\_\_\_\_\_\_ (office/DepartmentBSNL certifies that the terms and conditions of the said Agreement have been fullyor properly carried out by the said contractor(s) and accordingly discharges this guarantee. Unless a demand or claim under this guarantee is made on us in writing on or before the expiry of ONE YEAR (as specified in the agreement) from the date hereof, we shall be discharged from all liabilities under this guarantee thereafter.

**5.0** We (name of the bank) \_\_\_\_\_\_\_ furtheragree with the BSNL that the BSNL shallhave the fullestliberty without our consent and without affecting in any manner our obligationshere under to vary any of the terms and conditions of the said Agreementor to extend time of performance by the said contractor(s) from time to time or to postpone for any time or from time to time any of the powers exercisable by the BSNL against the said Contractor(s) and to forbear or enforce any of the terms and conditions relating to the said agreement and we shall not be relieved from our liability by reason of any such variation, or extension being granted to the said Contractor(s) or for any forbearance, act or omission on the part of the BSNL or any indulgence by the BSNL to the said Contractor(s) or by any such matter or thing whatsoever which under the law relating to sureties would, but for this provision, have effect of so relieving us.

**6.0** This guarantee will not be discharged due to the change in the constitution of the Bank or the Contractor(s)/supplier(s).

7.0 We (name of the bank) \_\_\_\_\_\_ lastly undertake not to revoke this guarantee during its currency except with the previous consent of the BSNL in writing.

Dated the \_\_\_\_day of \_\_\_\_\_

For \_\_\_\_\_

(Indicate the Name of Bank)

#### <u>ANNEXURE IV</u> <u>Undertaking / Declaration by Contractor for EW-6, EW-8</u>

I / We do hereby undertake to have gone through the terms & conditions / clauses of all the tender documents including Form EW-06, EW-08 being adopted by the BHARAT SANCHAR NIGAM LIMITED (Electrical Wing) & agree to abide by the same.

In case of failure to comply as above, our offer will stand withdrawn and our tender documents would not be opened by the tender opening officer. The decision of tender opening officer in this regard shall be final & binding on me.

> Signature of Contractor / Authorized Representative With Seal of the firm

#### Annexure -V

## PERFORMA FOR AGREEMENT (ON NON JUDICIAL STAMP PAPER OF APPROPRIATE VALUE)

An AGREEMENT made this Date Month \_\_\_\_\_ \_\_\_Year \_\_\_ between the BSNL (which expression shall unless exclude by or repugnant to the context, include his successors and assignees) on the ONE PART and M/s. \_\_\_ having its registered (acting through its constituted Attorney) office at hereinafter called the 'Contractor' (which term shall include their heirs, executors, successors and assignees) on the OTHER PART. Whereas M/s. have quoted for the (Name of work) as specified in N.I.T of the tender, and have agreed to execute the work at his rates quoted and under conditions described in the Tender schedule which forms part of this agreement. Whereas M/s. have submitted a Performance Bank Guarantee in the name of A.O. (Cash) BSNL, O/o

GMTD, Udaipur as security towards execution of work as agreed to.

And whereas, the Contractor is ready and willing to execute the work in accordance with the contract.

Now the agreement witnessth and it is hereby agreed and declared as follows:

1. The Tender Notice, Instructions to Tenderers, Conditions of contract, Special and Additional Conditions, Work Specification, Maintenance Schedule, letter of approval conveyed vide No. \_\_\_\_\_\_dtd. \_\_\_\_\_\_(along with its enclosures) annexed hereto and such other additional particulars, instructions, drawings as may be found requisite to be given during execution of the work shall be deemed and taken to be an integral part of the contract and shall also be deemed to be included in the expression, contract or 'Contract Documents' wherever herein used.

2. In consideration of the due provisions execution, completion and maintenance of the said work, the BSNL does hereby agree with the contractor that the BSNL will pay to contractor the respective amounts for the work actually done by him and approved by the BSNL at the Schedule or Rates and such other sum payable to the contractor under provision of the contract, such payment to be made at such time in such manner as prescribed for in the contract.

3. It is specifically and distinctly understood and agreed between the BSNL and the contractor that the contractor shall have no right, title or interest in the site made available by the BSNL for execution of the works or in the building, structures or works executed on the said site by the contractor or in the goods, articles, materials, etc. brought on the said site (unless the same specifically belongs to the contractor) and the contractor shall not have or deemed to have any lien whatsoever charge for unpaid bills will not be entitled to assume or retain possession or control of the site or structures and the BSNL shall have an absolute and unfettered right to take full possession of site and to remove the contractor, their servants, agents and materials belonging to the contractor and lying on the site. In Witness whereof the parties here to have hereinto set their respective hands and seals in the day and the year first above written.

Signed by the Contractor

Signed on behalf of the BSNL

Place
Date
In the presence of witness
1. Signature
Name
2. Signature
Name

Place Date In the presence of witness 1) Signature...... Name...... Name.....

BSNL, ELEC. DIVISION, AJMER

The contractor shall read carefully the following conditions and shall quote accordingly.

## 1.0 EARNEST MONEY DEPOSIT:

- 1.1 **Validity period:** The validity period of Earnest Money deposit should be kept 30 days beyond the Tender validity i.e. 90+30=120 days, as the tender validity period is 90 days.
- 1.2 **Extension of Validity period:** In case, where the letter of award of work can not be placed with in the validity period of tender, the BSNL can request all tenderers to extend the validity of their respective tenders and the earnest money deposit by a reasonable period. In such cases, extension of validity of earnest money deposit by 30 days beyond the extended validity date of tender should also be asked for. While BSNL can make the request for extension, the tenderer is free to either extend the validity or refuse the request to extend the validity.
- 1.3 **Release of Earnest Money Deposit:** Earnest money deposit of all unsuccessful tenderers shall be released within one week of issue of tender acceptance letter to the successful tenderer. Where the BSNL requests the tenderer to extend the validity of the tender beyond the stipulated period given in the tender documents, and the tenderer refuses to extend the validity of his tender, the earnest money deposit of such tenderers shall be returned forthwith.
- 1.4 In case the work is not started by the contractor with in specified time frame, the full Performance guarantee will be forfeited absolutely.

## 2.0 PERFORMANCE GUARANTEE:

- 2.1 The contractor is required to furnish performance guarantee for an amount equal to **5%** of the contract value in the form of Bank Guarantee (of a Nationalized/ Scheduled Bank in a standard format) /CDR/FDR/DD within 15 days from the date of issue of award letter.
- 2.2 The validity period of the performance security in the form of performance bank guarantee shall be One year from the date of actual completion of work.
- 2.3 Firm has option to deposit performance guarantee in the form of bank guarantee in the prescribed format as per **Annexure-III.**
- 2.4 The Performance guarantee and security deposite Shall be released after One year of the actual completion of work.

## 3.0 SECURITY DEPOSIT:

3.1 In addition to performance guarantee stated above, a sum @ 10% of the gross amount of the bill shall be deducted from each running bill of the contractor till the sum along with the sum already deposited as earnest money & Performance Guarantee will amount to security deposit of 10% of the tendered value of the work.

# 4.0 TAXES AND DUTIES:

- 4.1 The bidder shall give the total composite price inclusive of all Levies, Taxes & duties as applicable including EPF, ESI, Packing, Forwarding, Fright and insurance etc. but excluding of GST.
- 4.2 No concessional Form except a Certificate stating that the tendered items are meant for the use of BSNL shall only be provided by BSNL on the request of the bidder as and when the firm asks for it at the time of execution of work.
- 4.3 The GST invoice favoring to BSNL shall be issued by the firm for Input Tax Credit to BSNL.



## 4.4 VARIATION IN DUTY/TAXES:

- 4.4.1 Tendered rates will be inclusive of all the taxes and levies payable under the respective statutes. However, pursuant to the Constitution (Forty six Amendment) Act, 1982, if any further tax or levy is imposed by state after the date of receipt of tenders and the contractor (s) thereupon necessarily and properly pays taxes or levies the contractor(s) will be reimbursed such amounts paid, provided such payment, if any, is not in opinion of SE (E) (whose decision shall be final and binding) attributable to delay in execution of work.
- 4.4.2 The contractor (s) shall keep necessary books of accounts and other documents for the purpose of this condition as may be necessary and shall allow inspection of the same by a duly authorized representative of BSNL and shall furnish such other information/documents as the Engineer-in-Charge may require.
- 4.4.3 The contractor (s) shall within a period of 30 days of imposition of any further tax or levy pursuant to the Constitution (Forty Six Amendment) Act 1982 give a written notice thereof, to the Engineer-in-Charge that the same is given pursuant to this condition together with all necessary information relating thereto.
- 4.4.4 In case of statuary variation in GST rates within the stipulated date of completion of individual agreement, the same shall be paid or recovered as per the actual against documentary proof. However, beyond this period BSNL will take advantage of any duty reduction but will not pay extra on account of duty increase.

## 5.0 EPF & ESI PROVISIONS

5.1 The contractor shall comply / fulfill the provisions of the EPF & Misc. Provisions Act.-1952, Employees Provident Fund Scheme-1952 and ESI Act -1948 as amended up to date in respect of labourers/ Employees engaged by them for performing this work. Any consequences arising due to non-complying of the provisions as specified above shall be the sole responsibility of the firm only.

## **6** <u>BID OPENING AND EVALUATION:</u>

The bids (Envelop I & II) shall be opened in the presence of bidders or their authorized representatives, who choose to attend on the due date & time / date notified by BSNL through site for tender opening. The bidder's representatives, who are present, shall sign in tender opening register.

## 7.0 CLARIFICATION OF BIDS:

To assist in the examination, evaluation and comparison of bids, the purchaser may, at its discretion ask the bidder for the clarification of its bid. The request for the clarification and the response shall be in writing. However, No post bid clarification at the initiative of the bidder shall be entertained.

## 8.0 EVALUATION OF BIDS:

8.1 BSNL shall evaluate the bids to determine whether they are complete, whether required sureties, Certificates & testimonials have been furnished, whether the documents have been properly signed and whether the bids are generally in order.

## 9.0 EVALUATION AND COMPARISON OF BIDS:

- 9.1 BSNL shall evaluate in detail the bids to see whether any computational errors have been made and compare the bids previously determined to be substantially responsive pursuant to **clause -8 above**.
- 9.2 Arithmetical errors shall be rectified on the following basis. If there is a discrepancy between the unit price and total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected by the purchaser. If there is a discrepancy between words and figures, the amount in words shall prevail. If the supplier does not accept the correction of the errors, his bid shall be rejected.
- 9.3 The evaluation and comparison of responsive bid shall be done on the basis of Net Cost to BSNL inclusive of all levies, duties and taxes, EPF, ESI, Packing, Forwarding, Fright and insurance charges etc. but excluding GST on the price of items / services offered. The lowest tenderer will be decided based on lowest total net cost to BSNL excluding of GST.

- 9.4 Vendors should furnish the correct GST invoice at applicable rates favouringto BSNL. If the Input tax credit against this Invoice for the Duties and Taxes paid as GST is found to be non admissible at any stage to BSNL owing to wrong furnishing of GST Bill / Rate, than the vendor shall be liable to refund / recovery of such non admissible amount along with penalty, if any charged by the concerned authority. Then, BSNL reserves its right to deduct such non admissible amount from any pending bills or deposit of the vendor.
- 9.5 GST Invoice favouring the BSNL shall be issued by the contractor of each bill indicating correct GST at applicable rates as documentry proof to avail Input Credit of GST by BSNL. Correctness of GST invoice along with applicable rates and geniuness of documents shall rest with Vendor only.
- 9.6 The price quoted by the bidder shall remain fixed during the entire period of contract and shall not be subject to variation on any account. A bid submitted with an adjustable price quotation will be treated as non responsive and rejected. **No claim under "Clause-10cc"** shall be entertained
- 9.7 GST as per invoice issued by vendor favouring to BSNL for this particular work shall be paid as extra as per applicable/ notified rates by Govt of India.
- **9.8 Discount, if any,** offered by the bidder shall not be considered unless specifically indicated in the price schedule . Bidders desiring to offer discount shall therefore modify their offer suitably while quoting and shall quote clearly net price taking all such factors like discount , free supply , etc. into account .
- **9.9** No advance payments can be made. The payment is governed by the normal department practice and stipulations like levy of interest if payment is not made in a specified time is also not acceptable.

## **10.0 INCREASE/DECREASE OF TENDER QUANTITY:**

## 10.1 As per clause- 12.3 of BSNL EW-8 contract conditions

## 11.0 TERMS OF PAYMENT:

- 11.1 Payment to the contactors during progress of work will be regulated as below:
- (a) No payment shall be made for a work estimated to cost rupees Twenty thousand or less till after the whole of the work shall have been completed and certificate of completion given. But in the case of a work estimated to cost more than Rs. Twenty thousand interim or running account bills shall be submitted by the contractor for the work executed on the basis of recorded measurements. The contractor shall not be entitled to be paid any interim payment if the gross work done since the last payment is less than Rs. Twenty thousand.
- (b) The interim payment shall be made for any site after Successful Installation, Commissioning and testing of Equipment by the conntractor at Site.
- .(c) Interim payment shall not be made against delivery of material.
- 11.2 **No payment** will be made for goods/equipment rejected and services not maintained satisfactory at the site on testing/verification. Payment, if made, for such items shall be recovered from subsequent bills or other bills of the contractor.
- 11.3 BSNL shall deduct statutory taxes and duties from payments due to the firm as per rules of the central/ State Government. The certificate for such deductions shall be issued to the firm by the Accounts Officer of the concerned Division.
- 11.4 Each claim bill of contractors must accompany the following:
- (a) List showing the details of labourers/employeesengaged.
- (b) Duration of their engagement.
- (c) The amount of wages paid to such labourers/ employees for the duration in question. Amount of EPF & ESI contributions of each employes along with EPF & ESI Account Number (Both
- (d) employer's & employees contribution) for the duration of engagement in question paid to the EPF & ESI authorities.
- (e) Copies of authenticated documents of payments of such contribution to EPF & ESI authorities.
- (f) A declaration from the contractors regarding compliance of the conditions of EPF-Act, 1952 & ESI-Act, 1948

The contractor will make payment of wages etc to their personnel/manpower engaged at site as per prevailing minimum wages notified by Central or State Govt. from time to time (whicheveris higher among Central/State Govt. for the category(i.e. construction or Building operations...) for respective zone/class of

- (g) city where site is located) either by crossed account payee cheque or through online transfer etc. The agency shall submit certificate to the effect that the wages of labours have been paid by crossed cheque or on line transfer along with each bill. Further the certificate from each of the engaged man power/personne to the effect that he has received the payment must also be enclosed to each bill.
- 11.5 The bill passing authority will check the payment particulars regarding EPF contribution furnished by the contractors along with the bill as mentioned in Para 11.4 above. The bill will be passed by the bill passing authority only if the contractor complies with the Terms and conditions of EPF Act, 1952 & ESI Act. 1948.

## 12.0 STORES AND SAFETY:

- 12.1 All the stores and materials required for the satisfactory completion of the work shall be arranged at site by the contractor from his own sources. Lockable space for storing the material may be provided on request. However, safe custody of the material stored at site will be responsibility of the contractor till the completion/ handing over of the work.
- 12.2 Before dispatch to site, the equipment/ component/ materials shall be properly packed so as to afford protection against transit damages and damages against storage in open areas either at transporter's premises or at work site. However, damaged items shall be replaced by the contractor as per the direction of Engineer-in-Charge.

## 13.0 COORDINATION AT SITE:

13.1 At the site of work more than one agency may be working. Full co-operation shall be extended to other agencies during progress of work. The work will be carried out in such a way so that it may not cause abnormal noise and hindrance to the officers of the BSNL engaged in erection as well as to normal routine work.

## 14.0 GUARANTEE, MAINTENANCE & DEFECTS LIABILITY :

- 14.1 The gurantee shall be valid for the period of one year after completion of the work ,the contractor shall certify and get verify from the Engineer in charge that all equipments/Installations are free from any defect due to defective material and bad workmanship/services and also the equipments/ Installations shall work satisfactorily with performance and efficiencies not less than the rated values corresponding to the life of equipments/ Installations .
- 14.2 Any equipment/ Installation found defective on verification shall be replaced/ rectified free of cost by the contractor. The services of the contractor's personnel, if required during this period shall be made available free of cost to the BSNL.
- 14.3 The contractor shall depute his representative to the site within 36 hours of notification of defects by the BSNL.
- 14.4 A joint inspection report shall be prepared by the representative of BSNL and the contractor regarding the nature of defects and remedial action required. Time schedule for such action shall also be finalized.
- 14.5 In case, the contractor fails to depute his representative within 36 hours of notification of defects or fails to cause remedial measure within reasonable time as decided during joint inspection, the BSNL may proceed to do so at the contractor's risk and expenses and without prejudice to any other right of the BSNL to recover such expenses.

## 15.0 BYE-LAWS, INDEMNITY AGAINST LIABILITIES:

- 15.1 The contractor shall comply with all bye-laws and regulations of local and statutory authorities having jurisdiction over the works and shall be responsible for payment of all fees and other charges and giving/ receiving all necessary notices and keep the Engineer-in-charge informed about the notices issued and received.
- 15.2 The contractor shall indemnify the BSNL against all claim in respect of patent rights, design, trade mark or name of other protected rights in respect of any plant, machine, work or materials used for or in connection with the work or temporary works and from and against all claims, demands, proceedings, costs, charges and expenses whatsoeverin respect of or in relation thereon. The contractor shall defend all actions arising from such claims and shall him-self pay all royalties.
- 15.3 License fees, damages, cost and charges of all and every sort that may be legally incurred in respect thereof shall be borne by the contractor.
- 15.4 All liabilities/ panal recoveries on matters arising out of tax / excise/ levies such as incorrect deductions, discrepancies in the filing of returns, revised assessment by the concerned authorities etc. shall be borne by the contractor.

- 15.5 It is contractor's liability to follow all safety procedures in accordance with relevant I.S. amended up to date during execution of work at site.
- 16.0 Termination of contract on death of contractor:-
- 16.1 With prejudice of any of the rights or remedies under this contract, if the contactor dies, the engineer in charge on behalf of the BSNL shall have the option of terminating the contract without compensation to the contractor.
- **17.0** Indulging of contactor in criminal/ anti social activities and cases under investigation/ charge sheeted by CBI or any other Government agencies etc.;
- 17.1 If the CBI/ Independent External Monitor (IEM) / Income Tax/ Sales Tax / Central Excise/ Custom Department recommended such a course : Action will be taken as per direction of CBI or concerned department.

## **18.0** IMPORTANT NOTE:

The clauses/conditions as modified in the tender shall supersede the relevant conditions of BSNL EW-8/CPWD 6/8. The other conditions shall be as per BSNL EW-8/CPWD 6/8.

## Executive Engineer (E)


# SCHEDULE OF WORK

S.N.	Description of Item	Q	ty.	Rate	Unit	Amount
1.00	General Servicing of 1.5 /2.0 TR Window / Split AC & Water cooler All make and model I/c removing from existing position if reqd, dismantling of faulty parts, cleaning of air filter, condenser and evaporatorcoil with help of caustic soda soap solution, lubrication of moving parts, complete checking, testing and rectification of minor faults i/c replacement of knobs/ wiring kit (if required), setting of thermostat, preparing report including tightness of all electrical connections of SP MCB, DP MCB, Plug & socket, TDR to AC unit etc as reqd.		Job		Job	
2.00	Provision of Top up of R-22 /R-32 /410 refrigerant in existing all type of Window / Split A.C units including pressure testing by nitrogen gas vaccumisation (If required), flushing, testing etc. as required.	15	Kgs		Kgs	
3.00	Replacement of the following items/accessories in the existing WAC/SP AC/water cooler Units in place of faulty/unserviceable parts i/c dismantling of the faulty, fixing the new item and testing, connection etc. complete as reqd.					
3.01	Starting Capacitor aluminum case	15	No		Each	
3.02	Running Capacitor aluminum case	15	No		Each	
3.03	Fan Motor Capacitor aluminum case	15	No		Each	
3.04	Blower /condenser fan blade	5	No		Each	
3.05	starting relay	5	No		Each	
4.00	Replacement of all type condenser / Blower fan motor for 1.5 / 2 TR Window/Split A.C/water cooler unit in lieu of damaged i/c connection etc as required.	10	No		Each	
5.00	Rewinding of existing all type Blower/condenser fan motor for 1.5/2 TR Window/Split A.C unit/water cooler i/c replacement of bush i/c oiling ,greasng etc as required	2	No		Each	
6.00	Installation, Testing & Commissioning of the 1.5 TR Split AC unit at a specified location as per direction of Engg-In-charge by mounting/fitting Indoor and Outdoor units, making opening in wall, laying and fixing of both liquid and hot gas lines, inter connecting wiring for both indoor outdoor units up to 5 mtrs length and ,interconnecting the indoor unit and outdoor unit with refrigerant line, insulating the refrigerant pipe with expandable polyethylene Foam tubing unit and fixing with suitable MS shaddle, Leak testing entire system ,vacuemising the system ,charging of Refrigerant gas in the unit ,making power supply connections from the power point,and making good the damages etc.as required.	2	Job		Job	

7.00	Pdg and Fixing additional 1/4" & 5/8" size or size same as supplied by Split AC manufacturer refrigerant copper piping with 3x2.5 sq.mm. PVC Insulated PVC Sheathed copper cable i/c covering of Copper Pipe with polystyrene insulation i/c cutting ,brazing ,jointing,bends, sockets etc as reqd. (Note- Combined Length shall be measured)		Mtr	Mtr	
8.00	S/F of 50 mm dia 2 mm thick PVC pipe on wall / surface for protection of refrigerant pipe of split AC units etc.i/c elbo /bend /socket etc as complete as reqd.		Mtr	Mtr	
0.00					
9.00	S/F of 50 mm dia PVC green suction pipe with PVC sprial ribbed on wall / surface for protection of refrigerant pipe of split AC units i/c fixing with suitable MS shaddle etc.as te reqd.	1	Mtr	Mtr	
10.00	Insulating the existing laid refrigerant pipe with expandable polyethylene Foam tubing unit and fixing with suitable MS shaddle etc as reqd		Mtr	Mtr	
11.00	Supplying and fixing of following size of flexible copper cable on surface/ recess, suitable for work on 230 volt, 50 HZ AC supply i/c connection etc as reqd				
11.01	3x2.5 sq mm	10	Mtrs	Mtr	
		10	IVIUS		
11.02	2v1 5 og mm				
11.02	3x1.5 sq mm	30	Mtrs	Mtr	
12.00	Dismantling of the existing split /window type AC Unit/water cooler complete with indoor unit,outdoor unit stand, refrigerant piping,drain pipe,shifting the dismaltled items to a safe place in exchange premises and handing over to the incharge,packing of SPAC wall hole ,making good the damage etc as reqd (Note- Existing refrigerent from working Split AC to be stored in compressor before dismentling for further use at new location).		Job	Job	
13.00	Transportation of Split /Window AC units/water cooler with all acessories like indoor ,outdoor unit ,copper pipe ,drain pipe ,partical board ,stand from One TE building to various TE /BTS sites in OA Banswara i/c. loading,unloadingetc. as reqd.				
13.01	One TE/BTS site to other TE/BTS site up to 10 KM	4	Job	Job	
12.00		~			
13.02	One TE/BTS site to other TE/BTS site up to 20 KM	3	Job	Job	
13.03	One TE/BTS site to other TE/BTS site up to 50 KM	1	Job	Job	
13.04	One TE/BTS site to other TE/BTS site up to 100 KM	1	Job	Job	
14.00	Closing of existing window in AC area to prevent AC leakage/theft by making single brick masnoary wall i/c both side plastering , finishing etc complete as reqd as reqd.	1	sqmtr	sqmtr	
15.00	Repairing of all type of PCB power card of Indoor units / out door of 1.5 /2.0 TR Split AC units including replacement of ICs/ diode/ resistance etc and fixing the same after repairing i/c testing, commissioning etc. complete as required.		No	Each	

16.00	SITC of new PCB power card in Indoor / Out door units of 1.5 /2.0 TR Split AC ( All Make & Model) including fixing the same etc complete as required.		No	Each	
17.00	S/F of 25 mm dia PVC flexible drain pipe for drain water of split AC units i/c fixing with suitable MS shaddle etc.as reqd.	25	Mtr	Mtr	
18.00	Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/recessed steel/ PVC conduit as required.				
18.01	2 x 1.5 sq. mm	5	Mtrs	Mtr	
18.02	3 x 1.5 sq. mm	5	Mtrs	Mtr	
18.03	2x2.5 Sq.mm.	5	Mtrs	Mtr	
18.04	4x2.5 Sq.mm.	5	Mtrs	Mtr	
19.00	S/F of following size Ceiling fan suitable for operation on 230 Volts ,single phase 50 Hz AC supply complete etc as reqd (without regulator)Make-(Bajaj/Polar/USHA /crompton /havells/orient)				
19.01	1200mm	1	Nos	Each	
20.00	S/F of two module Stepped type electronic fan regulator in existing board I/c dismantling of existing faulty regular (if required ) and connection, testing etc. as reqd ( Make -Anchor /havells )		Nos	Each	
21.00	Making circular opening in brick/stone wall for exhaust fan up to 450mm sweep i/c cutting of wall, providingCC pipe of 450 mm inner dia with suitable thickness and making suitable size hole, packing the extra space ,plaster finishing i/c cleaning the space after execution of Work etc as reqd		Job	Job	
22.00	SITC of 450mm sweep heavy duty exhaust fan with metallic louvers				
22.00	shutter 1400 RPM suitable for work on 230 V Single phase AC Supply ,i/c fixing the same wall surface /grill with suitable clamp i/c connection etc as reqd (Make -Almonard/crompton/Bajaj/USHA).		Nos	Each	
23.00	SITC of 1x18/20 Watt LED Box type luminare with CRCA Housing having efficency 100 lumes /watt complete with T-8 LED tube rod in polycarbonate housing, suitable for work on 230 volt 50Hz AC supply i/c connection testing etc complete as required.(Make - Philips /crompton/Havells/Bajaj/Wipro/Surya ).		Nos	Each	
24.00	Supply & Laying of following size of pvc insulated pvc sheathed 1.1 kv grade Aluminium conductor armoured cable confirming to relevant IS-Specification on surface / wall /ground etc. as per specification complete as reqd. (Make -Polycab/havells/finolex)-	t i			
24.01	2 x 6 Sqmm.	20	Mtrs	Mtr	
24.02	2 x 16 Sqmm.	40	Mtrs	Mtr	
24.03	4 x 16 Sqmm.	40	Mtrs	Mtr	

25.00	Supplying and making end termination with brass compression gland & aluminium lugs for following size of PVC insulated PVC sheathed/XLPE aluminium conductor cable of 1.1KV grade as reqd.				
25.01	2 X 6 sq. mm (19mm)	2	Sets	Set	
25.02	2 X 16 sq. mm (22mm)	2	Sets	Set	
25.03	4 X 16 sq. mm (28mm)	2	Sets	Set	
26.00	Providing and fixing 6 SWG dia G.I. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/submain wiring/ cable as required		Mtr	Mtr	
27.00	S/F of 20 mm wide PVC cassing capping on wall /roof with suitalbe screw etc as reqd.	2	Mtr	Mtr	
28.00	S/F of 32 Amps four pole ON load change over switch in steel enclosure with side handle operation capable of working 415/500 V i/c fixing the same on wall /pole with suitable clamp/fastner i/c drilling hole , making connection, earthing the body etc. i/c dismenting of existing faulty unit (if requiredat site)as reqd.		Nos	Each	
29.00	S/F 32 Amps TPN Switch fuse unit with HRC fuses in steel enclosure with side handle operation capable of working 415/500 V i/c fixing the same on wall /pole with suitable clamp/fastner i/c drilling hole , making connection, earthing the body etc. i/c dismenting of existing faulty unit (if requiredat site)as reqd.		Nos	Each	
30.00	S/F of following electrical items in existing Electrical Installation I/c dismantling of existing faulty items (if required ) and connection, testing etc. as reqd.( Note- All spare of lighting systen should be of Make -Bajaj/crompton/philips/havells)				
30.01	Ceiling rose	2	Nos	Each	
30.02	Bakalite Holder	4	Nos	Each	
30.03	Starter for fluorsent Tube Light	10	Nos	Each	
30.04	Side Holder for all type Tube Light fitting	5	Nos	Each	
30.05	2.5 to 4 MFD MPP capacitor for fan	10	Nos	Each	
30.06	5 Amp. Piano Type switch.	10	Nos	Each	
	3 Pin ,5 Amp. Socket outlet.				
30.07		10	Nos	Each	
30.08	Plug top 5 AMP	5	No	Each	
30.09	Plug top 15 AMP	5	No	Each	



TOTAL NET COST TO BSNL Rs.

Executive Engineer (E) BSNL,ED, AJMER

## ADDITIONAL SPECIFICATIONS FOR PROVIDING EI & FANS

- 1 Rates of only ISI marked conduits, switches and sockets outlets have been taken in the schedule of quantities. Unless and otherwise specified, only such conduits, cables, switches and sockets outlets shall be used in the work.
- 2 The work shall be done as per current CPWD specifications for electrical works as amended from time to time and Indian Electricity Rules as amended up to date.
- 3 The work shall be supervised by a qualified Overseer/Engineer.
- 4 The layout of the work will be given by the Engineer-in-Charge or his duly authorized representative at site of work.
- 5 All conduit work willbe carried out in recessed conduit. If recessed conduit wiring is not possible due to circumstances beyond the control, the conduit can be laid in surface. However such surface conduit work shall be carried out only with prior approval of Engineer-in-Charge. Down/Drops of surface conduit & all MS/CI boxes used for housing switch & socket must be recessed.
  - Separate conduits shall be provided for followings.
  - a) Power plug wiring.
  - b) Light and Fan point wiring.
  - c) Emergency Light point wiring.
  - d) Telephone wiring.
  - f) Fire detection and alarm.
- 6 The number of power plug points shall be designed with only one outlet per circuit.
- 7 The earthing sets must be provided in the presence of the Engineer-in-Charge or his authorized representative.
- 8 The contractor will have to give the following tests at his cost and intimate test results before final bills are paid. Nothing extra will be paid to him on this account.
  - a. Earth test.
  - b. Polarity test.
  - c. Insulation test.
  - d. Earth continuity test of recessed conduit.
- 9 Any damage done to the building by the contractor during the execution of work shall have to be Made good at his cost & risk. If he does not do it himself within a reasonable time as determined by the Engineer-in-Charge the same will be got executed at his risk & cost departmentally after giving notice to him.
- 10 The circuit wiring at various places shall be kept minimumby taking the runs on walls.
- 11 The conduits laid shall be provided with fish wire to facilitate wiring at a later stage. The telephone outlets shall be provided immediatelyabove skirting level.
- 12 All the sub distribution boards, sub main boards and main boards shall be sign written clearly indicating the number of distribution board, the type of load it is serving and the number of circuits contained in the distribution board.
- 13 While making the end connection of wires, no strand shall be out and the termination of wire shall be done with necessary lugs and ferrule by crimping method without any extra payment.
- 14 Lugs should be provided while terminating 6 SWG GI wire for earth continuity without any extra Payment.
- 15 The termination of conduits etc. in the junction box to be provided above DB should be done by making proper holes instead of cutting the box.
- 16 The bus bar provided in main board shall be suitable for current density of not more than 100 Amp/sq.cm.

- 17 All the points on the walls (except for exhaust fan) in the rooms or the corridors shall be provided at a height of 2300mm above the floor level.
- 18 All switch boxes and boards in a room shall be of same size.
- 19 Air conditioning plant rooms, weather maker room, sub station rooms and engine alternator rooms shall be provided light/fans points on walls only.
- 20 Conduit laid/fixed in slab or wall with fan box before award of work shall be recovered on the following basis :
  - a. Conduit as per size on linear basis of DSR-2007(Internal) +/- abatment of agreement.
  - b. Fan box already provided shall be taken into account.

## SPECIFICATIONS OF CABLE

- 1 The cable laying shall be as per CPWD specification.
- 2 The route for the cable laying should be gets approved from the Engineer-in-Charge.
- 3 All cable joints should be done in presence of Engineer-in-Charge or his authorized representative. The LT joints should be done with crimping method and will make lugs/ferrules should only be used.
- 4 The measurement of the cable will be done from the top of the one cable and control box to the top of the other cable and box
- 5 The earthing (wherever applicable) should be done in the presence of the Engineer-in-Charge.
- 6 Any damage done to the building during the erection will have to be made good to the entire satisfaction of Engineer-in-Charge.
- 7 Under ground cable of 1.1 KV grade should be subjected to pressure/insulation test before & after laying to the same in the ducts and in case of unsatisfactory tests the cost of all repairs and replacement & all extra work of removal and relaying will have to be made good by the contractor at his own cost and risk.
- 8 Schedule of work should be carefully read before quoting if any deviation regarding any item is proposed should be clearly indicated in the tender particularly the type of the cable should be specified.
- 9 The quantity of cable in the tender is approximate. The agency will have to assess the quantity from the site before dispatch.

# Specifications of EA set servicing, shifting & repairing (What so ever applicable)

- 1 E/A Set should be attended within prescribed time format and visit to be made immdiately to maintain the services by restoration of DG supply at the extent possible
- 2 During visit, detailed fault report prepared at site with consent of Exchange In Charge and submitted to concerned SDE(E).
- 3 In case of shifting of EA set from two exchanges, both EA shall be loaded simultaneously and parallelly to minimise the intruption in power supply.
- 4 The shifting and transportation shall be done safely else necessary recovery shall be made in case of any damage found
- 5 Servicing and all parameters shall be checked & adjusted as per specifications of manufacturer.
- 6 There should be no any oil or fuel leakage after the servicing
- 7 All the parts shall be as per mfr recommended & GST invoice shall be produced a.w. part no's or otherwise of approved make
- 8 Tappit clearance shall be adjusted as per mgr specifications and as per instruction of EIC
- 9 Trottle linkage, belt tension, cleaning of breather shall be checked & adjusted accordingly

- 10 A/T shall be done as per schedule of T&D circle with 7 hrs at full load & 1 hr at 10% overload
- 11 All existing protections with audio, visual as well as tripping are covered in repairing of control wiring as per schedule.

## Specifications of Airconditioning (What so ever applicable)

- 1 AC Unit should be attended within prescribed time format and visit to be made immdiately to maintain the services by restoration of AC Unit at the extent possible.
- 2 During visit, detailed fault report prepared at site with consent of Exchange In Charge and submitted to concerned SDE(E).
- All T&P shall be arranged by the contractor on his owncost and nothing shall be a paid on this accopunt
- 4 Proper allignments & balancing of the components shall be thoroughly checked.
- 5 Filters shall be checked & cleaned properly
- 6 In case of replacement of the compressor, valid test certificate / Original Invoice showing the Old and New Compressor Serial No. shall be submitted.
- 7 Compressor shall be operative to the existing operative system of refrigerent & electric supply as well.
- 8 Proper leakage testing, pressure testing, vacumazing, purging shall be conducted befoe gas charging, as per deptt. Specs and direction of EIC
- 9 Proper combing shall be done at condenser & evoporator fins.
- 10 Suction & Discharge pressure shall be within specified limits
- 11 Belt tension of blower shall be checked.
- 12 RPM's of blower functioning of expansion valve/ capillaries shall be checked as well as adequate return of air.
- 13 Rate of removal of refregerant vapour by compressor should meet the production rate in evoporator
- 14 Proper CFM's according to the capacity of blower should be checked
- 15 Gauge ports should provided in compressor, if any
- 16 Pipes if provided should be of proper gauge as per mfr specs.

Executive Engineer (E) BSNL Electrical Division AJMER

	IMPORTANT / REMARKS / SPECIAL NOTES
PAR	<u>Γ- Α</u>
A	This Contract is for mainetance work so quantity mentioned in the schedule are tentative and shall be executed as per actual requirment at site. The deviation of individual item have no limit. However, increase/ decrease of overall contract value will be governed as per special conditions.
В	The workers engaged by firm should maintain proper discipline and good behavior with occupants. The firm shall not depute such workers at the site, whose behavior is found improper.
С	The agency will provide the workers with necessary Tools & Plant, Testing and safety equipments
D	Agency has to observe all the labour rules and regulations in force and indemnify BSNL against any claims whatsoever, either from this clause or any other clause in the contract.
E	Firm shall issue ID card to their workforce whenever they enter premises for bonafide work. Nobody shall be allowed entry without work and nobody will be allowed overnight stay without work.
F	Unserviceable replaced parts/items/ material can be removed from the site after checking and varification of JTO(E)/SDE(E) incharge.
G	The contractor has to keep all the units, neat and clean to avoid any accident and / or fire hazards.
Η	Firm should have round the clock contact telephone number. In case of Emergency, contractor and authorized engineer supervisor shall be available at site on short notice from engineer-in-charge and make all efforts to make the situation normal at the earliest.
Ι	Minimum inventory of spares shall be maintained by the contractors, the plea of non- availability of spares shall be attributed to the delay by the contractors.For critical spare parts, firm shall have arrangement with dealers for prompt supply.
J	Any material used/replaced by the Firm for the work shall have same specification model / make of particular DEA set. Alternate Make shall be allowed, only after prior approval of the Engineer in charge.
K	For genuineness of the parts, agency shall have to produce documentary proof.
L	All the work /item supplied by the contractor bears guarantee of at least one year and faulty item during this period is to be replaced by contractor free of cost.(No visit charges are admissible in case of attending the fault for guaranteed work/item).
М	All the material will be under the charge of contractor till it is completed and handed over. Safe custody of material shall be the firms responsibility even if any running payments have been made for material brought at site or installed. However, no material shall be removed from site without written permission of Engineer in charge.
N	The firm has to submitt field service report duly signed by the particular exchange/BTS incharge/SDE(E)/JTO(E).
0	This is tender for works at various sites under area of SSA mention in Name of work. However, the work may be execute at anywhere under Jurisdiction of BSNL Electrical Division, Ajmer.



S. No.	Item	Makes
2	Alternator(Brushless)	Crompton Greaves (AL. series) / KEC / Leroy Somer / Stamford/Jyoti Ltd
3		Amara Raja / AMCO / Farukawa / Hitachi / Exide/ Prestolite / Standard
4	HV Switchgear (Vacuum Circuit Breaker/SF6 )	Biecco Lawrie / Crompton / Kirloskar / MEI / Jyoti Ltd
5		ABB / Schneider Electric /Andrew Yule / Bharat Bijlee / Crompton / EMCO / Kirloskar / Siemens
	a) Above 400 KVA	
	b) Up to 400 KVA	In addition to above makes, Uttam/Automatic Electric Gear(AEG)/Patson/Rajasthan transformer and Switchgear
6		L&T/ Schneider Electric / Siemens
7	MCCB(lcs=lcu)	L&T/ Schneider Electric / Siemens
8	SDF units	L&T/ Schneider Electric / Siemens/ HPL/Havells
9	Power Contactors	L&T/ Schneider Electric / Siemens/ Lakshmi(LECS)
10	Change Over Switch	HPL / Havells / H-H Elcon
11	Intelligent APFC Relay	L&T/EPCOS(Siemens)/Schneider Electric / Neptune Ducati/Syntron/ABB
12	Bus Bar Trunking/ Sandwiched Bus Duct	Moeller/L&T/SchneiderElectric/ABB/Legrand/Zeta
13	Power Capacitors (MPP/APP)	L&T/EPCOS(Siemens)/ABB/Crompton/Schneider Electric/Neptune Ducati
14	Digital/ KWHr meter	Schneider Electric/ AE/ Digitron / IMP/ Meco / Rishabh / Universal/HPL/L&T/ABB
15	Cold shrink HT/LT Cable Joint	Denson / 3M(M-Seal )/ Raychem
16	Rubber Matting	ISI mark
17	MCB/ Isolator /ELCB/RCCB/ Distribution Board	Crompton / Havells / Indokopp / MDS Legrand/ L&T / Schneider Electric/ Siemens / Standard/ C&S/ABB/HPL
18	MS/ PVC Conduit	ISI mark
19	Cable Tray	MEM/Bharti/Ratan/Slotco/Profab
20	HT/LT Cables	ISI mark
21	PVC insulated copper conductor wire	ISI mark
22	CentrifugalPump	Amrut / BE / Beacon / Batliboi / Crompton / Jyoti / Kirloskar / KSB / Mather & platt / WASP/Grundfos
23	Submersible Pump	Crompton/Amrut / BE / Calama / Kirloskar / KSB
24		ABB/ Bharat Bijlee / Crompton Greaves / Schneider Electric / HBB / KEC / Siemens/Jyoti Ltd
25	Fresh Air Fans	GE / Khaitan/Almonard/Crompton
26	Starter	ABB / BCH / Schneider Electric / L&T / Siemens /
27	Single Phase Preventer	L&T / Minilec / Siemens / Zerotrip
28	GI/MS Pipe	ATC / ATL / BST / GSI / ITC / ITS / IIA / JST / Jindal /TTA / Tata/Zenith
29	Foot Valve	ISI mark
30	Gate Valve	Advance/Audco/JohnsonControls/Zoloto/Annapurna/ Fountain / Kirloskar / Leader / Sant / Trishul
31	Compressors	Carrier/Emersoncopeland/York/Danfoss(for chillers only)
32	Resin Bonded Glass wool	Fibre Glass / Pilkingston / UP Twiga
33	Expanded Polystyrene	BASF(India)Ltd.

34	Gauge	Feibig / H.Guru / Pricol
35	Controls	FLICA / Honeywell / Indfoss / Penn-Danfoss / Ranco / Ranutrol / Sporland
36	Fine Filters	Anfiltra Effluent / ARW / Athlete/ Airtake/ Dyna / Kirsloskar/ Puromatic/ Purafill/ Purolator / Tenacity
37	GI Sheet	HSU Jindal / National / Nippon Denro / Sail / Tata
38	Heat Detector	Appollo / Chemtron/ Edward / Fenwal/ Hochiki / Nitton /System Sensor/ Wormald/HoneywellEssar/Notifier
39	Ionization Detector	Appollo / Cerebrus / Edward/ /Fenwal /Hochiki / Nitton / System Sensor /Wormald
40	Photo Electric Smoke Detector	Appollo / Cerebrus / Edward / Fenwal/ Hochiki / Nitton / Wormald
41	Fire Panel (Microprocessor based)	Agni Instruments / Agni Devices/ Aruna Agencies/ Carmel Sensor / Ravel Elect./Honeywell Essar/Notifier/NavinSystems
42	Sprinkler/ Hose Reel & Hose Pipe	ISI mark
43	Fire Extinguisher	ISI mark
44	Lift	OTIS, Kone, Mitsubishi , Schindler, Johnson

NOTE:

1 In case of External / PMC works, the list of approved makes may be modified as per client's requirement.

- 2 The accessories such as CT/PT/measuring instrument/relays provided by approved make in respect of Transformer/HTPanel/DG /AC Package Units as supplied by approved manufacturer along with the equipments are also acceptable in addition.
- 3 Any additional makes may be approved by concerned PCEs/Sr CEs/CEs(Elect) for the work under his jurisdiction as already accorded vide letter no. 3-2-5/EW/VEP-1/2007 dated 05-07-2007.

Executive Engineer(E), BSNL, ED, Ajmer

BHARAT SANCHAR NIGAM LIMITED		
(A Governmentof India Enterprise)		
CIRCLE - RAJASTHAN TELECOM CIRCLE DIVISION - AJ	MER	
BRANCH: EW	SUB DIVISION -	
(A)		
Tender for the work of :		
(i) Issued to (contractor)		
(ii) Tender Cost	(iii)Receipt No.	
(iv) Date of application	(v) Date of issue	
(vi) Signatureof officerissuing the documents		
(vii) Designation		
(B) (i) To be submitted by (time)	hours on (date) to	
(ii) To be opened in presence of tenderers who may be presen	at at	
(ii) To be opened in presence of tenderers who may be present		
hours on in the office of		
TENDER		
I/we have read and examined the notice inviting tender, schedule, speci Conditions of Contract, clauses of contract, special conditions, Schedule of		rections,
		tions of
contract and all otherdocuments and Rules referred to in the conditions o		
contract and all otherdocuments and Rules referred to in the conditions o	f contract and all other contents in the tender document for the work	
	f contract and all other contents in the tender document for the work vithin the time specified, schedule of quantities and in accordance	:. e in all
contract and all otherdocuments and Rules referred to in the conditions o I/We hereby tender for the execution of the work specified for BSNL w respects with the Specifications, designs, drawings and instructions and other other contents in the tender Document for the work.	f contract and all other contents in the tender document for the work within the time specified, schedule of quantities and in accordance er documents and Rules referred to in the conditions of contract	e in all and all
contract and all otherdocuments and Rules referred to in the conditions on I/We hereby tender for the execution of the work specified for BSNL we respects with the Specifications, designs, drawings and instructions and other other contents in the tender Document for the work. I/We agree to keep the tender open for ninety (90) days from the due of	f contract and all other contents in the tender document for the work within the time specified, schedule of quantities and in accordance er documents and Rules referred to in the conditions of contract	e in all and all
contract and all otherdocuments and Rules referred to in the conditions o I/We hereby tender for the execution of the work specified for BSNL w respects with the Specifications, designs, drawings and instructions and other other contents in the tender Document for the work. I/We agree to keep the tender open for ninety (90) days from the due of conditions.	f contract and all other contents in the tender document for the work within the time specified, schedule of quantities and in accordance er documents and Rules referred to in the conditions of contract date of submission thereof and not to make any modifications in its te	:. e in all and all rms and
contract and all otherdocuments and Rules referred to in the conditions o I/We hereby tender for the execution of the work specified for BSNL w respects with the Specifications, designs, drawings and instructions and other other contents in the tender Document for the work. I/We agree to keep the tender open for ninety (90) days from the due of conditions. A sum of Rsis hereby forwarded in the form of Deposit	f contract and all other contents in the tender document for the work within the time specified, schedule of quantities and in accordance er documents and Rules referred to in the conditions of contract date of submission thereof and not to make any modifications in its te at call receipt/FDR//Bank guarantee of a Nationalized/Scheduled	:. e in all and all rms and Bank as
contract and all otherdocuments and Rules referred to in the conditions of I/We hereby tender for the execution of the work specified for BSNL we respects with the Specifications, designs, drawings and instructions and other other contents in the tender Document for the work. I/We agree to keep the tender open for ninety (90) days from the due of conditions. A sum of Rs	If contract and all other contents in the tender document for the work within the time specified, schedule of quantities and in accordance er documents and Rules referred to in the conditions of contract late of submission thereof and not to make any modifications in its te at call receipt/FDR//Bank guarantee of a Nationalized/Scheduled e that the said BSNL shall without prejudice to any other right or	e in all and all rms and Bank as remedy,
contract and all otherdocuments and Rules referred to in the conditions o I/We hereby tender for the execution of the work specified for BSNL w respects with the Specifications, designs, drawings and instructions and other other contents in the tender Document for the work. I/We agree to keep the tender open for ninety (90) days from the due of conditions.	f contract and all other contents in the tender document for the work within the time specified, schedule of quantities and in accordance er documents and Rules referred to in the conditions of contract late of submission thereof and not to make any modifications in its te at call receipt/FDR//Bank guarantee of a Nationalized/Scheduled e that the said BSNL shall without prejudice to any other right or pay at the option of thethe said earnest money absolutely and the	e in all and all rms and Bank as remedy, ne same
contract and all otherdocuments and Rules referred to in the conditions of I/We hereby tender for the execution of the work specified for BSNL we respects with the Specifications, designs, drawings and instructions and other other contents in the tender Document for the work. I/We agree to keep the tender open for ninety (90) days from the due of conditions. A sum of Rsis hereby forwarded in the form of Deposit earnest money. If I/W e, fail to commence the work specified I/W e agree be at liberty to forfeit the said earnest money absolutely and the same m may at the option of the competent authority on behalf of BSNL be recor- the deposit in so far as the same may extend in terms of the said bond and	f contract and all other contents in the tender document for the work within the time specified, schedule of quantities and in accordance er documents and Rules referred to in the conditions of contract late of submission thereof and not to make any modifications in its te at call receipt/FDR//Bank guarantee of a Nationalized/Scheduled e that the said BSNL shall without prejudice to any other right or tay at the option of thethe said earnest money absolutely and th overed without prejudice to any other right or remedy available in la	e in all and all rms and Bank as remedy, the same w out of
contract and all otherdocuments and Rules referred to in the conditions of I/We hereby tender for the execution of the work specified for BSNL we respects with the Specifications, designs, drawings and instructions and other other contents in the tender Document for the work. I/We agree to keep the tender open for ninety (90) days from the due of conditions. A sum of Rs	f contract and all other contents in the tender document for the work within the time specified, schedule of quantities and in accordance er documents and Rules referred to in the conditions of contract date of submission thereof and not to make any modifications in its te at call receipt/FDR//Bank guarantee of a Nationalized/Scheduled that the said BSNL shall without prejudice to any other right or nay at the option of thethe said earnest money absolutely and th overed without prejudice to any other right or remedy available in la in the event of deficiency out of any other money due to me/us un	e in all and all rms and Bank as remedy, he same w out of hder this
contract and all otherdocuments and Rules referred to in the conditions on I/We hereby tender for the execution of the work specified for BSNL we respects with the Specifications, designs, drawings and instructions and other other contents in the tender Document for the work. I/We agree to keep the tender open for ninety (90) days from the due of conditions. A sum of Rsis hereby forwarded in the form of Deposit earnest money. If I/We, fail to commence the work specified I/We agree be at liberty to forfeit the said earnest money absolutely and the same may at the option of the competent authority on behalf of BSNL be record the deposit in so far as the same may extend in terms of the said bond and contract or otherwise.	f contract and all other contents in the tender document for the work within the time specified, schedule of quantities and in accordance er documents and Rules referred to in the conditions of contract date of submission thereof and not to make any modifications in its te at call receipt/FDR//Bank guarantee of a Nationalized/Scheduled the said BSNL shall without prejudice to any other right or nay at the option of thethe said earnest money absolutely and the vered without prejudice to any other right or remedy available in la in the event of deficiency out of any other money due to me/us un the in the tender documents upon the terms and conditions contra- ted in the tender documents upon the terms and conditions contra-	the in all and all rms and Bank as remedy, he same w out of her this ined or
contract and all otherdocuments and Rules referred to in the conditions of I/We hereby tender for the execution of the work specified for BSNL were respects with the Specifications, designs, drawings and instructions and other other contents in the tender Document for the work. I/We agree to keep the tender open for ninety (90) days from the due of conditions. A sum of Rsis hereby forwarded in the form of Deposit earnest money. If I/W e, fail to commence the work specified I/W e agree be at liberty to forfeit the said earnest money absolutely and the same m may at the option of the competent authority on behalf of BSNL be record the deposit in so far as the same may extend in terms of the said bond and contract or otherwise. Should this tender be accepted, I/W e agree to execute all the works referred referred to therein and to carry out such deviations as may be ordered by the depositions of and to carry out such deviations as may be ordered by and the site of the tender be accepted for the said bond and contract or otherwise.	if contract and all other contents in the tender document for the work within the time specified, schedule of quantities and in accordance er documents and Rules referred to in the conditions of contract date of submission thereof and not to make any modifications in its te at call receipt/FDR//Bank guarantee of a Nationalized/Scheduled e that the said BSNL shall without prejudice to any other right or tay at the option of thethe said earnest money absolutely and the vered without prejudice to any other right or remedy available in la in the event of deficiency out of any other money due to me/us us to in the tender documents upon the terms and conditions conta upto maximum of percentage mentioned in clause 12.3 of the tender	the in all and all rms and Bank as remedy, he same w out of her this ined or
contract and all otherdocuments and Rules referred to in the conditions of I/We hereby tender for the execution of the work specified for BSNL we respects with the Specifications, designs, drawings and instructions and other other contents in the tender Document for the work. I/We agree to keep the tender open for ninety (90) days from the due of conditions. A sum of Rs	f contract and all other contents in the tender document for the work within the time specified, schedule of quantities and in accordance er documents and Rules referred to in the conditions of contract date of submission thereof and not to make any modifications in its te at call receipt/FDR//Bank guarantee of a Nationalized/Scheduled i e that the said BSNL shall without prejudice to any other right or hay at the option of thethe said earnest money absolutely and the vered without prejudice to any other right or remedy available in la in the event of deficiency out of any other money due to me/us un to in the tender documents upon the terms and conditions conta upto maximum of percentage mentioned in clause 12.3 of the tender with provisions contained in clause 12.2.	e in all and all rms and Bank as remedy, he same wout of hder this ined or ler form
contract and all otherdocuments and Rules referred to in the conditions of I/We hereby tender for the execution of the work specified for BSNL were respects with the Specifications, designs, drawings and instructions and other other contents in the tender Document for the work. I/We agree to keep the tender open for ninety (90) days from the due of conditions. A sum of Rsis hereby forwarded in the form of Deposit earnest money. If I/W e, fail to commence the work specified I/W e agree be at liberty to forfeit the said earnest money absolutely and the same m may at the option of the competent authority on behalf of BSNL be record the deposit in so far as the same may extend in terms of the said bond and contract or otherwise. Should this tender be accepted, I/W e agree to execute all the works referred referred to therein and to carry out such deviations as may be ordered by the depositions of and to carry out such deviations as may be ordered by and the site of the tender be accepted for the said bond and contract or otherwise.	if contract and all other contents in the tender document for the work within the time specified, schedule of quantities and in accordance er documents and Rules referred to in the conditions of contract late of submission thereof and not to make any modifications in its te at call receipt/FDR//Bank guarantee of a Nationalized/Scheduled e that the said BSNL shall without prejudice to any other right or nay at the option of thethe said earnest money absolutely and th overed without prejudice to any other right or remedy available in la in the event of deficiency out of any other money due to me/us un l to in the tender documents upon the terms and conditions conta upto maximum of percentage mentioned in clause 12.3 of the tend with provisions contained in clause 12.2.	e in all and all rms and Bank as remedy, he same wout of hder this lined or ler form % of the
contract and all otherdocuments and Rules referred to in the conditions of I/We hereby tender for the execution of the work specified for BSNL we respects with the Specifications, designs, drawings and instructions and othe other contents in the tender Document for the work. I/We agree to keep the tender open for ninety (90) days from the due of conditions. A sum of Rsis hereby forwarded in the form of Deposit earnest money. If I/W e, fail to commence the work specified I/W e agree be at liberty to forfeit the said earnest money absolutely and the same m may at the option of the competent authority on behalf of BSNL be rece the deposit in so far as the same may extend in terms of the said bond and contract or otherwise. Should this tender be accepted, I/W e agree to execute all the works referred referred to therein and to carry out such deviations as may be ordered and those in excess of that limit at rates to be determined in accordance. I/we agree to furnish to BSNL Deposit at call receipt/FDR/Bank guarant	f contract and all other contents in the tender document for the work within the time specified, schedule of quantities and in accordance er documents and Rules referred to in the conditions of contract date of submission thereof and not to make any modifications in its te at call receipt/FDR//Bank guarantee of a Nationalized/Scheduled e that the said BSNL shall without prejudice to any other right or tay at the option of thethe said earnest money absolutely and the vered without prejudice to any other right or remedy available in la in the event of deficiency out of any other money due to me/us un to in the tender documents upon the terms and conditions conta upto maximum of percentage mentioned in clause 12.3 of the tender with provisions contained in clause 12.2. tee of a Nationalised/ Scheduled B ank f or an amount equal to 5% f award letter. I/We agree to keep the performance bank guarant	e in all and all rms and Bank as remedy, ne same wout of hder this hined or ler form 6 of the ee valid

by the network and shall not communicate information/derived therefrom to any person other than to whom I/We am/are authorised to communicate the same or use the information in any manner prejudicial to the safe ety or interest of BSNL.

Signature of Witness (required in the case of Contractor's thumb impression is given by the contractor in place of signature )

(Signature of contractor ) Seal of Contractor Date:

(Name & Postal address)

Occupation of Witness A C C E P T A N C E The above tender (as modified by you as provided in the letters mentioned hereunder) is accepted by me for and on behalf of BSNL for a sum of Rs. ) \_\_\_\_\_

a) b)

1

2 3

4

5

6

7

Dated .....

For & on behalf of BSNL Signature \_\_\_\_\_ Designation

	General Rules & Directions
1	All works proposed for execution by contractor will be notified in a form of invitation to tender displayed on Notice Board in select BSNL offices and signed by the officer inviting tender or by publication in News papers/internet (designated web page) as the case may be.
	This form will state the work to be carried out, as well as the date of submitting and opening tenders and the time allowed for carrying out the
2	work; also the amount of earnest money to be deposited with the tender, and the amount of performance guarantee to be deposited by the successful tenderer(s). Copies of the specifications, designs and drawings and any other documents required in connection with the work signed
	for the purpose of identification by the Officer inviting tender shall also be open for inspection by the contractor at the office of Officer inviting tender during office hours.
	In the event of the tender being submitted by a firm it must be signed by the authorised signatory. Receipts for payments made on account of work when executed by a firm,must also be signed by authorised signatory.
	Any person who submits a tender shall fill up the usual printed form stating at what rate he is willing to undertake each item of the work.
	Tenders, which propose any alteration in the work specified in the said form of invitation to tender, or in the time allowed for carrying out the work, or which contain any other condition of any sort, including conditional rebates will be summarily rejected. However, tenders with unconditional rebate
5	with contain any outer condition of any soft, including conditional reduces with destination y rejected, noweed, reducts with unconditional reduce will be acceptable. No single tender shall include more than one work, but contractors who wish to tender for two or more works shall submit
	separate tender for each. Tenders shall have the name and number of the works to which they refer written on the envelopes.
	The rates(s) must be quoted in decimal coinage. Amounts must be quoted in full rupees by ignoring fifty paise and considering more than fifty paise as rupee one.
	The Officer inviting tender or his duly authorised assistant willopen tenders in the presence of any intending contractors who may be present at the
5	time, and willenter the amounts of the several tenders in a Comparative Statement in a suitable form. In the event of a tender being accepted a receipt for the earnest money forwarded therewith shall thereupon be given to the contractor who shall thereupon for the purpose of identification sign
	copies of the specifications and other documents mentioned in Rule 1. In the event of a tender being rejected, the earnest money forwarded with such unaccepted tender shall thereupon be returned to the contractor remitting the same without any interest.
7	The officer inviting tenders shall have the right of rejecting all or any of the tenders, and, willnot be bound to accept the lowest or any other tender.
-	The except of an accountant or clerk for any money paid by the contractor will not be considered as any acknowledgement of payment to the Officer
8	inviting tender and the contractors shall be responsible for seeing that he procures a receipt signed by the concerned Accounts Officer.
)	The memorandum of work tendered for and the schedule of materials to be supplied by BSNL shall be filled and completed in the office of the Officer inviting tender before the tender form is issued. If a form is issued to an intending tenderer without having been so filled in and
	incomplete, he shall request the officer to have this done before he completes and delivers his tender. The tenderer shall sign a declaration under the officials S ecret Act, 1923 for maintaining secrecy of the tender documents drawings or other records
10	connected with the work given to them. The unsuccessful tenderers shall return all thewith the work given to them. The unsuccessful tenderers
	shall return all the drawings given to them. Rates quoted by the Contractor in the tender both in figures and words shall be accurately filled-inso that there is no discrepancy in the rates
	written in figures & words. However, if a discrepancy is found the rates which correspond with the amount worked out by the contractor shall unless otherwise proved be taken as correct. If the amount of an item is not worked out by the contractor or it does not correspond with the rates
11	written in either in figures or words then the rates quoted by the contractor in words shall be taken as correct. Where the rates quoted by the
	contractor in figures and in words tally but the amount is not worked out correctly, the rates quoted by the contractor will unless otherwise proved be taken as correct and not the amount.
12	Performance Guarantee:
	The contractor is required to furnish performance guarantee for an amount equal to 5% of the contract value in the form of bank guarantee /
	CDR/FDR/DD (of a nationalized / Scheduled Bank in a standard format) within two weeks from the date of issue of award letter. The validity period of the performance security in the form of performance bank guarantee shall be one year from the date of actual completion of work.
	Security deposit: In addition to performance guarantee stated above, a sum @ 10% of the gross amount of the bill shall be deducted from each running bill of the contractor
	till the sum deducted will amount to security deposit of 5% of the Tendered value of the work.
	All rates shall be quoted on the tender form. The amount for each item should be worked out and requisite totals given. Special care should be taken
	to write the rates in figures as well as in words and the amount in figures only, in such a way that interpolation is not possible. The total amount should be written both in figures and words. In case of figures, the word 'Rs.' Should be written before the figure of rupees and word 'P' after the
13	decimal figures, e.g. 'Rs.2.15P' and in case of words, the word, ' Rupees' should precede and the word 'Paise' should be written at the end. Unless
	the rate is in whole rupees and followed by the word 'only' it should invariably be upto two decimal places. While quoting the rate in schedule of quantities, the word' 'only' should be written closely following the amount and it should not be written in the next line.
1.4.4	The bidder shall give the total composite price inclusive of all Central & state's levies and taxes i.e. Sales-tax, purchase tax, turnover tax, service tax,
14A	works contract tax etc.or any other taxes or duties like octroi, local area development tax on materials/labour etc The total composite price shall comprise of unit price and all other components of price need to be individually indicated/quoted against the
14B	goods/material/service,it proposes to supply under the contract in the following manner:-
	i) The Basic Unit Price (Ex-Factory Price) of the goods /services/ materials Excise Duty, Sales Tax, Freight, Forwarding, Packing, service tax, insurance and any other levies /charges already paid or payable by the contractor/supplier shall be quoted separately.
	ii) The liability to pay all taxes, levies, etc shall be of contractor and BSNL willnot entertain any claim whatsoever in this respect.
14C	iii) The invoice for excise duty/equivalent duty/service tax paid favoring BSNLshall be issued by the firm.
140	No concessional form except S ales Tax form 'C' for the items as specified in the schedule of works and meant for use in BSNL, shall be provided by
	BSNL.Form 'C' shall be provided by the BSNL only on the specific request of the contractor."
	BSNL.Form 'C' shall be provided by the BSNL only on the specific request of the contractor."         (i) BSNL shall evaluate in detail the financial bids to see whether any computational errors have been made and compare the bids previously determined to be substantially responsive pursuant to clause -8 above         (ii) Arithmetical errors shall be rectified on the following basis. If there is a discrepancy between the unit price and total price that is obtained
	BSNL.Form 'C' shall be provided by the BSNL only on the specific request of the contractor." (i) BSNL shall evaluate in detail the financial bids to see whether any computational errors have been made and compare the bids previously determined to be substantially responsive pursuant to <b>clause -8 above</b>
	BSNL.Form 'C' shall be provided by the BSNL only on the specific request of the contractor."           (i) BSNL shall evaluate in detail the financial bids to see whether any computational errors have been made and compare the bids previously determined to be substantially responsive pursuant to clause -8 above           (ii) Arithmetical errors shall be rectified on the following basis. If there is a discrepancy between the unit price and total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected by the purchaser. If there is a discrepancy between words and figures, the amount in words shall prevail. If the supplier does not accept the correction of the errors, his bid shall be rejected.           (iii) The evaluation and comparison of responsive bids shall be done on the basis of Net cost to BSNLon the prices of the goods offered inclusive of
	BSNL.Form 'C' shall be provided by the BSNL only on the specific request of the contractor."         (i) BSNL shall evaluate in detail the financial bids to see whether any computational errors have been made and compare the bids previously determined to be substantially responsive pursuant to clause -8 above         (ii) Arithmetical errors shall be rectified on the following basis. If there is a discrepancy between the unit price and total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected by the purchaser. If there is a discrepancy between words and figures, the amount in words shall prevail. If the supplier does not accept the correction of the errors, his bid shall be rejected.
	BSNL.Form 'C' shall be provided by the BSNL only on the specific request of the contractor."           (i) BSNL shall evaluate in detail the financial bids to see whether any computational errors have been made and compare the bids previously determined to be substantially responsive pursuant to clause -8 above           (ii) Arithmetical errors shall be rectified on the following basis. If there is a discrepancy between the unit price and total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected by the purchaser. If there is a discrepancy between words and figures, the amount in words shall prevail. If the supplier does not accept the correction of the errors, his bid shall be rejected.           (iii) The evaluation and comparison of responsive bids shall be done on the basis of Net cost to BSNL on the prices of the goods offered inclusive of Duties and Taxes (B ut excluding CENVAT-ableduties & Taxes) as indicated in the Price Schedule in Section -VIIIof the Bid Document           (iv) Vendors should furnish the correct Excise Duty & Service tax in the price schedule. If the credit for the Duties and Taxes under CENVATcredit
	BSNL.Form 'C' shall be provided by the BSNL only on the specific request of the contractor."         (i) BSNL shall evaluate in detail the financial bids to see whether any computational errors have been made and compare the bids previously determined to be substantially responsive pursuant to clause -8 above         (ii) Arithmetical errors shall be rectified on the following basis. If there is a discrepancy between the unit price and total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected by the purchaser. If there is a discrepancy between words and figures, the amount in words shall prevail. If the supplier does not accept the correction of the errors, his bid shall be rejected.         (iii) The evaluation and comparison of responsive bids shall be done on the basis of Net cost to BSNLon the prices of the goods offered inclusive of Duties and Taxes (B ut excluding CENVAT-ableduties & Taxes) as indicated in the         Price Schedule in Section -VIIIof the Bid Document.
	BSNL.Form 'C' shall be provided by the BSNL only on the specific request of the contractor."           (i) BSNL shall evaluate in detail the financial bids to see whether any computational errors have been made and compare the bids previously determined to be substantially responsive pursuant to clause -8 above           (ii) Arithmetical errors shall be rectified on the following basis. If there is a discrepancy between the unit price and total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected by the purchaser. If there is a discrepancy between words and figures, the amount in words shall prevail. If the supplier does not accept the correction of the errors, his bid shall be rejected.           (iii) The evaluation and comparison of responsive bids shall be done on the basis of Net cost to BSNL on the prices of the goods offered inclusive of Duties and Taxes (B ut excluding CENVAT-ableduties & Taxes) as indicated in the           Price Schedule in Section -VIIIof the Bid Document         (iv) Vendors should furnish the correct Excise Duty & Service tax in the price schedule. If the redit for the Duties and Taxes under CENVATcredit Rules-2004 is found to be not admissible at any stage subsequently owing to wrong furnishing of Tariff, then the vendors will be liable to refund
	BSNL.Form 'C' shall be provided by the BSNL only on the specific request of the contractor."         (i) BSNL shall evaluate in detail the financial bids to see whether any computational errors have been made and compare the bids previously determined to be substantially responsive pursuant to clause -8 above         (ii) Arithmetical errors shall be rectified on the following basis. If there is a discrepancy between the unit price and total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected by the purchaser. If there is a discrepancy between words and figures, the amount in words shall prevail. If the supplier does not accept the correction of the errors, his bid shall be rejected.         (iii) The evaluation and comparison of responsive bids shall be done on the basis of Net cost to BSNLon the prices of the goods offered inclusive of Duties and Taxes (B ut excluding CENVAT-ableduties & Taxes) as indicated in the         Price Schedule in Section -VIIIof the Bid Document       (iv) Vendors should furnish the correct Excise Duty & Service tax in the price schedule. If the credit for the Duties and Taxes under CENVATcredit Rules-2004 is found to be not admissible at any stage subsequently owing to wrong furnishing of Tariff, then the vendors will be liable to refund such non admissible amount, if already paid along with penalty if charged by the concerned authority. BSNLreserves its right to deduct such amount
	BSNL.Form 'C' shall be provided by the BSNL only on the specific request of the contractor."         (i) BSNL shall evaluate in detail the financial bids to see whether any computational errors have been made and compare the bids previously determined to be substantially responsive pursuant to clause -8 above         (ii) Arithmetical errors shall be rectified on the following basis. If there is a discrepancy between the unit price and total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected by the purchaser. If there is a discrepancy between words and figures, the amount in words shall prevail. If the supplier does not accept the correction of the errors, his bid shall be rejected.         (iii) The evaluation and comparison of responsive bids shall be done on the basis of Net cost to BSNL on the prices of the goods offered inclusive of Duties and Taxes (But excluding CENVAT-ableduties & Taxes) as indicated in the Price Schedule in Section -VIIIof the Bid Document.         (iv) Vendors should furnish the correct Excise Duty & Service tax in the price schedule. If the redit for the Duties and Taxes under CENVATcredit Rules-2004 is found to be not admissible at any stage subsequently owing to wrong furnishing of Tariff, then the vendors will be liable to refund such non admissible amount, if already paid along with penalty if charged by the concerned authority. BSNL reserves its right to deduct such amount from any pending bills or deposit of the vendor.
	BSNL.Form 'C' shall be provided by the BSNL only on the specific request of the contractor."         (i) BSNL shall evaluate in detail the financial bids to see whether any computational errors have been made and compare the bids previously determined to be substantially responsive pursuant to clause -8 above         (ii) Arithmetical errors shall be rectified on the following basis. If there is a discrepancy between the unit price and total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected by the purchaser. If there is a discrepancy between words and figures, the amount in words shall prevail. If the supplier does not accept the correction of the errors, his bid shall be rejected.         (iii) The evaluation and comparison of responsive bids shall be done on the basis of Net cost to BSNL on the prices of the goods offered inclusive of Duties and Taxes (B ut excluding CENVAT-ableduties & Taxes) as indicated in the         Price Schedule in Section -VIIIof the Bid Document         (iv) Vendors should furnish the correct Excise Duty & Service tax in the price schedule. If the credit for the Duties and Taxes under CENVATcredit Rules-2004 is found to be not admissible at any stage subsequently owing to wrong furnishing of Tariff, then the vendors will be liable to refund such non admissible amount, if already paid along with penalty if charged by the concerned authority. BSNL reserves its right to deduct such amount from any pending bills or deposit of the vendor.         (v) The price quoted by the bidder shall remain fixed during the entire period of contract and shall not be subject to variation on any account. A bid submitted with an adjustable price quotation will be treated as non - responsive and rejected. No claimunder "Clause-10cc" shal
	BSNL.Form 'C' shall be provided by the BSNL only on the specific request of the contractor."         (i) BSNL shall evaluate in detail the financial bids to see whether any computational errors have been made and compare the bids previously determined to be substantially responsive pursuant to clause - 8 above         (ii) Arithmetical errors shall be rectified on the following basis. If there is a discrepancy between the unit price and total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected by the purchaser. If there is a discrepancy between words and figures, the amount in words shall prevail. If the supplier does not accept the correction of the errors, his bid shall be rejected.         (iii) The evaluation and comparison of responsive bids shall be done on the basis of Net cost to BSNL on the prices of the goods offered inclusive of Duties and Taxes (But excluding CENVAT-ableduties & Taxes) as indicated in the         Price Schedule in Section -VIIIof the Bid Document         (iv) Vendors should furnish the correct Excise Duty & Service tax in the price schedule. If the eredit for the Duties and Taxes under CENVATcredit Rules-2004 is found to be not admissible at any stage subsequently owing to wrong furnishing of Tariff, then the vendors will be liable to refund such non admissible amount, if already paid along with penalty if charged by the concerned authority. BSNLreserves its right to deduct such amount from any pending bills or deposit of the vendor.         (v) The price quoted by the bidder shall remain fixed during the entire period of contract and shall not be subject to variation on any account. A bid submitted with an adjustable price quotation will be treated as non - responsive and rejected. No claimunder "Clause-10cc" shall
	BSNL.Form 'C' shall be provided by the BSNL only on the specific request of the contractor."           (i) BSNL shall evaluate in detail the financial bids to see whether any computational errors have been made and compare the bids previously determined to be substantially responsive pursuant to clause -8 above           (ii) Arithmetical errors shall be rectified on the following basis. If there is a discrepancy between the unit price and total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected by the purchaser. If there is a discrepancy between words and figures, the amount in words shall prevail. If the supplier does not accept the correction of the errors, his bid shall be rejected.           (iii) The evaluation and comparison of responsive bids shall be done on the basis of Net cost to BSNL on the prices of the goods offered inclusive of Duties and Taxes (But excluding CENVAT-ableduties & Taxes) as indicated in the           Price Schedule in Section -VIIIof the Bid Document         (iv) Vendors should furnish the correct Excise Duty & Service tax in the price schedule. If the redit for the Duties and Taxes under CENVATcredit Rules-2004 is found to be not admissible at any stage subsequently owing to wrong furnishing of Tariff, then the vendors will be liable to refund such non admissible amount, if already paid along with penalty if charged by the concerned authority. BSNL reserves its right to deduct such amount from any pending bills or deposit of the vendor.           (v) The price quoted by the bidder shall remain fixed during the entire period of contract and shall not be subject to variation on any account. A bid submitted with an adjustable price quotation will be treated as non - responsive and rejected. No claimunder "Clause-10cc" shall be entertained.
  15A	BSNL.Form 'C' shall be provided by the BSNL only on the specific request of the contractor."         (i) BSNL shall evaluate in detail the financial bids to see whether any computational errors have been made and compare the bids previously determined to be substantially responsive pursuant to clause -8 above         (ii) Arithmetical errors shall be rectified on the following basis. If there is a discrepancy between the unit price and total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected by the purchaser. If there is a discrepancy between words and figures, the amount in words shall prevail. If the supplier does not accept the correction of the errors, his bid shall be rejected.         (iii) The evaluation and comparison of responsive bids shall be done on the basis of Net cost to BSNL on the prices of the goods offered inclusive of Duties and Taxes (But excluding CENVAT-ableduties & Taxes) as indicated in the <b>Price Schedule in Section -VIIIof the Bid Document.</b> .         (iv) Vendors should furnish the correct Excise Duty & Service tax in the price schedule. If the credit for the Duties and Taxes under CENVAT-credit Rules-2004 is found to be not admissible at any stage subsequently owing to wrong furnishing of Tariff, then the vendors will be liable to refund such non admissible amount, if already paid along with penalty if charged by the concerned authority. BSNL reserves its right to deduct such amount from any pending bills or deposit of the vendor.         (v) The price quoted by the bidder shall remain fixed during the entire period of contract and shall not be subject to variation on any account. A bid submitted with an adjustable price quotation will be treated as non - responsive and rejected. No claimunder "Clause-10cc" sh
15A	BSNL.Form 'C' shall be provided by the BSNL only on the specific request of the contractor."           (i) BSNL shall evaluate in detail the financial bids to see whether any computational errors have been made and compare the bids previously determined to be substantially responsive pursuant to clause -8 above           (ii) Arithmetical errors shall be rectified on the following basis. If there is a discrepancy between the unit price and total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected by the purchaser. If there is a discrepancy between words and figures, the amount in words shall prevail. If the supplier does not accept the correction of the errors, his bid shall be rejected.           (iii) The evaluation and comparison of responsive bids shall be done on the basis of Net cost to BSNL on the prices of the goods offered inclusive of Duties and Taxes (B ut excluding CENVAT-ableduties & Taxes) as indicated in the           Price Schedule in Section -VIIIof the Bid Document           (iv) Vendors should furnish the correct Excise Duty & Service tax in the price schedule. If the credit for the Duties and Taxes under CENVATcredit Rules-2004 is found to be not admissible at any stage subsequently owing to wrong furnishing of Tariff, then the vendors will be liable to refund such non admissible amount, if already paid along with penalty if charged by the concerned authority. BSNL reserves its right to deduct such amount from any pending bills or deposit of the vendor.           (v) The price quoted by the bidder shall remain fixed during the entire period of contract and shall not be subject to variation on any account. A bid submitted with an adjustable price quotation will be treated as non - responsive and rejected. No claimunder "Clause-10cc"
	<ul> <li>BSNL.Form 'C' shall be provided by the BSNL only on the specific request of the contractor."</li> <li>(i) BSNL shall evaluate in detail the financial bids to see whether any computational errors have been made and compare the bids previously determined to be substantially responsive pursuant to clause -8 above</li> <li>(ii) Arithmetical errors shall be rectified on the following basis. If there is a discrepancy between the unit price and total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected by the purchaser. If there is a discrepancy between words and figures, the amount in words shall prevail. If the supplier does not accept the correction of the errors, his bid shall be rejected.</li> <li>(iii) The evaluation and comparison of responsive bids shall be done on the basis of Net cost to BSNL on the prices of the goods offered inclusive of Duties and Taxes (But excluding CENVAT-ableduties &amp; Taxes) as indicated in the Price Schedule in Section -VIIIof the Bid Document.</li> <li>(iv) Vendors should furnish the correct Excise Duty &amp; Service tax in the price schedule. If the credit for the Duties and Taxes under CENVATcredit Rules-2004 is found to be not admissible at any stage subsequently owing to wrong furnishing of Tariff, then the vendors will be liable to refund such non admissible amount, if already paid along with penalty if charged by the concerned authority. BSNL reserves its right to deduct such amount from any pending bills or deposit of the vendor.</li> <li>(v) The price quoted by the bidder shall remain fixed during the entire period of contract and shall not be subject to variation on any account. A bid submitted with an adjustable price quotation will be treated as non - responsive and rejected. No claimunder "Clause-10cc" shall be entertained.</li> <li>(vi) DISCOUNT, if any, offered by the bidders shall not be considered unless specifically indicated in the price schedule. Bidders desiring to offer discoun</li></ul>
	BSNL.Form 'C' shall be provided by the BSNL only on the specific request of the contractor."         (i) BSNL shall evaluate in detail the financial bids to see whether any computational errors have been made and compare the bids previously determined to be substantially responsive pursuant to clause-8 above         (ii) Arithmetical errors shall be rectified on the following basis. If there is a discrepancy between the unit price and total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected by the purchaser. If there is a discrepancy between words and figures, the amount in words shall prevail. If the supplier does not accept the correction of the errors, his bid shall be rejected.         (iii) The evaluation and comparison of responsive bids shall be done on the basis of Net cost to BSNL on the prices of the goods offered inclusive of Duties and Taxes (But excluding CENVAT-ableduties & Taxes) as indicated in the         Price Schedule in Section -VIIIof the Bid Document.         (iv) Vendors should furnish the correct Excise Duty & Service tax in the price schedule. If the credit for the Duties and Taxes under CENVATCredit Rules-2004 is found to be not admissible at any stage subsequently owing to wrong furnishing of Tariff, then the vendors will be liable to refund such non admissible amount, if already paid along with penalty if charged by the concerned authority. BSNL reserves its right to deduct such amount from any pending bills or deposit of the vendor.         (v) The price quoted by the bidder shall remain fixed during the entire period of contract and shall not be subject to variation on any account. A bid submitted with an adjustable price quotation will be treated as non - responsive and rejected. No claimunder "Clause-10cc" shall b
15B	BSNL Form 'C' shall be provided by the BSNL only on the specific request of the contractor."         (i) BSNL shall evaluate in detail the financial bids to see whether any computational errors have been made and compare the bids previously determined to be substantially responsive pursuant to <b>clause -8 above</b> (ii) Arithmetical errors shall be rectified on the following basis. If there is a discrepancy between the unit price and total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected by the purchaser. If there is a discrepancy between words and figures, the amount in words shall prevail. If the supplier does not accept the correction of the errors, his bid shall be rejected.         (iii) The evaluation and comparison of responsive bids shall be done on the basis of Net cost to BSNL on the prices of the goods offered inclusive of Duties and Taxes (But excluding CENVAT-ableduties & Taxes) as indicated in the <b>Price Schedule in Section -VIIIof the Bid Document</b> (iv) Vendors should furnish the correct Excise Duty & Service tax in the price schedule. If the credit for the Duties and Taxes under CENVAT-credit Rules-2004 is found to be not admissible at any stage subsequently owing to wrong furnishing of Tariff, then the vendors will be liable to refund such non admissible amount, if already paid along with penalty if charged by the concerned authority. BSNL reserves its right to deduct such amount from amy pending bills or deposit of the vendor.         (v) The price quoted by the bidder shall remain fixed during the entire period of contract and shall not be subject to variation on any account. A bid submitted with an adjustable price quotation will be treated as non - responsive and rejected. No claim under "Clause- 10cc
15B 16	BSNL Form 'C' shall be provided by the BSNL only on the specific request of the contractor."         (i) BSNL shall evaluate in detail the financial bids to see whether any computational errors have been made and compare the bids previously determined to be substantially responsive pursuant to clause -8 above         (ii) Arithmetical errors shall be rectified on the following basis. If there is a discrepancy between the unit price and total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected by the purchaser. If there is a discrepancy between words and figures, the amount in words shall prevail. If the supplier does not accept the correction of the errors, his bid shall be rejected.         (iii) The evaluation and comparison of responsive bids shall be done on the basis of Net cost to BSNL on the prices of the goods offered inclusive of Duties and Taxes (B ut excluding CENVAT-ableduties & Taxes) as indicated in the <b>Price Schedule in Section -VIIIof the Bid Document.</b> .         (iv) Vendors should furnish the correct Excise Duty & Service tax in the price schedule. If the credit for the Duties and Taxes under CENVATcredit Rules-2004 is found to be not admissible at any stage subsequently owing to wrong furnishing of Tariff, then the vendors will be liable to refund such non admissible amount, if already paid along with penalty if charged by the concerned authority. BSNL reserves its right to deduct such amount from any pending bills or deposit of the vendor.         (v) The price quoted by the bidder shall remain fixed/during the entire period of contract and shall not be subject to variation on any account. A bid submitted with an adjustable price quotation will be treated as non - responsive and rejected. No claimunder "Clause- 10cc" s
15A 15B 16	BSNL.Form 'C' shall be provided by the BSNL only on the specific request of the contractor."         (i) BSNL shall evaluate in detail the financial bids to see whether any computational errors have been made and compare the bids previously determined to be substantially responsive pursuant to <b>clause -8 above</b> (ii) Arithmetical errors shall be rectified on the following basis. If there is a discrepancy between the unit price and total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected by the purchaser. If there is a discrepancy between words and figures, the amount in words shall prevail. If the supplier does not accept the correction of the errors, his toid shall be rejected.         (iii) The evaluation and comparison of responsive bids shall be done on the basis of Net cost to BSNL on the prices of the goods offered inclusive of Duties and Taxes (But excluding CENVAT-ableduties & Taxes) as indicated in the         Price Schedule in Scetcion -VIIIof the Bid Document.         (iv) Vendors should furnish the correct Excise Duty & Service tax in the price schedule. If the eredit for the Duties and Taxes under CENVATeredit Rules-2004 is found to be not admissible at any stage subsequently owing to wrong furnishing of Tairff, then the vendors will be liable to refund such no admissible amount, if already paid along with penalty if charged by the concerned authority. BSNLreserves its right to deduct such amount form any pending bills or deposit of the vendor.         (v) The price quoted by the bidder shall remain fixed during the entire period of contract and shall not be subject to variation on any account. A bid submitted with an adjustable price moders suitably while quoting and shall quote clearly net rule rule as such factors like Di
15B 16	BSNL Form 'C' shall be provided by the BSNL only on the specific request of the contractor."         (i) BSNL shall evaluate in detail the financial bids to see whether any computational errors have been made and compare the bids previously determined to be substantially responsive pursuant to clause -8 above         (ii) Arithmetical errors shall be rectified on the following basis. If there is a discrepancy between the unit price and total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected by the purchaser. If there is a discrepancy between words and figures, the amount in words shall prevail. If the supplier does not accept the correction of the errors, his bid shall be rejected.         (iii) The evaluation and comparison of responsive bids shall be done on the basis of Net cost to BSNL on the prices of the goods offered inclusive of Duties and Taxes (B ut excluding CENVAT-ableduties & Taxes) as indicated in the <b>Price Schedule in Section -VIIIof the Bid Document.</b> .         (iv) Vendors should furnish the correct Excise Duty & Service tax in the price schedule. If the credit for the Duties and Taxes under CENVATcredit Rules-2004 is found to be not admissible at any stage subsequently owing to wrong furnishing of Tariff, then the vendors will be liable to refund such non admissible amount, if already paid along with penalty if charged by the concerned authority. BSNL reserves its right to deduct such amount from any pending bills or deposit of the vendor.         (v) The price quoted by the bidder shall remain fixed/during the entire period of contract and shall not be subject to variation on any account. A bid submitted with an adjustable price quotation will be treated as non - responsive and rejected. No claimunder "Clause- 10cc" s

19	Some restrictions may be imposed by the security staff etc. On the working and/or movement of labour, material etc., The contractor shall be bound to
	follow all such restrictions /instructions and nothing extra shall be payable on this account. The contractor shall comply with the provisions of the Apprentices Act 1961, and the rules and orders issued thereunder from time to time. If he fail
20	to do so, his failure will be a breach of the contract and the Engineer-in-charge may in his discretion without prejudice to any other right o
	remedy available in law cancel the contract. The contractor shall also be liable for any pecuniary liability arising on account of any violation by hir of the provisions of the said Act.
	to negliger of uncessing rect. No engineer of gazetted rank or executive of BSNL employed in engineering or administrative duties in an engineering department of the
	government of India/BS NL is allowed to work as a contractor for a period of two years of his retirement from government service without the
	previous permission of government of India/BSNL. This contract is liable to be cancelled if either the contractor or any of his employee is found at any time to be such a person who had not obtained the permission of government of India as foresaid, before submission of the tender of
	engagement in the contractor's service as the case may be.
	Near relatives of all BSNL employees either directly recruited or on deputation are prohibited from participation in tenders and execution of works in
	the different units of BSNL. The near relatives for this purpose are defined as: a) Members of a Hindu Undivided family.
	b) They are husband and wife.
	c) The one is related to the other in the manner as father, mother, son(s) & son's wife(daughter-in-law), Daughter(s) & daughter's husband(son-in law), brother(s) & brother's wife, sister(s) & sister's husband(brother -in-law).
	hav), buother(s) & brouter s write, state(s) & sister's nasoand(brouter - in-raw). The company or firm or any other person is not permitted to tender for works in BSNL Unit in which his near relative(s) is(are) posted. The unit
	is defined as SSA/Circle/Chief Engineer/Chief Archt/Corporate office for non executive employees and all SSA in a circle including circl
	office/Chief Eng./Chief Archt./Corporate office for executive employees (including those called as Gazetted officers at present). The tenderer shoul give a certificate that none of his/her such near relative is working in the units as defined above where he is going to apply for tender/work, for
23	proprietorship firm certificate will be given by the sole proprietor, for partnership firm, certificate will be given by the authorized signatory. An
	breach of these conditions by the company or firm or any other person, the tender/work will be cancelled and earnest money/performanc
	guarantee will be forfeited at any stage whenever it is so noticed. BSNL will not pay any damages to the company or firm or the concerned persor The company or firm or the person will also be debarred for further participation in the concerned unit.
	The format of the certificate to be given is
	"I
	Resident
	of hereby certify that none of my relative(s) as defined in the tender document is/are employed in BSNL unit as per details given in tende
	document. In case at any stage, it is found that the information given by me is false/incorrect, BSNL shall have the absolute right to take any action a
	deemed fit/without any prior intimation to me".
	(Seal of the firm) (Signature of Contractor)
	CONDITIONS OF CONTRACT 1. The 'contract' means the documents forming the tender and acceptance thereof and the formal agreement executed between th
	competent authority on behalf of BSNL and the contractor, together with the documents referred to therein including the condition
Definitions	the specifications, designs, drawings and instructions issued from time to time by the Engineer-in-Charge and all these documents take
	together, shall be deemed to form one contract and shall be complementary to one another.
2 1	In the contract the following expression shall, unless the context there otherwise requires have the meanings hereby respectively assigned t
	them:-
	i) The expression 'works' or 'work' shall unless there be something either in the subject or context repugnant to such construction to according to a subject or context repugnant to such construction to according to a subject or context repugnant to such construction to according to a subject or context repugnant to such construction to according to a subject or context repugnant to such construction to according to a subject or context repugnant to such construction to according to a subject or context repugnant to such construction to according to a subject or context repugnant to such construction to according to a subject or context repugnant to such construction to according to a subject or context repugnant to such construction to according to a subject or context repugnant to such construction to according to a subject or context repugnant to such construction to according to a subject or context repugnant to such construction to according to a subject or context repugnant to according to a subject or context repugnant to a subject or context repugnant to according to a subject or context repugnant to a
	be construed and taken to mean the works by or by virtue of the contract contracted to be executed whether temporary or permanent an whether original, altered, substituted or additional
	ii) The 'site' shall mean the land / Building/or other places on into or through which work is to be executed under the contract or an
	alternate land, building, path or street which may be allotted or used for the purpose of carrying out the contract.
	iii) The `contractor' shall mean the individualor firm or company whether incorporated or not, undertaking the works and shall include th
	legal personal representative of such individual or the persons composing such firm or company or theof such individual or th
	persons composing such firm or company or the successors of such firm or company and the permitted assignees of such
	individual,firm or company. iv) BSNL means the Bharat Sanchar Nigam Ltd. having its corporate office at B-148,Statesman House, Barakhamba Road, New Delhi
	10001 and its successors.
	v) The `Engineer-in-charge' means the Engineer officer who shall supervise and be
	incharge of the work and who shall sign the contract on behalf of BSNL as
	mentioned in Schedule F hereunder.
	<ul> <li>vi) Accepting Authority means the authority mentioned in Schedule 'F'.</li> <li>vii) Excepted Risk are risks due to riots (other than those on account of contractor's employees), war (whether declared or not</li> </ul>
	invasion, act of foreign enemies, hostilities, civil war, rebellion, revolution, insurrection, military or usurped power, any acts of
	Government, damages from Aircraft, Acts of God such as earth quake, lightning and unprecedented floods, and other causes over whic
	the contractor has no control and accepted as such by the accepting authority or causes solely due to use or occupation by BSNL of th
	part of the works in respect of which a certificate of completion has been issued or a cause solely due to BSNL's faulty design of
	works.
	viii) Schedule(s) referred to in these conditions shall mean the relevant schedule(s) annexed to the tender papers or the standar Schedule of Rates of the Government mentioned as per Schedule 'F' hereunder ,with the amendments thereto issued up-to the dat
	selective of Rates of the Government mentioned as per Schedule 1 mereunder , with the amendments thereto issued up to the dat
	of receipt of the tender
	of receipt of the tender. ix) Tendered value means the value of the entire work as stipulated in the letter of award.
	ix) Tendered value means the value of the entire work as stipulated in the letter of award.
	ix) Tendered value means the value of the entire work as stipulated in the letter of award. x) Market rate shall be the rate as decided by the Engineer-in-Charge on the basis of the cost of materials and labour at the site where th work is to be executed plus the percentage mentioned in Schedule 'F' to cover , all overheads and profits.
3. <u>Scope &amp;</u>	<ul> <li>ix) Tendered value means the value of the entire work as stipulated in the letter of award.</li> <li>x) Market rate shall be the rate as decided by the Engineer-in-Charge on the basis of the cost of materials and labour at the site where th work is to be executed plus the percentage mentioned in Schedule 'F' to cover , all overheads and profits.</li> <li>Where the context so requires, words imparting the singular only also include the plural and vice versa. Any reference to masculin</li> </ul>
3. <u>Scope &amp;</u> Performance	ix) Tendered value means the value of the entire work as stipulated in the letter of award. x) Market rate shall be the rate as decided by the Engineer-in-Charge on the basis of the cost of materials and labour at the site where th work is to be executed plus the percentage mentioned in Schedule 'F' to cover, all overheads and profits. Where the context so requires, words imparting the singular only also include the plural and vice versa. Any reference to masculin gender shall whenever required include feminine gender and vice versa.
3. <u>Scope &amp;</u> Performance	<ul> <li>ix) Tendered value means the value of the entire work as stipulated in the letter of award.</li> <li>x) Market rate shall be the rate as decided by the Engineer-in-Charge on the basis of the cost of materials and labour at the site where th work is to be executed plus the percentage mentioned in Schedule 'F' to cover , all overheads and profits.</li> <li>Where the context so requires, words imparting the singular only also include the plural and vice versa. Any reference to masculing gender shall whenever required include femining gender and vice versa.</li> <li>The contractor shall be furnished, free of cost, one copy of the contract documents except standard specifications, Schedule of Rates an</li> </ul>
3. <u>Scope &amp;</u> Performance	<ul> <li>ix) Tendered value means the value of the entire work as stipulated in the letter of award.</li> <li>x) Market rate shall be the rate as decided by the Engineer-in-Charge on the basis of the cost of materials and labour at the site where th work is to be executed plus the percentage mentioned in Schedule 'F' to cover , all overheads and profits.</li> <li>Where the context so requires, words imparting the singular only also include the plural and vice versa. Any reference to masculin gender shall whenever required include feminine gender and vice versa.</li> <li>The contractor shall be furnished, free of cost, one copy of the contract documents except standard specifications, Schedule of Rates an such other printed and published documents, together with all drawings as may be forming part of the tender papers. None of these such as the such as th</li></ul>
3. <u>Scope &amp;</u> Performance	<ul> <li>ix) Tendered value means the value of the entire work as stipulated in the letter of award.</li> <li>x) Market rate shall be the rate as decided by the Engineer-in-Charge on the basis of the cost of materials and labour at the site where th work is to be executed plus the percentage mentioned in Schedule 'F' to cover, all overheads and profits.</li> <li>Where the context so requires, words imparting the singular only also include the plural and vice versa. Any reference to masculing gender shall whenever required include femining gender and vice versa.</li> <li>The contractor shall be furnished, free of cost, one copy of the contract documents except standard specifications, Schedule of Rates an such other printed and published documents, together with all drawings as may be forming part of the tender papers. None of thes documents shall be used for any purpose other than that of this contract.</li> </ul>
3. <u>Scope &amp;</u> Performance	<ul> <li>ix) Tendered value means the value of the entire work as stipulated in the letter of award.</li> <li>x) Market rate shall be the rate as decided by the Engineer-in-Charge on the basis of the cost of materials and labour at the site where th work is to be executed plus the percentage mentioned in Schedule 'F' to cover , all overheads and profits.</li> <li>Where the context so requires, words imparting the singular only also include the plural and vice versa. Any reference to masculin gender shall whenever required include feminine gender and vice versa.</li> <li>The contractor shall be furnished, free of cost, one copy of the contract documents except standard specifications, Schedule of Rates an such other printed and published documents, together with all drawings as may be forming part of the tender papers. None of thes documents shall be used for any purpose other than that of this contract.</li> <li>The work to be carried out under the Contract shall, except as otherwise provided in these conditions, include all labour, materials, tools, plant</li> </ul>
3. <u>Scope &amp;</u> Performance 4 5. Work to be	<ul> <li>ix) Tendered value means the value of the entire work as stipulated in the letter of award.</li> <li>x) Market rate shall be the rate as decided by the Engineer-in-Charge on the basis of the cost of materials and labour at the site where th work is to be executed plus the percentage mentioned in Schedule 'F' to cover , all overheads and profits.</li> <li>Where the context so requires, words imparting the singular only also include the plural and vice versa. Any reference to masculing gender shall whenever required include feminine gender and vice versa.</li> <li>The contractor shall be furnished, free of cost, one copy of the contract documents except standard specifications, Schedule of Rates an such other printed and published documents, together with all drawings as may be forming part of the tender papers. None of thes documents shall be used for any purpose other than that of this contract.</li> <li>The work to be carried out under the Contract shall, except as otherwise provided in these conditions, include all labour, materials, tools, plant equipment and transport which may Works to be required in preparation of and for and in the full and entire execution and completion of the</li> </ul>
3. <u>Scope</u> <u>&amp;</u> Performance 4 5. Work to be	<ul> <li>ix) Tendered value means the value of the entire work as stipulated in the letter of award.</li> <li>x) Market rate shall be the rate as decided by the Engineer-in-Charge on the basis of the cost of materials and labour at the site where th work is to be executed plus the percentage mentioned in Schedule 'F' to cover, all overheads and profits.</li> <li>Where the context so requires, words imparting the singular only also include the plural and vice versa. Any reference to masculin gender shall whenever required include feminine gender and vice versa.</li> <li>The contractor shall be furnished, free of cost, one copy of the contract documents except standard specifications, Schedule of Rates an such other printed and published documents, together with all drawings as may be forming part of the tender papers. None of thes documents shall be used for any purpose other than that of this contract.</li> <li>The work to be carried out under the Contract shall, except as otherwise provided in these conditions, include all labour, materials, tools, plant equipment and transport which may Works to be required in preparation of and for and in the full and entire execution and completion of th works. The descriptions given in the schedule of quantities shall, unless otherwise stated, be held to include wastage on material.</li> </ul>
3. <u>Scope &amp;</u> Performance 4 5. Work to be carried out	<ul> <li>ix) Tendered value means the value of the entire work as stipulated in the letter of award.</li> <li>x) Market rate shall be the rate as decided by the Engineer-in-Charge on the basis of the cost of materials and labour at the site where th work is to be executed plus the percentage mentioned in Schedule 'F' to cover, all overheads and profits.</li> <li>Where the context so requires, words imparting the singular only also include the plural and vice versa. Any reference to masculin gender shall whenever required include feminine gender and vice versa.</li> <li>The contractor shall be furnished, free of cost, one copy of the contract documents except standard specifications, Schedule of Rates an such other printed and published documents, together with all drawings as may be forming part of the tender papers. None of thes documents shall be used for any purpose other than that of this contract.</li> <li>The work to be carried out under the Contract shall, except as otherwise provided in these conditions, include all labour, materials, tools, plant equipment and transport which may Works to be required in preparation of and for and in the full and entire execution and completion of th works. The descriptions given in the schedule of quantities shall, unless otherwise stated, be held to include wastage on material.</li> </ul>
3. <u>Scope</u> <u>&amp;</u> Performance 4 5. Work to be carried out	<ul> <li>ix) Tendered value means the value of the entire work as stipulated in the letter of award.</li> <li>x) Market rate shall be the rate as decided by the Engineer-in-Charge on the basis of the cost of materials and labour at the site where th work is to be executed plus the percentage mentioned in Schedule 'F' to cover , all overheads and profits.</li> <li>Where the context so requires, words imparting the singular only also include the plural and vice versa. Any reference to masculin gender shall whenever required include feminine gender and vice versa.</li> <li>The contractor shall be furnished, free of cost, one copy of the contract documents except standard specifications, Schedule of Rates an such other printed and published documents, together with all drawings as may be forming part of the tender papers. None of thes documents shall be used for any purpose other than that of this contract.</li> <li>The work to be carried out under the Contract shall, except as otherwise provided in these conditions, include all labour, materials, tools, plant equipment and transport which may Works to be required in preparation of and for and in the full and entire execution and completion of th works. The descriptions given in the schedule of quantities shall, unless otherwise stated, be held to include wastage on material: carriage and cartage, carrying and return of empties, hoisting, setting, fitting and fixing in position and all other labours necessary in and for th full and entire execution and completion of the work as aforesaid in accordance with good practice and recognized principles.</li> </ul>
3. <u>Scope</u> <u>&amp;</u> <u>Performance</u> 4 5. Work to be carried out	<ul> <li>ix) Tendered value means the value of the entire work as stipulated in the letter of award.</li> <li>x) Market rate shall be the rate as decided by the Engineer-in-Charge on the basis of the cost of materials and labour at the site where th work is to be executed plus the percentage mentioned in Schedule 'F' to cover , all overheads and profits.</li> <li>Where the context so requires, words imparting the singular only also include the plural and vice versa. Any reference to masculin gender shall whenever required include feminine gender and vice versa.</li> <li>The contractor shall be furnished, free of cost, one copy of the contract documents except standard specifications, Schedule of Rates an such other printed and published documents, together with all drawings as may be forming part of the tender papers. None of these documents shall be used for any purpose other than that of this contract.</li> <li>The work to be carried out under the Contract shall, except as otherwise provided in these conditions, include all labour, materials, tools, plant: equipment and transport which may Works to be required in preparation of and for and in the full and entire execution and completion of the works. The descriptions given in the schedule of quantities shall, unless otherwise stated, be held to include wastage on materials carriage and cartage, carrying and return of empties, hoisting, setting, fitting and fixing in position and all other labours necessary in and for th full and entire execution and completion of the work as aforesaid in accordance with good practice and recognized principles.</li> <li>The contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the full and entire carecution of the work as aforesaid in accordance with good practice and recognized principles.</li> </ul>
3. <u>Scope</u> <u>&amp;</u> Performance 4 5. Work to be carried out 6. Sufficiency of Tender	<ul> <li>ix) Tendered value means the value of the entire work as stipulated in the letter of award.</li> <li>x) Market rate shall be the rate as decided by the Engineer-in-Charge on the basis of the cost of materials and labour at the site where th work is to be executed plus the percentage mentioned in Schedule 'F' to cover , all overheads and profits.</li> <li>Where the context so requires, words imparting the singular only also include the plural and vice versa. Any reference to masculin gender shall whenever required include feminine gender and vice versa.</li> <li>The contractor shall be furnished, free of cost, one copy of the contract documents except standard specifications, Schedule of Rates an such other printed and published documents, together with all drawings as may be forming part of the tender papers. None of thes documents shall be used for any purpose other than that of this contract.</li> <li>The work to be carried out under the Contract shall, except as otherwise provided in these conditions, include all labour, materials, tools, plant equipment and transport which may Works to be required in preparation of and for and in the full and entire execution and completion of the work as aforesaid in accordance with good practice and recognized principles.</li> <li>The contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for th works and of the rates and prices quoted in the Schedule of Quantities, which rates and prices shall, except as otherwise provided, cover a</li> </ul>
3. <u>Scope</u> <u>&amp;</u> Performance 4 5. Work to be carried out 6. Sufficiency of Tender	<ul> <li>ix) Tendered value means the value of the entire work as stipulated in the letter of award.</li> <li>x) Market rate shall be the rate as decided by the Engineer-in-Charge on the basis of the cost of materials and labour at the site where th work is to be executed plus the percentage mentioned in Schedule 'F' to cover , all overheads and profits.</li> <li>Where the context so requires, words imparting the singular only also include the plural and vice versa. Any reference to masculin gender shall whenever required include feminine gender and vice versa.</li> <li>The contractor shall be furnished, free of cost, one copy of the contract documents except standard specifications, Schedule of Rates an such other printed and published documents, together with all drawings as may be forming part of the tender papers. None of thes documents shall be used for any purpose other than that of this contract.</li> <li>The work to be carried out under the Contract shall, except as otherwise provided in these conditions, include all labour, materials, tools, plant equipment and transport which may Works to be required in preparation of and for and in the full and entire execution and completion of th works. The descriptions given in the schedule of quantities shall, unless otherwise stated, be held to include wastage on material: carriage and cartage, carrying and return of empties, hoisting, setting, fitting and fixing in position and all other labours necessary in and for th full and entire execution and completion of the work as aforesaid in accordance with good practice and recognized principles.</li> <li>The contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for th works and of the rates and prices quoted in the Schedule of Quantities, which rates and prices shall, except as otherwise provided, cover a his obligations under the contract and all matters and things necessary for the proper completionand maintenance of the works.</li> </ul>
3. <u>Scope</u> <u>&amp;</u> Performance 4 5. Work to be carried out 6. Sufficiency of Tender	<ul> <li>ix) Tendered value means the value of the entire work as stipulated in the letter of award.</li> <li>x) Market rate shall be the rate as decided by the Engineer-in-Charge on the basis of the cost of materials and labour at the site where th work is to be executed plus the percentage mentioned in Schedule 'F' to cover , all overheads and profits.</li> <li>Where the context so requires, words imparting the singular only also include the plural and vice versa. Any reference to masculin gender shall whenever required include feminine gender and vice versa.</li> <li>The contractor shall be furnished, free of cost, one copy of the contract documents except standard specifications, Schedule of Rates an such other printed and published documents, together with all drawings as may be forming part of the tender papers. None of thes documents shall be used for any purpose other than that of this contract.</li> <li>The work to be carried out under the Contract shall, except as otherwise provided in these conditions, include all labour, materials, tools, plant equipment and transport which may Works to be required in preparation of and for and in the full and entire execution and completion of the work as aforesaid in accordance with good practice and recognized principles.</li> <li>The contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for th works and of the rates and prices quoted in the Schedule of Quantities, which rates and prices shall, except as otherwise provided, cover a his obligations under the contract and all matters and things necessary for the proper completion and maintenance of the works.</li> </ul>
3. <u>Scope</u> <u>&amp;</u> Performance 4 5. Work to be carried out 6. Sufficiency of Tender	<ul> <li>ix) Tendered value means the value of the entire work as stipulated in the letter of award.</li> <li>x) Market rate shall be the rate as decided by the Engineer-in-Charge on the basis of the cost of materials and labour at the site where th work is to be executed plus the percentage mentioned in Schedule 'F' to cover , all overheads and profits.</li> <li>Where the context so requires, words imparting the singular only also include the plural and vice versa. Any reference to masculin gender shall whenever required include feminine gender and vice versa.</li> <li>The contractor shall be furnished, free of cost, one copy of the contract documents except standard specifications, Schedule of Rates an such other printed and published documents, together with all drawings as may be forming part of the tender papers. None of these documents shall be used for any purpose other than that of this contract.</li> <li>The work to be carried out under the Contract shall, except as otherwise provided in these conditions, include all labour, materials, tools, plant: equipment and transport which may Works to be required in preparation of and for and in the full and entire execution and completion of the work as aforesaid in accordance with good practice and recognized principles.</li> <li>The contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the works and of the rates and prices quoted in the Schedule of Quantities, which rates and prices shall, except as otherwise provided, cover a his obligations under the contract and all matters and things necessary for the proper completion and maintenance of the works.</li> <li>The several documents forming the contract are to be taken as mutually explanatory of one another, detailed drawings bein followed in preference to scale and special conditions in preference to</li> </ul>
3. <u>Scope</u> <u>&amp;</u> Performance 4 5. Work to be carried out 6. Sufficiency of Tender	<ul> <li>ix) Tendered value means the value of the entire work as stipulated in the letter of award.</li> <li>x) Market rate shall be the rate as decided by the Engineer-in-Charge on the basis of the cost of materials and labour at the site where th work is to be executed plus the percentage mentioned in Schedule 'F' to cover , all overheads and profits.</li> <li>Where the context so requires, words imparting the singular only also include the plural and vice versa. Any reference to masculin gender shall whenever required include feminine gender and vice versa.</li> <li>The contractor shall be furnished, free of cost, one copy of the contract documents except standard specifications, Schedule of Rates an such other printed and published documents, together with all drawings as may be forming part of the tender papers. None of thes documents shall be used for any purpose other than that of this contract.</li> <li>The work to be carried out under the Contract shall, except as otherwise provided in these conditions, include all labour, materials, tools, plant equipment and transport which may Works to be required in preparation of and for and in the full and entire execution and completion of the work as aforesaid in accordance with good practice and recognized principles.</li> <li>The contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the works and of the rates and prices quoted in the Schedule of Quantities, which rates and prices shall, except as otherwise provided, cover a shis obligations under the contract and all matters and things necessary for the proper completion and maintenance of the works.</li> <li>The several documents forming the contract are to be taken as mutually explanatory of one another, detailed drawings bein followed in preference to scale and special conditions in preference to enderions.</li> </ul>
3. <u>Scope</u> <u>&amp;</u> Performance 4 5. Work to be carried out 6. Sufficiency of Tender 7 7.1 (Discrepancies & adjustments of	<ul> <li>ix) Tendered value means the value of the entire work as stipulated in the letter of award.</li> <li>x) Market rate shall be the rate as decided by the Engineer-in-Charge on the basis of the cost of materials and labour at the site where the work is to be executed plus the percentage mentioned in Schedule 'F' to cover, all overheads and profits.</li> <li>Where the context so requires, words imparting the singular only also include the plural and vice versa. Any reference to masculin gender shall whenever required include feminine gender and vice versa.</li> <li>The contractor shall be furnished, free of cost, one copy of the contract documents except standard specifications, Schedule of Rates and such other printed and published documents, together with all drawings as may be forming part of the tender papers. None of these documents shall be used for any purpose other than that of this contract.</li> <li>The work to be carried out under the Contract shall, except as otherwise provided in these conditions, include all labour, materials, tools, plants equipment and transport which may Works to be required in preparation of and for and in the full and entire execution and completion of the work as aforesaid in accordance with good practice and recognized principles.</li> <li>The contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the works and of the rates and prices quoted in the Schedule of Quantities, which rates and prices shall, except as otherwise provided, cover a his obligations under the contract are to be taken as mutually explanatory of one another, detailed drawings bein followed in preference to small scale drawing and figured dimensions in preference to scale and special conditions in preference to General Conditions.</li> </ul>
3.       Scope       &         Performance       4         4       5.       Work to be carried out         5.       Sufficiency of carried out       5.         6.       Sufficiency of carried out       5.         7.1       (Discrepancies of carried out)       5.	<ul> <li>ix) Tendered value means the value of the entire work as stipulated in the letter of award.</li> <li>x) Market rate shall be the rate as decided by the Engineer-in-Charge on the basis of the cost of materials and labour at the site where the work is to be executed plus the percentage mentioned in Schedule 'F' to cover, all overheads and profits.</li> <li>Where the context so requires, words imparting the singular only also include the plural and vice versa. Any reference to masculin gender shall whenever required include feminine gender and vice versa.</li> <li>The contractor shall be furnished, free of cost, one copy of the contract documents except standard specifications, Schedule of Rates an such other printed and published documents, together with all drawings as may be forming part of the tender papers. None of thes documents shall be used for any purpose other than that of this contract.</li> <li>The work to be carried out under the Contract shall, except as otherwise provided in these conditions, include all labour, materials, tools, plant equipment and transport which may Works to be required in preparation of and for and in the full and entire execution and completion of th full and entire execution and completion of th full and entire execution and completion of the works.</li> <li>The contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for th works and of the rates and prices quoted in the Schedule of Quantities, which rates and prices shall, except as otherwise provided, cover a his obligations under the contract and all matters and things necessary for the proper completion and maintenance of the works.</li> <li>The several documents forming the contract are to be taken as mutually explanatory of one another, detailed drawings bein followed in preference to small scale drawing and figured dimensions in preference to scale and special conditions in preference to general Conditions.</li> </ul>

	iii) Drawings.
	iv) BSNL/C.P.W .D. Specifications.
	v) Indian Standard Specifications of B.I.S.
1.2	If there are varying or conflicting provisions made in any one document forming part of the contract, the Accepting Authority shall be the deciding authority with regard to the intention of the document and his decision shall be final and binding on the contractor.
7.3	Any error in description, quantity or rate in Schedule of Quantities or any omission therefrom shall not vitiate the Contract or release the contractor from the execution of the whole or any part of the works comprised therein according to drawings and specifications or from any of his obligations under the contract.
3.1	For rate contracts of Electrical Installation, Air Conditioning, Engine Alternator, Sub Station and Fire Detection works, work/quantities of item of works can be split amongst the lowest of three agencies who agree to the rates decided by BSNL in respect of 1st lowest in the
	followingmanner:- a) If the work stands distributed between the first three lowest tenderers, the proportion of work distributed shall be as below:- 50% to the lowest tenderer and remaining quantities to other two tenderers in INVERSE RATIO of their Evaluated price.
	b) In case it is decided to split the work amongst the first two lowest firms, the proportion of work distributionshall be as follows:
	i) 70% to the first lowest tenderer. ii) 30% to the second lowest tenderer.
	In case the tenderers other than lowest tenderer do not agree to match the rates of L1 then 100% works shall be awarded to the lowest tenderer.
3.2	Based on the Master Agreement between BSNL and contractor individual LOI for works shall be issued by the competent authority. The individual agreement so executed containing all the terms and conditions of master agreement shall be treated as an independent agreement and any action, if required, to be taken shall be taken as per this individualcontract.individualcontract.
5.3	In case of NIT for individualwork there will be no split up of work and the entire quantity will be awarded to the lowest tenderer, if the firm has quoted as per terms and conditions of the NIT.
9. (Signing of Contract)	The successful tenderer/contractor, on acceptance of his tender by the Accepting Authority, shall, within 15 days from the stipulated date of start of the work, sign the contract consisting of the notice inviting tender, all the documents including drawings, if any, forming the tender as issued at the time of invitation ftender and acceptance thereof together with any correspondence leading thereto.
10	The agreement to be signed on non-judicialstamp paper and the cost to be decided as per the prevailing local bye-laws or zonal head of the circle.
	CLAUSES OF CONTRACT CLAUSE – 1
	1.1 i)The contractor is required to furnish performance guarantee for an amount equal to 5% of the contract value in the form of bank guarantee / CDR/FDR/DD (of a nationalized / Scheduled Bank in a standard format) within two weeks from the date of issue of award letter. The validity period of the performance security in the form of performance bank guarantee shall be one year from the date of actual completion of work. Compensation or the other sums of money payable by the contractor under the terms of this
Guarantee	contract may be deducted from or paid by the sale of a sufficient part of his performance guarantee or from the interest arising therefrom, or from any sums whichmay be due to or may become due to the contractor by BSNL on any account whatsoever absolutely determine the contract in any of the following cases absolutely determine the contract in any of the following cases deductions or sale as aforesaid, the contractor shall within 10 days make good in cash or guarantee bonds or fixed deposit receipt tendered by the state
	bank of India or by scheduled banks executed in favour of BSNL.scheduled banks executed in favour of BSNL. ii) The Performance Guarantee shall be initiallyvalid upto the stipulated date of completion plus one year beyond that. In case the time
	for completion of works gets enlarged the contractor shall get the validity of Performance Guarantee extended to cover such
	enlarged time for completion of work.
	<ul> <li>iii) The Engineer -in -charge shall not make a claim under the performance guarantee except for amounts to which BSNL is entitled under the contract (not withstanding and or without prejudice to any other provisions in the contract agreement in the event of:</li> <li>a) Failure by the contractor to extend the validity of the Performance guarantee as described herein above, in which event the engineer-</li> </ul>
	in-charge may claim the full amount of the Performance Guarantee.
	b) Failure by the contractor to pay BSNL any amount due, either as agreed by the contractor or determined under clauses/conditions of the agreement, within 30 days of the service of notice to this effect by engineer-in-charge.
	iv))In the event of the contract being determined or rescinded under provision of any of the Clause/Condition of the agreement, the Performance guarantee all stand forfeited in full and shall be at the disposal of the BSNL.
	1.2 In case a fixed deposit receipt of any bank is furnished by the contractor to the BSNL as part of the Performance guarantee and the Bank is unable to make payment against the fixed deposit receipt, the loss caused thereby shall fall on the contractor and the contractor shall forthwith on demand furnish additional security to the BSNL to make good the deficit.
	CLAUSE 1A The person/persons whose tender(s) may be accepted (hereinafter called contractor shall permit Government/BSNL at the time of making
Recovery of Security Security Deposit	any payment to him for work done under the contract to deduct a sum at the rate of 10% of the gross amount of each running billillthe sum, will amount to security deposit of 5% of the tendered value. This will be released after an observation period of 12 months after the date of Completion of work along withafter an observation period of 12 months after the date of Completion of work along with Performance Guarantee.
	CLAUSE 2 2.1 If the contractor fails to maintain the required progress in terms of clause 5 or to complete the work and clear the site on or before the
Delay	contract or extended date of completion, he shall, without prejudice to any other right or remedy available under the law to BSNL on account of such breach, pay as agreed compensation the amount calculated at the rates stipulated below or such smaller amount as decided by the Superintending Engineer (whose decision in this regard shall be final and binding).
	i) First ten weeks - 0.5% of contract value per week
	ii) Next ten weeks - 0.7% of contract value per week
	2.2 Provided always that the total amount of compensation for delay to be paid under this condition shall not exceed 12% of the tendered value of work. The amount of compensation may be adjusted or set-off against any sum payable to the contractor under this or any other contract with BSNL.
	2.3 For the purpose of grant of extension of time, air conditioning, Engine Alternator, Fire detection work is deemed to have been completed after successful completion of the initial acceptance testing by T&D Circle and as per BSNL standards. For Sub Station, the date of clearance from electrical inspector and for wet riser system date of clearance from concerned Fire authority is taken as deemed date of completion. For lift the date of completionshall be taken as the date of clearance from the lift inspector. CLAUSE 3
	3.0 Subject to other provisions contained in this clause the engineer-in-charge may without prejudice to his right against the contractor in respect of any delay, or inferior workmanship or otherwise to any claims for damage in respect of any breaches of the contract
Can be Determine	and without prejudice to any rights or remedies under any of the provisions of this contract or otherwise and whether the date for completion has or has not elapsed by notice in writing absolutely determine the contract in any of the following cases

	(i) If the contractor having been given by the engineer-in charge a notice in writing to rectify, reconstruct or replace any defective wor or that the work is being performed in any inefficient or otherwise improper or unworkman like manner shall omit to comply with th requirements of such notice for a period of seven days thereafter.
	(ii) If the contractor being a company shall pass a resolution or the court shall make an order that the company shall be wound up of if a receiver or a manager on behalf of a creditor shall be appointed or if circumstances shall arise which entitle the court or creditor t appoint a receiver or a manager or which entitle the court to make a winding up order.
	(iii) If the contractor has, without reasonable cause suspended the execution of the work or has failed to proceed with the work with due diligence so that in the opinion of the engineer-n-charge( which shall be final and binding) he will be unable to secure completion of the work by the date for completion and continues to do so after a notice in writing of seven days from the Engineer-in-Charge.
	(iv) If the contractor fails to complete the work within the stipulated date or items of work with individualdate of completion, if an stipulated, on or before such date(s) of completion and does not complete them within the period specified in a notice given in writing in that behalf by the Engineer-in-Charge.
	(v) If the contractor persistently neglects to carry out his obligations under the contract and/or commits default in complying with any of the terms and conditions of the contract and does not remedy it or take effective steps to remedy it within 7 days after a notice in writin is given to him in that behalf by the Engineer-in-Charge.
	(vi) If the contractor commits any acts mentioned in clause 21 hereof. When the contractor has made himself liable for action under any of the cases aforesaid, the engineer-in charge on behalf of the BSNL shall have powers.
	a) To determine or rescind the contract as aforesaid( of which termination or rescission notice in writing to the contractor unde the hand of the engineer-in- charge shall be conclusive evidence) upon such determination or rescission the full performance guarantee and security deposit of the contractor shall be liable to be forfeited and shall be absolutely at the disposal of BSNL. If any portion of the performance guarantee and security deposit has not been paid or received it would be called for and forfeited.
	b) To employ labour paid by BSNL and to supply materials to carry out the work or any part of the work debiting the contracto with the cost of the labour and the price of the materials( of the amount of which cost and price certified by the engineer is charge shall be final and conclusive against the contractor) and crediting him with the value of the work done in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of this contract. Th certificate of divisional officer as to the value of the work done shall be final and conclusive against the contractor provide always that action under the sub clause shall only be taken after giving notice in writing to the contractor. Provided also that if the expense incurred by BSNL are less than the amount payable to the contractor at his agreement rates, the difference should not be paid to the contractor.
	c) After giving notice to the contractor to measure up the work of the contractor and to take such whole or the balance or part thereof a shall be unexecuted out of his hands and to give it to another contractor to complete in which case any expenses which may be incurred i excess of the sum which would have been paid to the original contractor if the whole work had been executed by him (of the amount o which excess the certificate in writing of the engineer-in-charge shall be final and conclusive) shall be borne and paid by the origin: contractor and may be deducted from any money due to him by BSNL under this contract or on any other account whatsoever or from hi performance guarantee or the proceeds of sales thereof or a sufficient part thereof as the case may be. If the expenses incurred b BSNL are less than the amount payable to the contractor at his agreement rates, the differences shall not be paid to the contractor. The contractor whose contract is determined or reseinded as above shall not be allowed to participate in the tendering process for the balance work. In the event of any one or more of the above courses being adopted by the engineer-in-charge the contractor shall have n CLAUSE 4
ontractor Liable o pay ompensation ven if action not aken under clause	withstanding be exercisable in the event of any future case of default by the contractor and the hiability of the contractor for compensation sha remain unaffected. In the event of the engineer-in-charge putting in force all or any of the powers vested in him under the precedin clause he may, if he so desires, after giving a notice in writing to the contractorpreceding clause he may, if he so desires, after giving a notice i writing to the contractor take possession of (or at the sole discretion of the engineer-in-charge which shall be final and binding on the
ime and xtension for elay	The time allowed for carrying out the work as entered in the tender as per Schedule'F' or the extended time shall be strictly observed by the contractor and shall be the essence of Time and the contract on the part of the contractor and shall be reckoned from the tenth dates the tenth of the contractor and shall be the essence of Time and the contract on the part of the contractor.
	5.1 To ensure good progress during the execution of the work, the contractor shall be bound in all cases in which the time allowed fo any work exceeds, one month( save for special th jobs) to complete 1/8 of the whole of work before 1/4 th of the whole time allowed unde th th the contract has elapsed; 3/8 of the work before 1/2 of such time has elapsed, and 3/4 th of the work, before 3/4 of such time ha elapsed. For special jobs, if a time schedule has been submitted by the contractor and the same has been accepted by the engineer-in charge, the contractor shall comply with the said time schedule 5.2 If the work(s) be delayed by:-
	i) force majeure, or
	<ul> <li>ii) abnormally bad weather, or</li> <li>iii) serious loss or damage by fire, or</li> <li>iv) civil commotion, local commotion of workmen, strike or lockout, affecting any of the trades employed on the work, or</li> <li>v) Delay on the part of other contractors or tradesmen engaged by Engineer-in-charge in executing work not forming part of th</li> </ul>
	contract or vi) Non-availabilityof stores, which are the responsibilityof BSNL to supply. vii) Then upon the happening of any such event causing delay, the contractor shall immediately give notice thereof in writing to th Engineer-in-Charge but shall nevertheless use constantly his best endeavors to prevent or make good the delay and shall do all that ma be reasonably required to the atisfaction of the Engineer-in-Charge to proceed with the works
	5.3 Request for extension of time, to be eligible for consideration, shall be made by the contractor in writing within 30 days of the happening of the event causing delay. The contractor may also, if practicable, indicate in such a request the period for whice extension is desired. Non application by the contractor for extension of time shall not be a bar for giving a fair and reasonable extension by the Engineer-in-charge and this shall be binding on the contractor the contractor the shall be binding on the contractor the contractor the shall be binding on the contractor the contractor the contractor the shall be binding on the contractor the
Measurement of	CLAUSE 6 6.1 All measurement of all items having financial value shall be entered in Measurement Book so that a complete record is obtained of a
vicasurenient OT	0.1 All measurement of all items having financial value shall be entered in Measurement Book so that a complete record is obtained of a works performed under the contract.

	6.3 If for any reason the contractor or his authorized representative is not available and the work of recording measurements
	suspended by the Engineer-in-charge or his representative, the Engineer-in-charge and the BSNL shall not entertain any claim fro
	contractor for any loss or damages on this account. If the contractor or his authorised representative does not remain present
	the time of such measurements after the contractor or his authorised representative has been given a notice in writing three(3) days
	advance or fails to countersign or to record objection within a week from the date of the measurement, then such measurements records
	in his absence by the Engineer-in-charge or his representative shall be deemed to be accepted by the contractor.
	6.4 The contractor shall, without extra charge, provide all assistance with every appliance, labour and other things necessary f
	recording measurements.
	6.5 Except where any general or detailed description of the work expressly shows to the contrary, measurements shall be taken
	accordance with the procedure set forth in the specifications notwithstanding any provision in the relevant Standard Method
	measurement or any general or local custom. In the case of items which are not covered by specifications, measurements shall be taken accordance with the relevant standard method of measurement issued by the Bureau of Indian Standards and if for any items no su
	standard is available then a mutually agreed method shall be followed.
	6.6 The contractor shall give not less than seven days notice in writing to the engineer-in-charge or his authorized subordinate
	charge of the work before covering up or otherwise placing beyond the reach of measurement any work in order that the same main that the same
	be measured and correct dimensions thereof be taken before the same is covered up or placed beyond the reach of measureme
	and shall not cover up and place beyond the reach of measurement any work without the consent in writing of the engineer-in-charge or h
	authorized subordinate in-charge of the work who shall within the aforesaid period of seven days inspect the work, and if any work sh
	be covered up or placed beyond the reach of measurement without such notice having been given or the engineer-in-charge's consent bei
	obtained the same shall be uncovered at the contractor's expense, or in default thereof no payment or allowance shall be made for su- work or the materials with which the same was executed.
	6.7 Engineer-in-charge or his authorized representative may cause either themselves or through another officer of BSNL to check t
	measurements recorded jointly or otherwise as aforesaid and all provisions stipulated herein above shall be applicable to su
	checking of measurements.
	6.8 It is also a term of this contract that recording of measurements of any item of work in the measurement book and/or
	payment in the interim, on account or final bill shall not be considered as conclusive evidence as to the sufficiency of any wo
	or material to which it relates nor shall it relieve the contractor from liabilities from any over measurement or defects noticed
	completion of the defects liabilityperiod.
	CLAUSE 7 7.1 No normant shall be made for a work estimated to cost manage Twenty they and as less till they the whole of the work shall have be
	7.1 No payment shall be made for a work estimated to cost rupees Twenty thousand or less till after the whole of the work shall have been completed and certificate of completion given. But in the case of a work estimated to cost more than Rs. Twenty thousand inter
	or running account bills shall be submitted by the contractor for the work executed on the basis of recorded measurements. The
garded as	contractor shall not be entitled to be paid any interim payment if the gross work done since the last payment is less than R
vance	Twenty thousand.
	7.2 Interim payment on account of amount admissible shall be made by the Engineer-in-charge certifying the sum to which t
	contractor is considered entitled by way of interim payment at such rates as decided by the Engineer-in-charge. The amou
	admissible thshall be paid by 20 working day after the day of presentation of the bill by the contractor to the Engineer-in-charge or his S
	DivisionalEngineer. 7.3.1 Payment to the contractors for Sub Station, Lifts, fire detection, fire fighting and other specialized items, during progress
	work, will be regulated as below :-
	a) 80% of prorate of the approved price breakup of contract value on receipt of equipment at site and after satisfactory physic
	inspection.
	b) 10% of prorata of the approved price breakup of contract value after successful installationof equipment.
	c) 5% of the approved contract value after successful completion of Initialacceptance testing.
	d) 5% of the approved contract value after successful completion of the final acceptance testing.
	e) For the works where AT is not applicable e.g. for substation, lift, fire fighting etc. 5% of the approved contract value shall be release
	after clearance by Electrical inspector/ lift inspector/ Fire officer respectively.
	7.3.2 Payment to the contractors for Air Conditioning and Engine Alternator, during progress of work, will be regulated as below :- (a) In respect of part 'A' agreement 95% of the approved price on receipt of equipment at site and after satisfactory physical inspection
	(a) in respect to part it agreement year of the approved price on receipt of equipment a site and and a sub-statistically physical inspector for claiming this payment, the followingdocuments are to be submitted to the paying authority.
	(i) Excise Gate Pass / Invoice or equivalent document.
	(ii) Delivery Challan.
	(iii) Consignee receipt.
	(iv) Proof of payment of Entry Tax etc., if any.
	(b) The balance 5% payment shall be made after Successful Installation, Commissioningand acceptance testing of equipment. © In respect
	part 'B' agreement prorate payment up to 75% of agreement rates shall be made on completion of physical installation.
	(d) No payment will be made for goods/equipment rejected at the site on testing. Payment, if made, for such items shall be recovered
	from subsequent bills or other bills of the supplier.
	(e) BSNL shall deduct statutory taxes and duties from payments due to the firm as per rules of the central/ State Government. The certificate for such deductions shall be issued to the firm by the Accounts Officer of the concerned Division.
	(f) Each claim bill of contractors must accompany the following:
	(i) List showing the details of labourers/employees engaged.
	(i) Duration of their engagement.
	(iii) The amount of wages paid to such labourers/ employees for the duration in question.
	(iv) Amount of EPF contributions (Both employer's & employees contribution) for the duration of engagement in question paid to the El
	authorities.
	(v) Copies of authenticated documents of payments of such contribution to EPF-authorities.
	<ul> <li>(vi) A declaration from the contractors regarding compliance of the conditions of EPF-Act, 1952.</li> <li>(g) The bill passing authority will check the payment particulars regarding EPF contribution furnished by the contractors along with t</li> </ul>
	billas mentioned in Para 16.4 above and keep full records of the payments etc. each contract wise. The bill will be passed by the
	passing authority only if the contractor complies with the Terms and conditions of EPF Act, 195
	7.4 All such intermediate payments shall be regarded as payments by way of advance against the final payment only and not as paymer
	for work actually done and completed and shall not preclude the requiring of bad, unsound and imperfect or unskilled work to
	removed and taken away and reconstructed or re-erected or be considered as an admission of the due performance of the contract
	any part thereof in any respect or the accruing of any claim nor shall it conclude, determine or affect in any way the powers of t
	engineer-in-charge under these conditions or any of them as to the final settlement and adjustment of the accounts or otherwise
	in any other way vary or affect the contra-
	7.5 Pending consideration of extension of date of completion interim payments shall continue to be made as herein provided, without prejudi
	7.5 Pending consideration of extension of date of completion interim payments shall continue to be made as herein provided, without prejudi to the right of BSNL to take action under the terms of this contract for delay in the completion of work, if the extension of date
	7.5 Pending consideration of extension of date of completion interim payments shall continue to be made as herein provided, without prejudi to the right of BSNL to take action under the terms of this contract for delay in the completion of work, if the extension of date

	8.1 Within ten days of the completion of the work, the contractor shall give notice of such completion to the engineer-in-charge and within thirty days of the receipt of such notice the Completion engineer-in-charge shall inspect the work and if there is no defect in the work shall furnish Certificate the contractor with a final certificate of completion, otherwise a provisional certificate of physical completion indicating defects(a) to be rectified by the contractor /or(b) for which payment will be made at reduced rates, shall be issued bu no final certificate of completion shall be issued, nor shall the work be sidered to be complete until the contractor shall hall to complet with the requirements of this clause as to removal of scaffolding, surplus aterials and rubbish and dirt etc. from the site. it the engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish etc. and dispose of the same as he thinks fit and clean of such dirt as aforesaid and the contractor shall have no claim in respect of any such 8.2 The contractor shall submit completion plan as required vide CPWD general specifications for Electrical works( part 1 - Internal 1994 and (part II - External) 1995 /BSNL specifications as applicable within thirty days of the Superintending Engineer concerned and in this respect to a ceiling of Rs.15,000/- (Rs. Fifteen thousand only) as may be fixed by the Superintending Engineer concerned and in this respect the decision of the Superintending Engineer shall be final and binding on the contractor.
Payment of final	Engineer-in-charge whichever is earlier. No further claims shall be made by the contractor after submission of the final billand these shall be deemed to have been waived and extinguished. payment of those items of the bill in respect of which there is no dispute and of items in dispute, for quantities and rates as approved by Engineer-in-charge, will, as ar as possible be made within the period specified herein under the period being reckoned from the date of receipt of the bill by the Engineer-in-charge or his authorized Sub Divisional Engineer complete with account of materials issued by BSNL and dismantled materials.
	i) If the Tendered value of work is upto Rs. 5 lakhs : 3 months
Payment of Contractor's Bill to Banks	(ii) If the Tendered value of work exceeds Rs. 5 lakhs : 6 months 9.2 Payments due to the contractor, may if so desired by him, be made to his bank instead of direct to him provided that the contractor furnishes to the ngineer-in-charge (i) an authorization in the form of a legally valid documents such as a power of attorney Payment of conferring authority on the bank to receive payments and (ii) his own acceptance of the Contractor's Billcorrectness of the amount made out as being due to him by BSNL or his signature on the to Banks bill or other claim preferred against BSNL before settlement by the engineer-in-charge of the account or claim by the payment to the bank. While the receipt given by such bank shal constitute a full and sufficient discharge for the payment, the contractor shall whenever possible present his bills duly receipted and discharge through his bank. Nothing herein contained shall operate to create in favour of the bank any rights or equities vis-à-vi BSNL.
Material be provided by the	CLAUSE 10 i) Materials which BSNL will supply are shown in the Schedule of work / Schedule B. It also stipulates the quantum, place of issue and rate(s) to be charged in respect thereof. The contractor shall be bound to procure them from Engineer-in-charge.
Contractor	<ul> <li>ii) As soon as the work is awarded, the contractor shall finalize the program for the completion of work as per clause 5 of thi contract and shall give his estimates of materials required on the basis of drawings/or schedule of quantities of the work. The Contractor shall give in writing his equirement to the Engineer-in-charge which shall be issued to him keeping in view the progres of work as assessed by the Engineer-in-charge.</li> <li>iii) The contractor shall see that only the required quantities of materials are got issued. Any such material remaining unused and in perfectly good condition at the time of completion or determination of the contract shall be returned to the Engineer-in-charge at the stores from which it was issued or at a place directed by him by a notice in writing. The contractor shall not be entitled for loading transporting, unloading and stacking of such unused material except for the extra transportation, if any involved, beyond the origina place of issue.</li> </ul>
	<ul> <li>iv) The contractor shall bear the cost of getting the material issued, loading, transporting to site, unloading, storing under cover a required, assembling and joiningthe several parts together as necessary.</li> <li>v) All stores/materials so supplied to the contractor or procured with the assistance of BSNL shall remain the absolute property of BSNI and the contractor shall be the trustee of the stores/materials, and the said stores/materials shall not be removed/disposed off from the sit</li> </ul>
	of the work on any account and shall be at all times open to inspection by the Engineer-in-charge or his authorized agent. vi) In the event of breach of the aforesaid condition, the contractor shall in addition to throwing himself open to account fo contravention of the terms of the licenses or permit and/or for criminal breach of trust, be liable to BSNL for all advantages or profit resulting or which in the usual course would have resulted to him by reacon of such breach. Provided that the contractor shall in m case be entitled to any compensation or damages on account of any delay in supply or non-supply thereof all or any such material and stores provided further that the contractor shall be bound to execute the entire work if the materials are supplied by BSNL withi the original scheduled time for completion of the work plus 50% thereof or schedule time plus 6 months wchever is more if th time of completion of work exceeds 12 months but if a part of the materials only has been supplied within the aforesaid period. For the completion of the rest of the work, the contractor shall be entitled to such extension of time as may be determined by <b>CLAUSE 10A</b>
	The contractor shall, at his own expense, provide all materials, required for the works other than those which are stipulated to b supplied by BSNL.
	i) The contractor, shall at his own expense and without delay, supply to the Engineer-in-charge samples of materials to be used on the work and shall get these approved in advance. All such materials to be provided by the contractor shall be in conformit with the specifications laid down or eferred to in the contract. The contractor shall, if requested by the Engineer-in-charge furnis proof, to the satisfaction of the Engineer-in-icharge that the materials so comply. The Engineer-in-charge shall within thirty days o supply of samples or within such further period as he may require intimate to the contractor in writing whether samples are approved by him or not. If samples are not approved, the contractor shall forthwith arrange to supply to the Engineer-in-charge for hi approval fresh samples complying with the specifications laid down in the contract. When materials are required to be tested i accordance with specifications, approval of the Engineer-in-charge shall be issued after the test results are received.
	<ul> <li>ii) The contractor shall at his risk and cost submit the samples of materials to be tested or analysed and shall not make use of o incorporate in the work any materials represented by the samples until the required tests or analysis have been made and material finally accepted by the Engineer-in-charge. The contractor shall not be eligible for any claim or compensation either arising out of an delay in the work or due to any corrective measures required to be taken on account of and as a result of testing of materials.</li> <li>iii) The Engineer-in-charge or his authorized representative shall at all times have access to the works and to all workshops and place where work is being prepared or from where materials, manufactured articles or machinery are being obtained for the works and th contractor shall afford every facility and every assistance in obtaining the right to such access</li> </ul>
	i) The Engineer-in-charge shall have full powers to require the removal from the premises of all materials which in his opinion are not i accordance with the specifications and in case of default the Engineer-in-charge shall be at liberty to employ at the expense of the contractor other persons to remove the same without being answerable or accountable for any loss or damage that may happen or arise to such materials. The engineer-in-charge shall also have full powers to require other proper materials to be substituted thereof and in case of default the engineer-in-charge may cause the same to be supplied and all costs which may attend such removal and substitutionare to be born by the contractor. CLAUSE 10B

 The contractor(s) shall make his/their own arrangements for water/electricity required for internal/external electrification work and nothing extra will be paid for the same. In respect of specialized works like DG Set, Air conditioning, Fire Detection etc. water electricity supply shall be made available by BSNL free of cost for erection/testing. CLAUSE 10 C
In respect of Contracts with stipulated time period of completion being less than 18(Eighteen) months, if after submission of the tende the wages of labour increases as a direct result of the coming into force of any fresh law, or statutory rule or order and such increase exceeds ten per cent of the wages prevailing at the time of the last stipulated date for receipt of the tenders includingextensions if any for the work, and the contractor thereupon necessarily and properly pays in respect of labour engaged on the execution of the work such increased wages, then the amount of the contract shall accordingly be varied. Provided always that any increase so payable i not, in the opinion of the SuperintendingEngineer (whose decision shall be final and binding on the contractor) attributable to any delay in the execution of the contract within the control of the contractor
 Provided, however, no reimbursement shall be made if the increase is not more than10% of the said wages, and if so, the reimbursement shall be made only on the excess over 10% and provided further that any such increase shall not be payable if such increase has become operative after the contract or extended date of completion of the work in question
 If after submission of the tender, the wages of labour is decreased as a direct result of the coming into force of any fresh law or statutor, rules or order and such decrease exceeds ten per cent of the wages prevailing at the time of receipt of the tender for the work, the BSNL shall in respect of labour engaged on the execution of the work after the date of coming into force of such law statutory rule or order be entitled to deduct from the dues of the contractor such amount as shall be equivalent to the difference between the wages are prevailed at the time of the last stipulated date for receipt of tenders including extensions if any for the work minus ten per cent thereof and the wages of labour on the coming into force of such law, statutory rule or order
The contractor shall, for the purpose of this condition, keep such books of account and other documents as are necessary to show the amount of any increase claimed or reduction available and shall allow inspection of the same by a duly authorize representative of the BSNL, and further shall, at the request of the Engineer-in-Charge may require any documents so kept and such other information as the Engineer-in-Charge may require The contractor shall, within a reasonable time of his becoming aware of any alteration in the wages of labour, give notice thereof to the Engineer-in-Charge stating that the same is given pursuant to this condition together with all information relating thereto which he may be in position to supply
 CLAUSE 10 CC OCC.1 If the prices of materials (not being materials supplied or services rendered at fixed prices by BSNL in accordance with clause 10 A thereof) and/or wages of labour required for execution of the work increase, the contractor shall be compensated for such increase as per provisions detailed below and the amount of the contract shall accordingly be varied, subject to the condition that such compensation for escalation in prices shall be available only for the work done during the stipulated period of the contract includingsuch period for which the contract is validity extended under the provisions of clause 5 of the contract without any action under Clause 2. However, for the work done during the justified period extended as above, the compensation as detailed below will be limited to prices wages prevailing at the time of stipulated date of completion or as prevailing for the period under consideration, whichever is less. No such compensation shall be payable for a work for which the stipulated period of completion is 18 months or less. Such compensation for escalation the prices of materials and labour when due, shall be worked out based on the following provisions
 A) For Lift Work:
 In respect of works relating to supply and installation of lifts/escalators price variation clause as per IEEMA shall be applicable. B) For work other than lift:
 <ul> <li>i) The base date for working out such escalation shall be the last date of receipt of tenders includingextension, if any.</li> <li>ii) The cost of work on which escalation will be payable shall be reckoned as below :-</li> <li>a) Gross value of work done upto this quarter : (A)</li> <li>b) Gross value of work done upto the last quarter : (B)</li> <li>c) Gross value of work done since previous quarter (A-B): (C)</li> </ul>
<ul> <li>d) Extra items paid as per Clause 12 &amp; 12A based on : (D)</li> <li>Prevailing market rate during this quarter</li> <li>e) Cost of work (W) for which escalation is applicable</li> <li>W = 0.85 M [ Where M = (C - D) ]</li> </ul>
 iii) The components of materials and labour in working out such percentages are given below and shall be bindingon the contractor.
 For AC, DG, S/Stn.,F.D., F.F. For internal/external Electrical Works & other specialized works
A) material       75% percent         B) labour       75% percent         B) labour       75% percent         iv) The compensation for escalation for materials shall be worked out as per the formula given below:-         Vm =       W x Xm/100 x MI-Mio/Mio
Vm-         Variation in material cost i.e. Increase or decrease in the amount in rupees to be paid or recovered.           W-         Cost of work done worked out as indicated in sub para (ii) above
 <ul> <li>Xm- Component of materials expressed as percent of the total value of work</li> <li>MI- All India whole sale index for all commodities for the period under consideration as published by the Economic Advisor to Government of India, Ministry of Industry and Commerce.</li> </ul>
 MIo- All India whole sale price index for all commodities valid on the last stipulated date of receipt of tender includingextension if any as published by the Economic Advisor to Government of India, Ministry of Industry and Commerce. v) The followingprinciples shall be followed while working out indices mentioned in sub-Para (iv) above.
a) The following principle shall be worked wine working our indices inclutioned in sub-rate (r) above. a) The compensation for escalation shall be worked out at quarterly intervals and shall be with respect to the cost or work done as per bil paid during the three calendar months of the said quarter. The first such payment shall be made at the end of three months after the month (excluding) in which the tender was accepted and thereafter at three months interval. At the time of completion of the work the last period for payment might become less than three months, depending on the actual date of completion
 b) The index (MI) Relevant to any quarter for which such compensation is paid shall be the arithmetical average of the indexe relevant to the three lendar months. If the period up to date of completion after the quarter covered by the last such installment of paymen is less than three months, the index MI shall be the average of the indices for the month falling within that period
vi) The compensation for escalation for labour shall be worked out as per the formula given below:-
 VL = W x Y/100 x L1-Llo/Llo VL- Variation in labour cost i.e. Increase or decrease in the amount in rupees to be paid or recovered.

	LIo- Minimum daily wage in rupees of an unskilled adult male mazdoor, fixed under any law, statutory rule or order as on the las
	stipulated date of receipt of tender includingextension, if any. LI - Minimumwage in rupees of an unskilled adult male mazdoor, fixed under any law, statutory rule or order as applicable on the last day o
	the quarter previous to one under consideration.
	vii) The following principles will be followed while working out the compensation as per sub para (vi) above.
	<ul> <li>a) The minimumwage of an unskilledmale mazdoor mentioned in sub para</li> <li>(vi) above shall be the higher of the following two figures, namely those notified by government of India, ministry of labour and</li> </ul>
	<ul> <li>b) The secalation for labour also shall be paid at the same quarterly intervals when escalation due to increase in the cost of materials is paid</li> </ul>
	under this clause. If such revision of minimum wages takes place during any such quarterly intervals, the escalation compensation sha be payable at revised rates only for work done in subsequent quarters.
	c) Irrespective of variations in minimum wages of any category of labour, for the purpose of this clause, the variation in the rates for a unskilled adult male mazdoor alone shall form the basis for working out the escalation compensation payable on the labour component.
	viii) In the event the price of materials and/or wages of labour required for execution of the work decrease/s, there shall be downward adjustment of the cost of work so that such price of materials and/or wages of labour shall be deductable from the cost of work under this contract and in this regard formula herein before stated under this clause 10(cc) shall mutatis mutandis apply, provided that.
	a) No such adjustment for the decrease in the price of materials and/ or wages of labour afore-mentioned would be made in cas of contracts in which the stipulated period of completion of the work is eighteen months or less.
	b) The engineer-in-charge shall otherwise be entitled to lay down the procedures by which the provision of this sub-clause shall b implemented from time to time and the decision of the engineer-in-charge in this behalf shall be final and bindingon the contractor.
	ix) Provided always that the provision of the preceding clause 10 (C) shall not be applicable for contracts where provisions of this clause are not applicable, the provisions of clause 10(C) will become applicable.
	CLAUSE 10D
	The contractor shall treat all materials obtained during dismantling of an installation, excavation of the site for a work etc. a BSNL's property and such materials shall be disposed of to the best advantage of BSNL according to the instructions in writing issue by the engineer-in-charge. CLAUSE 11
Work to be	
Accordance with Soecifications, Drawings, Orders,	11.1 The contractor shall execute the whole and every part of the work in the most substantial and workman like manner and both a regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly fully an faithfully to the designs, drawings and instructions in writing in respect of the work signed by the engineer-in-charge. The contractor shall take full responsibility for adequacy, suitability and safety of all the works and methods of installation.
etc.	11.2 In the case of any class of work for which there is no such specification as referred to Clause 11.1, such work shall be carried out in accordance with the Bureau of Indian Standards specification, in case there is no such specifications in Bureau of the specification of the s
	Indian Standards, the work shall be carried out as per manufacturer's specifications. In case there are no such specifications a required above the work shall be carried out in all respect in accordance with the instructions and requirements of the Engineer-incharge.
	CLAUSE 12
Devation, Variations Extent	12.1 The engineer-in-charge shall have power
and Pricing	
	<ol> <li>To make any alterations in, omissions from, additions to or substitutions for the original specifications, drawings, designs an- instructions, that may appear to him to be necessary or advisable during the progress of the work and</li> </ol>
	ii) To omit a part of the works in case of non-availability of a portion of the site or for any other reasons and the contractor shall b bound to carry out the work in accordance with any instructions given to him in writing signed by the engineer-in-charge, and suc alterations, omissions, additions or substitutions shall form part of the contract as if originally provided therein and any altered additional or substituted work which the contractor may be directed to do in the manner specified above as part of the work, shall b carried out by the contractor on the same conditions in all respects on which he agreed to do the main work except as hereafter provided
	12.1.1 The time for the completion of work shall, in the event of any deviations resulting in additional cost over the tendered value of sum being ordered, be extended, if requested by the contractor, as follow
	i) In the proportion which the additional cost of the altered, additional or substituted work, bears to the original tendered value plus.
	<ul> <li>ii) 25% of the time calculated in (i) above or such further additional time as may be considered reasonable by the Engineer-in-charge.</li> <li>12. 2 Rates for such altered, additional or substituted work shall be determined by the Engineer- in-charge as follows:-</li> <li>i) If the rates for the additional, altered or substituted item of work is specified in the schedule of quantity, the contractor sha</li> </ul>
	carry out the altered, additionalor substituted item at the same rate.
	ii) If the rate for any additional altered or substituted item of work is not specified in the schedule of quantities, the rate for the
	item shall be derived from the rate for the nearest similar item specified therein. iii) If the rate for altered, additional or substituted item of work cannot be determined in the manner specified in sub paras (i) an
	(ii) above, then such item of works shall be carried out at the rate entered in the CPWD schedule of Rates as mentioned in th Schedule 'F' minus/plus the percentage by which the tendered amount of the work actually awarded is higher or lower than the
	corresponding estimated amount of the work actually awarded. iv) If the rates for the altered additional or substituted item of work can not determined in the manner specified in the sub-clause (i) to (iii)above, then the rates for such item of work shall be derived from the Schedule of Rates specified in sub para above (i
	minus/plus the percentage mentioned in that sub para. Provided always that if rates(s) for part(s) of the item(s) are not available in the schedule of rates specified above, rate for part(s) of such item(s) shall be determined on the basis of the market rate(s) prevailing during the fortnight following the date of the order plus ten percent for profit and overhead.
	<ul> <li>v) If the rates for the altered, additionalor substituted item of work can not be determined in the manner specified in sub-paras (i)</li> <li>(iv) above, the contractor shall within 15 days of the date of receipt of order to carry out the said work, inform the engineer-in-charge</li> </ul>
	of the rate which he proposes to claim for such item of work, supported by analysis of rate claimed and the Engineer-in-charge shall within three months thereafter, after giving due consideration to the rate claimed by the contractor, determine the rate or rates of the basis of prevailing market rates. In the event of contractor failing to inform the Engineer-in-charge within the stipulated period of
	time, the rate which he proposes to claim, the rate for such item shall be determined by the Engineer-in-charge on the basis of marke rate(s).
	vi) Provided further that in case where the original item is substituted, the substituted item shall be deemed to have replaced th original item in the contract itself to that extent and above provisions pertaining to the deviations shall apply with respect to suc
	substituted item and not the originalitem.  12.3 Increase/ Decrease of tendered quantity  2.201/201/201/201/201/201/201/201/201/201/
	a) BSNL will have the right to increase or decrease up to 50% of the quantity of goods and services specified in the schedule of items without any change in the unit price or other terms and conditions at the time of award of contract. In exceptional and unavoidable cases BSNL can increase the quantity of goods and services beyond 50% of the tendered quantity without any change in tendered and accepted unit price and
	also other terms and conditions as applicable at the time of award of contract.

	CLAUSE 13
Foreclosure of	
Contract due to	13.1 If at any time after acceptance of the tender BSNL shall decide to abandon or reduce the scope of the works for any reasor
Abandonment or	whatsoever and hence not require the whole or any part
Reduction in Scope	
of Work	
	of the works to be carried out, the Engineer-in-charge shall give notice in writing to that effect to the contractor and the
	contractor shall act accordingly in the matter. The contractor shall have no claim to any payment of compensation or otherwise
	whatsoever, on account of any profit or advantage which he might have derived from the execution of the works in full but which he did no
	derive in consequence of the foreclosure of the whole or part of the works.
	13.2 The contractor shall be paid at contract rates full amount for works executed at site and in addition, a reasonable amount as certified
	by the Engineer-in-charge for the items hereunder mentioned which could not be utilised on the work to the full extent in view of the
	foreclosures.
	) Reasonable compensation for transfer of T&P and staff from site to contractor's permanent stores or to his other works
	whichever is less. If T&P/staff are not transported to either of the said places, no cost of transportation shall be payable.
	i) BSNL shall have the option to take over contractor's materials or any part thereof either brought to site or to which the contractor is legall
	pound to accept delivery from suppliers (for incorporation in or incidental to the work) provided, however BSNL shall be bound to
	ake over the materials or such portions thereof as the contractor does not desire to retain. For materials taken over or to be taken over
	by BSNL cost of such materials as detailed by Engineer-in-charge shall be paid. The cost shall, however, take into account purchase
	price, cost of transportation and deterioration or damage which may have been caused to materials whilst in the custody of the contractor.
	ince, cost of transportation and deterioration of damage which may have been caused to materials whilst in the custody of the contractor.
	13.3 The contractor shall, if required by the Engineer-in-charge, furnish to him books of account, wage books and other relevan
	documents and evidences as may be necessary to enable him to certify the reasonable amount payable under this condition.
	13.4 The reasonable amount of item(s) on 13.2 (i) above shall not be in excess of 2% of the cost of the work remaining incomplete on the
	date of closure, i.e. total stipulated cost of the work as per accepted tender less the cost of work actually executed under the
	contract and less the cost of contractor's materials at site taken over by BSNL as per item 13.2 (ii) above. Provided always that agains
	any payments due to the contractor on this account or otherwise, the Engineer-in-charge shall be entitled to recover or be credited with
	in youtstanding balances due from the contractor for advance paid in respect of any work and materials and any other sums which at the
	also of termination were recoverable by BSNL from the contractor under the terms of the contract.
	CLAUSE 14
uspension of	
Vork	14.1 If contractor :
	) at any time makes default in proceeding with the works or any part of the work with the due diligence and continues to do s
	after a notice in writing of 7 days from the Engineer-in-charge; or
	i) commits default to complying with any of the terms and conditions of the contract and does not remedy it or take effective steps t
	within 7 days after a notice in writing is given to him in that behalf by the Engineer-in-charge; or
	ii) fails to complete the works or items of work with individual dates of completion, on or before the date(s) of completion, and does no
	complete them within the period specified in a notice given in writing in that behalf by the Engineer-in-charge; or
	v) Shall offer or give or agree to give to any person in BSNL service or to any other person on his behalf any gift or consideration of
	any kind as an inducement or reward for doing or forbearing to do or for having done or forborne to do any act in relation to the obtaining of this or one other contract for DSNU or
	execution of this or any other contract for BSNL or
	v) Shall enter into a contract with BSNL in connection with which commission has been paid or agreed to be paid by him or to hi shall enter into a contract with BSNL in connection with which commission has been paid or agreed to be paid by him or to hi shall enter into a contract with BSNL in connection with which commission has been paid or agreed to be paid by him or to hi shall enter into a contract with BSNL in connection with which commission has been paid or agreed to be paid by him or to hi shall enter into a contract with BSNL in connection with which commission has been paid or agreed to be paid by him or to him to be address of the shall be address of the s
	snowledge, unless the particulars of any such commission and the terms of payment thereof have been previously disclosed in writing t
	he Accepting Authority/Engineer-in-charge; or
	vi) Shall obtain a contract with BSNL as a result of wrong tendering or other non-bonafide methods of competitive tendering; or
	vii) being an individual, or if a firm, any partner thereof shall at any time be adjudged insolvent or have a receiving order or order fo
	administration of his estate made against him or shall take any proceedings for liquidation or composition (other than a voluntar
	iquidation for the purpose of amalgamation or reconstruction) under any insolvency Act for the time being in force or make an
	conveyance or assignment of his effects or composition or arrangement for the benefit of his creditors or purport so to do, or
	any application be made under any insolvency Act for the time being in force for the sequestration of his estate or if a trust deed b
	executed by him for benefit of his creditors; or
	viii) being a company, shall pass a resolution or the court shall make an order for the winding up of the company, or a receiver or manage
	on behalf of the debenture holders or otherwise shall be appointed or circumstances shall arise which entitle the court or debenture holder
	to appoint a receiver or manager; or
	o appoint a receiver of manager, of
	x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or
	x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or
l l	<ul> <li>x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or</li> <li>x) Assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in the provided of the</li></ul>
	<ul> <li>x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or</li> <li>x) Assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in the provided of the</li></ul>
	<ul> <li>x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or</li> <li>x) Assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in th work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer sublet or otherwise parts with the entire works or any portion thereof without the prior written approval of the Accepting Authority.</li> </ul>
	<ul> <li>x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or</li> <li>x) Assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in th work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer sublet or otherwise parts with the entire works or any portion thereof without the prior written approval of the Accepting Authority.</li> <li>xi) The Accepting Authority may, without prejudice to any other right or remedy which shall have accrued or shall accrue hereafter to approve the accepting Authority.</li> </ul>
	<ul> <li>x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or</li> <li>c) Assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in the work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer sublet or otherwise parts with the entire works or any portion thereof without the prior written approval of the Accepting Authority.</li> <li>ki) The Accepting Authority may, without prejudice to any other right or remedy which shall have accrued or shall accrue hereafter the SNL by a notice in writing to cancel the contract as a whole or only such items of work in default from the contract. 14.2 The such as a such as</li></ul>
	<ul> <li>x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or</li> <li>c) Assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in the work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer sublet or otherwise parts with the entire works or any portion thereof without the prior written approval of the Accepting Authority.</li> <li>ci) The Accepting Authority may, without prejudice to any other right or remedy which shall have accrued or shall accrue hereafter the SNL by a notice in writing to cancel the contract as a whole or only such items of work in default from the contract. 14.2 The Engineer-in-charge shall on such cancellation by the Accepting Authority have powers to:</li> </ul>
	<ul> <li>x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or</li> <li>c) Assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in the work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer sublet or otherwise parts with the entire works or any portion thereof without the prior written approval of the Accepting Authority.</li> <li>ki) The Accepting Authority may, without prejudice to any other right or remedy which shall have accrued or shall accrue hereafter the SNL by a notice in writing to cancellation by the Accepting Authority have powers to:</li> <li>(a) take possession of the site and any materials, equipment, implements, stores etc. thereon and/or</li> </ul>
	<ul> <li>x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or</li> <li>c) Assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in the work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer sublet or otherwise parts with the ntire works or any portion thereof without the prior written approval of the Accepting Authority.</li> <li>ki) The Accepting Authority may, without prejudice to any other right or remedy which shall have accrued or shall accrue hereafter to BSNL by a notice in writing to cancellation by the Accepting Authority have powers to:</li> <li>(a) take possession of the site and any materials, equipment, implements, stores etc. thereon and/or</li> <li>(b) carry out the incomplete work by any means at the risk and cost of the contractor.</li> </ul>
	<ul> <li>x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or</li> <li>x) Assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in the work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer sublet or otherwise parts with the entire works or any portion thereof without the prior written approval of the Accepting Authority.</li> <li>ki) The Accepting Authority may, without prejudice to any other right or remedy which shall have accrued or shall accrue hereafter the BSNL by a notice in writing to cancel the contract as a whole or only such items of work in default from the contract. 14.2 The Engineer-in-charge shall on such cancellation by the Accepting Authority have powers to: <ul> <li>(a) take possession of the site and any materials, equipment, implements, stores etc. thereon and/or</li> <li>(b) carry out the incomplete work by any means at the risk and cost of the contractor.</li> </ul> </li> <li>14.3 On cancellation of the contract in full or in part, the Engineer-in-charge shall determine what amount, if any, is recoverable from the contract.</li> </ul>
	<ul> <li>x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or</li> <li>c) Assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in the work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer sublet or otherwise parts with the entire works or any portion thereof without the prior written approval of the Accepting Authority.</li> <li>d) The Accepting Authority may, without prejudice to any other right or remedy which shall have accrued or shall accrue hereafter the SNL by a notice in writing to cancel the contract as a whole or only such items of work in default from the contract. 14.2 The Engineer-in-charge shall on such cancellation by the Accepting Authority have powers to:</li> <li>a) take possession of the site and any materials, equipment, implements, stores etc. thereon and/or</li> <li>b) carry out the incomplete work by any means at the risk and cost of the contractor.</li> <li>14.3 On cancellation of the contract in full or in part, the Engineer-in-charge shall determine what amount, if any, is recoverable from the contractor for completion of the works or part of the works or in case the works or in case the works or part of the works is not the site of the works is not the site of the works is not the works or part of the works or in case the works or in case the works or part of the works is not the works or part of the works or in case the works or in case the works or part of the works is not the works or part of the works or part of the works or in case the works or in case the works or part of the works is not the works or part of the works or part of the works or in case the works or part of the works is not the works or part of the works or p</li></ul>
	<ul> <li>x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or</li> <li>c) Assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in the work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer sublet or otherwise parts with the entire works or any portion thereof without the prior written approval of the Accepting Authority.</li> <li>k) The Accepting Authority may, without prejudice to any other right or remedy which shall have accrued or shall accrue hereafter to BSNL by a notice in writing to cancel the contract as a whole or only such items of work in default from the contract. 14.2 The Engineer-in-charge shall on such cancellation by the Accepting Authority have powers to:</li> <li>a) take possession of the site and any materials, equipment, implements, stores etc. thereon and/or</li> <li>b) carry out the incomplete work by any means at the risk and cost of the contractor.</li> <li>14.3 On cancellation of the works or part of the works or in case the works or in case the works or part of the works is not to be completed, the loss or damage suffered by BSNL. In determining the amount, credit shall be given to the contractor for the value or completed, the loss or damage suffered by BSNL.</li> </ul>
	<ul> <li>x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or</li> <li>c) Assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in the work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer sublet or otherwise parts with the entire works or any portion thereof without the prior written approval of the Accepting Authority.</li> <li>ci) The Accepting Authority may, without prejudice to any other right or remedy which shall have accrued or shall accrue hereafter the SNL by a notice in writing to cancel the contract as a whole or only such items of work in default from the contract. 14.2 The Engineer-in-charge shall on such cancellation by the Accepting Authority have powers to: <ul> <li>a) take possession of the site and any materials, equipment, implements, stores etc. thereon and/or</li> <li>b) carry out the incomplete work by any means at the risk and cost of the contractor.</li> </ul> </li> <li>14.3 On cancellation of the contract in full or in part, the Engineer-in-charge shall determine what amount, if any, is recoverable from the completion of the works or part of the works or in case the works or in case the works or part of the works is not to be completed, the loss or damage suffered by BSNL. In determining the amount, credit shall be given to the contract for the value of work executed by him up to the time of cancellation, the value of contractor's materials taken over and incorporated in the work work work work and the time of cancellation, the value of contractor's materials taken over and incorporated in the work work work executed by him up to the time of cancellation, the value of contractor's materials taken over and incorporated in the work work executed by him up to the time of cancellation, the value of contractor's materials taken over and incorporated in the work work executed by him up to the time of cancellation, the val</li></ul>
	<ul> <li>x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or</li> <li>c) Assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in the work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer sublet or otherwise parts with the entire works or any portion thereof without the prior written approval of the Accepting Authority.</li> <li>ci) The Accepting Authority may, without prejudice to any other right or remedy which shall have accrued or shall accrue hereafter the SNL by a notice in writing to cancellation by the Accepting Authority have powers to:</li> <li>(a) take possession of the site and any materials, equipment, implements, stores etc. thereon and/or</li> <li>(b) carry out the incomplete work by any means at the risk and cost of the contractor.</li> <li>14.3 On cancellation of the contract in full or in part, the Engineer-in-charge shall determine what amount, if any, is recoverable from the contractor for completed, the loss or damage suffered by BSNL. In determining the amount, credit shall be given to the contractor for the value of he work executed by him up to the time of cancellation, the value of contractor's materials taken over and incorporated in the work and use of plant and machinery belonging to the contractor.</li> </ul>
	<ul> <li>x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or</li> <li>x) Assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in the work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer sublet or otherwise parts with the prior written approval of the Accepting Authority.</li> <li>(i) The Accepting Authority may, without prejudice to any other right or remedy which shall have accrued or shall accrue hereafter to BSNL by a notice in writing to cancel the contract as a whole or only such items of work in default from the contract. 14.2 The Engineer-in-charge shall on such cancellation by the Accepting Authority have powers to:</li> <li>(a) take possession of the site and any materials, equipment, implements, stores etc. thereon and/or</li> <li>(b) carry out the incomplete work by any means at the risk and cost of the contractor.</li> <li>14.3 On cancellation of the contract in full or in part, the Engineer-in-charge shall determine what amount, if any, is recoverable from the contractor for completion of the works or part of the works or in case the works or in case the works or part of the works is not to be completed, the loss or damage suffered by BSNL. In determining the amount, credit shall be given to the contractor for the value of he work executed by him up to the time of cancellation, the value of contractor's materials taken over and incorporated in the work and use of plant and machinery belonging to the contractor.</li> <li>14.4 Any excess expenditure incurred or to be incurred by BSNL in completing the works or part of the works or the excess loss of plant and machinery belonging to the contractor.</li> </ul>
	<ul> <li>x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or</li> <li>c) Assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in the work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer sublet or otherwise parts with the entire works or any portion thereof without the prior written approval of the Accepting Authority.</li> <li>(i) The Accepting Authority may, without prejudice to any other right or remedy which shall have accrued or shall accrue hereafter to BSNL by a notice in writing to cancel the contract as a whole or only such items of work in default from the contract. 14.2 The Engineer-in-charge shall on such cancellation by the Accepting Authority have powers to:</li> <li>(a) take possession of the site and any materials, equipment, implements, stores etc. thereon and/or</li> <li>(b) carry out the incomplete work by any means at the risk and cost of the contractor.</li> <li>(14.3 On cancellation of the contract in full or in part, the Engineer-in-charge shall determine what amount, if any, is recoverable from the contractor for completion of the works or part of the works or in case the works or in case the works or part of the works is not to be completed, the loss or damage suffered by BSNL. In determining the amount, credit shall be given to the contractor for the value of che work executed by him up to the time of cancellation, the value of contractor's materials taken over and incorporated in the work and use of plant and machinery belonging to the contractor.</li> <li>(14.4 Any excess expenditure incurred or to be incurred by BSNL in completing the works or part of the works or the excess loss of damages suffered by BSNL as aforesaid after allowing such credit shall without prejudice to any other right of the may be suffered by BSNL as aforesaid after allowing such credit shall without prejudice to any other right of the may</li></ul>
	<ul> <li>x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or</li> <li>c) Assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in the work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer sublet or otherwise parts with the entire works or any portion thereof without the prior written approval of the Accepting Authority.</li> <li>(i) The Accepting Authority may, without prejudice to any other right or remedy which shall have accrued or shall accrue hereafter to BSNL by a notice in writing to cancel the contract as a whole or only such items of work in default from the contract. 14.2 The Engineer-in-charge shall on such cancellation by the Accepting Authority have powers to:</li> <li>(a) take possession of the site and any materials, equipment, implements, stores etc. thereon and/or</li> <li>(b) carry out the incomplete work by any means at the risk and cost of the contractor.</li> <li>14.3 On cancellation of the works or part of the works or in case the works or in case the works or part of the works is not to be completed, the loss or damage suffered by BSNL. In determining the amount, credit shall be given to the contractor for the value of contractor's materials taken over and incorporated in the work and use of plant and machinery belonging to the contractor.</li> <li>14.4 Any excess expenditure incurred or to be incurred by BSNL in completing the works or part of the works or the excess loss of amage suffered by BSNL as aforesaid after allowing such credit shall without prejudice to any other right credit available to BSNL in law be recovered from any moneys due to the contract or on any account, and if such money are not suffered or may be suffered by BSNL as aforesaid after allowing such credit shall without prejudice to any other right credit available to BSNL in law be recovered from any moneys due to the contract or on any account,</li></ul>
	<ul> <li>x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or</li> <li>c) Assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in the work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer sublet or otherwise parts with the entire works or any portion thereof without the prior written approval of the Accepting Authority.</li> <li>ci) The Accepting Authority may, without prejudice to any other right or remedy which shall have accrued or shall accrue hereafter the SNL by a notice in writing to cancel the contract as a whole or only such items of work in default from the contract. 14.2 The Engineer-in-charge shall on such cancellation by the Accepting Authority have powers to: <ul> <li>a) take possession of the site and any materials, equipment, implements, stores etc. thereon and/or</li> <li>b) carry out the incomplete work by any means at the risk and cost of the contractor.</li> </ul> </li> <li>14.3 On cancellation of the works or part of the works or in case the works or in case the works or part of the works is not to be completed, the loss or damage suffered by BSNL. In determining the amount, credit shall be given to the contractor for the value of contractor.</li> <li>14.4 Any excess expenditure incurred by BSNL in completing the works or part of the works or the excess loss of damages suffered by BSNL is a foresaid after allowing such credit shall without prejudice to any other right or emedy available to BSNL in law be recovered from any moneys due to the contractor on any account, and if such money are no sufficient the contractor for may moneys due to the contractor on any account, and if such money are no sufficient the contractor.</li> </ul>
	<ul> <li>x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or</li> <li>x) Assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in the work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer sublet or otherwise parts with the nire works or any portion thereof without the prior written approval of the Accepting Authority.</li> <li>ki) The Accepting Authority may, without prejudice to any other right or remedy which shall have accrued or shall accrue hereafter to BSNL by a notice in writing to cancel the contract as a whole or only such items of work in default from the contract. 14.2 The Engineer-in-charge shall on such cancellation by the Accepting Authority have powers to: <ul> <li>(a) take possession of the site and any materials, equipment, implements, stores etc. thereon and/or</li> <li>(b) carry out the incomplete work by any means at the risk and cost of the contractor.</li> </ul> </li> <li>14.3 On cancellation of the contract in full or in part, the Engineer-in-charge shall determine what amount, if any, is recoverable from the contractor for completion of the works or part of the works or in case the works or in case the works or part of the works is not to be completed, the loss or damage suffered by BSNL. In determining the amount, credit shall be given to the contractor for the value or had use of plant and machinery belonging to the contractor.</li> <li>14.4 Any excess expenditure incurred or to be incurred by BSNL in completing the works or part of the works or the excess loss of almages suffered by BSNL as aforesaid after allowing such credit shall without prejudice to any other right or remedy available to BSNL in law be recovered from any moneys due to the contractor on any account, and if such money are not sufficient the contractor shall be readet or the work or part of the works or part or the works or part ority to be incur</li></ul>
	<ul> <li>x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or</li> <li>x) Assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in the work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer sublet or otherwise parts with the prior written approval of the Accepting Authority.</li> <li>(i) The Accepting Authority may, without prejudice to any other right or remedy which shall have accrued or shall accrue hereafter to BSNL by a notice in writing to cancel the contract as a whole or only such items of work in default from the contract. 14.2 The Engineer-in-charge shall on such cancellation by the Accepting Authority have powers to: <ul> <li>(a) take possession of the site and any materials, equipment, implements, stores etc. thereon and/or</li> <li>(b) carry out the incomplete work by any means at the risk and cost of the contractor.</li> </ul> </li> <li>14.3 On cancellation of the contract in full or in part, the Engineer-in-charge shall determine what amount, if any, is recoverable from the contractor for completion of the works or part of the works or in case the works or in case the works or part of the works is not to be completed, the loss or damage suffered by BSNL. In determining the amount, credit shall be given to the contractor for the value or had use of plant and machinery belonging to the contractor.</li> <li>14.4 Any excess expenditure incurred or to be incurred by BSNL in completing the works or part of the works or the excess loss of almages suffered by BSNL as aforesaid after allowing such credit shall built without prejudice to any other right or emedy available to BSNL in law be recovered from any moneys due to the contractor on any account, and if such money are or autificient the contractor shall be readiled upon in writing and shall be liableto pay the same within 30 days.</li> </ul>
	<ul> <li>x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or</li> <li>x) Assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in th work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer sublet or otherwise parts with the miner works or any portion thereof without the prior written approval of the Accepting Authority.</li> <li>xi) The Accepting Authority may, without prejudice to any other right or remedy which shall have accrued or shall accrue hereafter to BSNL by a notice in writing to cancel the contract as a whole or only such items of work in default from the contract. 14.2 The Engineer-in-charge shall on such cancellation by the Accepting Authority have powers to:</li> <li>(a) take possession of the site and any materials, equipment, implements, stores etc. thereon and/or</li> <li>b) carry out the incomplete work by any means at the risk and cost of the contractor.</li> <li>14.3 On cancellation of the contract in full or in part, the Engineer-in-charge shall determine what amount, if any, is recoverable from the contractor for completion of the works or part of the works or in case the works or in case the works or part of the works is not to ecompleted, the loss or damage suffered by BSNL. In determining the amount, credit shall be given to the contractor for the value or he work executed by him up to the time of cancellation, the value of contractor's materials taken over and incorporated in the word available to BSNL in a aforesaid after allowing such credit shall without prejudice to any other right or remedy available to BSNL in law be recovered from any moneys due to the contractor on any account, and if such money are no sufficient the contractor shall fail to pay the required sum within the aforesaid period of 30 days, the Engineer-in-charge shall have the right to sell any or all of the contractors' unused materials, plant,</li></ul>
	<ul> <li>x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or</li> <li>x) Assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in th work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer sublet or otherwise parts with the miner works or any portion thereof without the prior written approval of the Accepting Authority.</li> <li>xi) The Accepting Authority may, without prejudice to any other right or remedy which shall have accrued or shall accrue hereafter to BSNL by a notice in writing to cancel the contract as a whole or only such items of work in default from the contract. 14.2 The Engineer-in-charge shall on such cancellation by the Accepting Authority have powers to:</li> <li>(a) take possession of the site and any materials, equipment, implements, stores etc. thereon and/or</li> <li>b) carry out the incomplete work by any means at the risk and cost of the contractor.</li> <li>14.3 On cancellation of the contract in full or in part, the Engineer-in-charge shall determine what amount, if any, is recoverable from the contractor for completion of the works or part of the works or in case the works or in case the works or part of the works is not to ecompleted, the loss or damage suffered by BSNL. In determining the amount, credit shall be given to the contractor for the value or he work executed by him up to the time of cancellation, the value of contractor's materials taken over and incorporated in the word available to BSNL in a aforesaid after allowing such credit shall without prejudice to any other right or remedy available to BSNL in law be recovered from any moneys due to the contractor on any account, and if such money are no sufficient the contractor shall fail to pay the required sum within the aforesaid period of 30 days, the Engineer-in-charge shall have the right to sell any or all of the contractors' unused materials, plant,</li></ul>
	<ul> <li>x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or</li> <li>c) Assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in the work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer sublet or otherwise parts with the entire works or any portion thereof without the prior written approval of the Accepting Authority.</li> <li>k) The Accepting Authority may, without prejudice to any other right or remedy which shall have accrued or shall accrue hereafter to BSNL by a notice in writing to cancel the contract as a whole or only such items of work in default from the contract. 14.2 The Engineer-in-charge shall on such cancellation by the Accepting Authority have powers to:</li> <li>a) take possession of the site and any materials, equipment, implements, stores etc. thereon and/or</li> <li>b) carry out the incomplete work by any means at the risk and cost of the contractor.</li> <li>14.3 On cancellation of the contract in full or in part, the Engineer-in-charge shall determine what amount, if any, is recoverable from the contractor for completion of the works or part of the works or in case the works or in case the works or part of the works is not to be completed, the loss or damage suffered by BSNL. In determining the amount, credit shall be given to the contractor for the value of contractor.</li> <li>14.4 Any excess expenditure incurred or to be incurred by BSNL in completing the works or part of the works or the excess loss of damages suffered by BSNL as aforesaid after allowing such credit shall without prejudice to any other right created available to BSNL in law be recovered from any moneys due to the contractor on any account, and if such money are no sufficient the contractor shall be called upon in writing and shall be liable to pay the same within 30 days.</li> <li>14.5 If the contractor shall be called upon in writing and shall b</li></ul>
	<ul> <li>x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or</li> <li>c) Assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in th work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer sublet or otherwise parts with the entire works or any portion thereof without the prior written approval of the Accepting Authority.</li> <li>ci) The Accepting Authority may, without prejudice to any other right or remedy which shall have accrued or shall accrue hereafter the BSNL by a notice in writing to cancell the contract as a whole or only such items of work in default from the contract. 14.2 The Engineer-in-charge shall on such cancellation by the Accepting Authority have powers to:</li> <li>a) take possession of the site and any materials, equipment, implements, stores etc. thereon and/or</li> <li>b) carry out the incomplete work by any means at the risk and cost of the contractor.</li> <li>14.3 On cancellation of the contract in full or in part, the Engineer-in-charge shall determine what amount, if any, is recoverable from the complete, the loss or damage suffered by BSNL. In determining the amount, credit shall be given to the contractor for the value of contractor.</li> <li>14.4 Any excess expenditure incurred or to be incurred by BSNL in completing the works or part of the works or the excess loss of amage suffered by BSNL in a foresaid after allowing such credit shall without prejudice to any other right carenda any moneys due to the contractor on any account, and if such money are no sufficient the contractor's hall be called upon in writing and shall be liable to pay the same within 30 days.</li> <li>14.4 Any excess explanditure incurred from any moneys due to the contractor on any account, and if such money are no sufficient the contractor's hall be incurred sum within the aforesaid period of 30 days, the Engineer-in-charge shall have the</li></ul>
	<ul> <li>x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or</li> <li>x) Assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in the work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer sublet or otherwise parts with the mire works or any portion thereof without the prior written approval of the Accepting Authority.</li> <li>(i) The Accepting Authority may, without prejudice to any other right or remedy which shall have accrued or shall accrue hereafter to BSNL by a notice in writing to cancel the contract as a whole or only such items of work in default from the contract. 14.2 The Engineer-in-charge shall on such cancellation by the Accepting Authority have powers to:</li> <li>(a) take possession of the site and any materials, equipment, implements, stores etc. thereon and/or</li> <li>(b) carry out the incomplete work by any means at the risk and cost of the contractor.</li> <li>14.3 On cancellation of the contract in full or in part, the Engineer-in-charge shall determine what amount, if any, is recoverable from the contractor for completion of the works or part of the works or in case the works or in case the works or part of the works is not to be completed, the loss or damage suffered by BSNL. In determining the amount, credit shall be given to the contractor for the value or he work executed by him up to the time of cancellation, the value of contractor's materials taken over and incorporated in the word and use of plant and machinery belonging to the contractor.</li> <li>14.4 Any excess expenditure incurred or to be incurred by BSNL in completing the works or part of the works or the excess loss of amages suffered by BSNL as aforesaid after allowing such credit shall without prejudice to any other right or emedy available to BSNL in law be recovered from any moneys due to the contractor on any account, and if such money are nor suf</li></ul>
	<ul> <li>x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or</li> <li>x) Assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in the work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer sublet or otherwise parts with the mire works or any portion thereof without the prior written approval of the Accepting Authority.</li> <li>(i) The Accepting Authority may, without prejudice to any other right or remedy which shall have accrued or shall accrue hereafter to BSNL by a notice in writing to cancel the contract as a whole or only such items of work in default from the contract. 14.2 The Engineer-in-charge shall on such cancellation by the Accepting Authority have powers to:</li> <li>(a) take possession of the site and any materials, equipment, implements, stores etc. thereon and/or</li> <li>(b) carry out the incomplete work by any means at the risk and cost of the contractor.</li> <li>14.3 On cancellation of the contract in full or in part, the Engineer-in-charge shall determine what amount, if any, is recoverable from the contractor for completion of the works or part of the works or in case the works or in case the works or part of the works is not to be completed, the loss or damage suffered by BSNL. In determining the amount, credit shall be given to the contractor for the value or he work executed by him up to the time of cancellation, the value of contractor's materials taken over and incorporated in the word and use of plant and machinery belonging to the contractor.</li> <li>14.4 Any excess expenditure incurred or to be incurred by BSNL in completing the works or part of the works or the excess loss of amages suffered by BSNL as aforesaid after allowing such credit shall without prejudice to any other right or emedy available to BSNL in law be recovered from any moneys due to the contractor on any account, and if such money are nor suf</li></ul>
	<ul> <li>x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or</li> <li>x) Assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in th work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer sublet or otherwise parts with th entire works or any portion thereof without the prior written approval of the Accepting Authority.</li> <li>xi) The Accepting Authority may, without prejudice to any other right or remedy which shall have accrued or shall accrue hereafter to BSNL by a notice in writing to cancel the contract as a whole or only such items of work in default from the contract. 14.2 Th Engineer-in-charge shall on such cancellation by the Accepting Authority have powers to: <ul> <li>a) take possession of the site and any materials, equipment, implements, stores etc. thereon and/or</li> <li>b) carry out the incomplete work by any means at the risk and cost of the contractor.</li> </ul> </li> <li>14.3 On cancellation of the contract in full or in part, the Engineer-in-charge shall determine what amount, if any, is recoverable from he contractor for completion of the works or part of the works or in case the works or part of the works is not to be completed, the loss or damage suffered by BSNL. In determining the amount, credit shall be given to the contractor for the value of have executed by him up to the time of cancellation, the value of contractor's materials taken over and incorporated in the word and use of plant and machinery belonging to the contractor.</li> <li>14.4 Any excess expenditure incurred or to be incurred by BSNL in completing the works or part of the works or the excess loss or damages suffered by BSNL as a foresaid after allowing such credit shall without prejudice to any other right or emedy available to BSNL in law be recovered from any moneys due to the contractor on any account, and if such money are no sufficient the con</li></ul>
	<ul> <li>x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or</li> <li>x) Assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in the work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer sublet or otherwise parts with the entire works or any portion thereof without the prior written approval of the Accepting Authority.</li> <li>xi) The Accepting Authority may, without prejudice to any other right or remedy which shall have accrued or shall accrue hereafter the BSNL by a notice in writing to cancel the contract as a whole or only such items of work in default from the contract. 14.2 The Engineer-in-charge shall on such cancellation by the Accepting Authority have powers to:</li> <li>(a) take possession of the site and any materials, equipment, implements, stores etc. thereon and/or</li> <li>(b) carry out the incomplete work by any means at the risk and cost of the contractor.</li> <li>14.3 On cancellation of the contract in full or in part, the Engineer-in-charge shall determine what amount, if any, is recoverable from the contractor for completion of the works or part of the works or in case the works or part of the works is not to be completed, the loss or damage suffered by BSNL. In determining the amount, credit shall be given to the contractor for the value of and use of plant and machinery belonging to the contractor.</li> <li>14.4 Any excess expenditure incurred or to be incurred by BSNL in completing the works or part of the works or the excess loss of almages suffered by BSNL in a safersaid after allowing such credit shall without prejudice to any other right or emedy available to BSNL in law be recovered from any moneys due to the contractor on any account, and if such money are no sufficient the contractor's shall be called upon in writing and shall be liable to pay the same within 30 days.</li> <li>14.4 Fight to sell any or all</li></ul>
	<ul> <li>x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or</li> <li>x) Assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in th work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer sublet or otherwise parts with th nutrice works or any portion thereof without the prior written approval of the Accepting Authority.</li> <li>xi) The Accepting Authority may, without prejudice to any other right or remedy which shall have accrued or shall accrue hereafter the SNL by a notice in writing to cancel the contract as a whole or only such items of work in default from the contract. 14.2 The Engineer-in-charge shall on such cancellation by the Accepting Authority have powers to: <ul> <li>a) take possession of the site and any materials, equipment, implements, stores etc. thereon and/or</li> <li>b) carry out the incomplete work by any means at the risk and cost of the contractor.</li> </ul> </li> <li>14.3 On cancellation of the contract in full or in part, the Engineer-in-charge shall determine what amount, if any, is recoverable from the contractor for completion of the works or part of the works or in case the works or part of the works is not to be completed, the loss or damage suffered by BSNL. In determining the amount, credit shall be given to the contractor for the value of contractor.</li> <li>14.4 Any excess expenditure incurred or to be incurred by BSNL in completing the works or part of the works or the excess loss of amage suffered by BSNL as aforesaid after allowing such credit shall without prejudice to any other right or emedy available to BSNL in law be recovered from any moneys due to the contractor on any account, and if such money are no sufficient the contractor shall be called upon in writing and shall be liableto pay the said period of 30 days, the Engineer-in-charge shall have th ight to sell any or all of the contractor unde</li></ul>
nspection and	<ul> <li>x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or</li> <li>x) Assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in th work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer sublet or otherwise parts with th nitrie works or any portion thereof without the prior written approval of the Accepting Authority.</li> <li>xi) The Accepting Authority may, without prejudice to any other right or remedy which shall have accrued or shall accrue hereafter t BSNL by a notice in writing to cancel the contract as a whole or only such items of work in default from the contract. 14.2 Th Engineer-in-charge shall on such cancellation by the Accepting Authority have powers to:</li> <li>(a) take possession of the site and any materials, equipment, implements, stores etc. thereon and/or</li> <li>(b) carry out the incomplete work by any means at the risk and cost of the contractor.</li> <li>14.3 On cancellation of the contract in full or in part, the Engineer-in-charge shall determine what amount, if any, is recoverable from he contractor for completion of the works or part of the works or in case the works or part of the works is not to be incurred by BSNL. In determining the amount, credit shall be given to the contractor for the value of he work executed by him up to the time of cancellation, the value of contractor's materials half works or the excess loss of lamages suffered or may be suffered by BSNL as aforesaid after allowing such credit shall without prejudice to any other right or emedy available to BSNL in law be recovered from any moneys due to the contractor on any account, and if such money are no tractifie the contractor's hall be called upon in writing and shall be liableto pay the same within 30 days.</li> <li>14.5 If the contractor shall be called upon in writing and shall be liableto pay the same within 30 days.</li> <li>14.5.1 If t</li></ul>
nspection and upervision of	<ul> <li>x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or</li> <li>x) Assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in the work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer sublet or otherwise parts with the nitire works or any portion thereof without the prior written approval of the Accepting Authority.</li> <li>ci) The Accepting Authority may, without prejudice to any other right or remedy which shall have accrued or shall accrue hereafter to assign or an use chancellation by the Accepting Authority have powers to:</li> <li>a) take possession of the site and any materials, equipment, implements, stores etc. thereon and/or</li> <li>b) carry out the incomplete work by any means at the risk and cost of the contractor.</li> <li>14.3 On cancellation of the contract in full or in part, the Engineer-in-charge shall determine what amount, if any, is recoverable from the contractor for completion of the works or part of the works or in case the works or part of the works is not to be incurred by BSNL. In determining the amount, credit shall be given to the contractor for the value of he work executed by him up to the time of cancellation, the value of contractor's materials taken over and incorporated in the work and use of plant and machinery belonging to the contractor.</li> <li>14.4 Any excess expenditure incurred or to be incurred by BSNL in completing the works or part of the works or the excess loss of damages suffered by BSNL in a differ allowing such credit shall without prejudice to any other right or emedy available to BSNL in law be recovered from any moneys due to the contractor on any account, and if such money are no sufficient the contractor's unused materials, plant, implements etc. and apply the proceeds of slate thereof toward he satisfaction of any sums due from the contractor under the contract.</li> <li>14.5 If</li></ul>
nspection and	<ul> <li>x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or</li> <li>x) Assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in th work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer sublet or otherwise parts with th entire works or any portion thereof without the prior written approval of the Accepting Authority.</li> <li>ki) The Accepting Authority may, without prejudice to any other right or remedy which shall have accrued or shall accrue hereafter the BSNL by a notice in writing to cancel the contract as a whole or only such items of work in default from the contract. 14.2 The Engineer-in-charge shall on such cancellation by the Accepting Authority have powers to:</li> <li>(a) take possession of the site and any materials, equipment, implements, stores etc. thereon and/or</li> <li>(b) earry out the incomplete work by any means at the risk and cost of the contractor.</li> <li>(c) The completion of the works or part of the works or in case the works or in case the works or part of the works is not to be contractor for completion of the works or part of the works or in case the works or part of the works is not to be work executed by him up to the time of cancellation, the value of contractor's materials taken over and incorporated in the word and use of plant and machinery belonging to the contractor.</li> <li>(14.4 Any excess expenditure incurred or to be incurred by BSNL in completing the works or part of the works or the require allowing such credit shall without prejudice to any other right or any account, and if such money are not aufficient the contractor shall fail to pay the required sum mining and shall be liable to pay the same within 30 days.</li> <li>(14.5 The contractor shall fail to pay the required sum within the aforesaid period of 30 days, the Engineer-in-charge shall have th tright to solf acourdance with the provisi</li></ul>
Inspection and supervision of Work	<ul> <li>x) Shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days or</li> <li>x) Assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in th work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer sublet or otherwise parts with th entire works or any portion thereof without the prior written approval of the Accepting Authority.</li> <li>xi) The Accepting Authority may, without prejudice to any other right or remedy which shall have accrued or shall accrue hereafter the BSNL by a notice in writing to cancel the contract as a whole or only such items of work in default from the contract. 14.2 Th Engineer-in-charge shall on such cancellation by the Accepting Authority have powers to: <ul> <li>a) take possession of the site and any materials, equipment, implements, stores etc. thereon and/or</li> <li>b) carry out the incomplete work by any means at the risk and cost of the contractor.</li> </ul> </li> <li>14.3 On cancellation of the contract in full or in part, the Engineer-in-charge shall determine what amount, if any, is recoverable from the completed, the loss or damage suffered by BSNL. In determining the amount, credit shall be given to the contractor for the value of he works or part of the works or part of the works or part of the works or the excess loss of damages suffered or may be suffered by BSNL as aforesaid after allowing such credit shall without prejudice to any other right or emedy available to BSNL in law be recovered from any moneys due to the contractor on any account, and if such money are no sufficient the contractor's shall fail to pay the required sum within the aforesaid period of 30 days, the Engineer-in-charge shall have th ight to sell any or all of the contractor under the contract.</li> <li>14.4 Any sums in excess of the amount due to BSNL and unsold materials, tools and plant etc. shall be returned to the contractor or or w</li></ul>

	<ul> <li>c) for safety of the works or part thereof.</li> <li>The contractor shall, during such suspension, properly protect and secure the works to the extent necessary and carry out the instruction given in that behalf by the Engineer-in-charge.</li> <li>ii) If the suspension is ordered for reasons (b) and (c) in sub para (i) above.</li> </ul>
	a) The contractor shall be entitled to an extension of time equal to the period of every such suspension plus 25% of completion time
	specified in the contract. b) If the total period of all such suspensions in respect of the work exceeds thirty days, the contractor shall, in addition, be entitled to such compensation as the Engineer-in-charge may consider reasonable in respect of salaries and/or wages paid by the contractor to h employees and labour at site, remaining idle during the period of suspension, adding thereto 2% to cover indirect expenses of the contractor. Provided the contractor submits his claim supported by details to the Engineer-in-charge within fifteen days of the expirit of the period of 30 days.
	c) If the works or part thereof is suspended on the orders of the Engineer-in-charge for more than three months at a time, except whe suspension is ordered for reason
	IS.1 i) (a) in sub para above, the contractor may after receipt of such order serve a written notice on the Engineer-in-charge requiring permission within fifteen days from receipt by the Engineer-in-charge of the said notice, to proceed with the work or part there in regard to which progress has been suspended and if such permission is not granted within that time, the contractor, if he intend to treat the suspension, where it affects only a part of the works as an omission of such part by BSNL or where it affect whole of the works, as an abandonment of the works by BSNL, shall within then days of expiry of such period of 15 days given to it writing of his intention to the Engineer-in-charge. In the event of the contract or fany profit or advantage which h might have derived from the execution of the work in full but which he could not derive in consequence of the abandonment. He shal however, be entitled to such compensation, as the Engineer-in-charge may consider reasonable, in respect of salaries and/or wages pail 15.2 Provided further that the contractor shall not be entitled to claim any compensation from BSNL for the loss suffered by him o account of delay by BSNL in the supply of materials in schedule of work where such delay is covered by difficulties relating to the availabili of trucks, force majeure including non-allotment of such materials by controlling authorities, acts of God, acts of enemies of th state/country or any reasonable cause beyond the control of BSNL.
Rectification of Defects	16.1 All work under or in course of execution or executed in pursuance of the contract shall at all time be open and accessible to the inspection and supervision of the Engineer-in-charge, his authorised subordinates in charge of the work and all the superior officers, officer of the Vigilance Cell of BSNL and of the Chief Technical Examiner's office (CVC) and the contractor shall at all time during the usual working hours, and at all other times at which reasonable notice of the intention of the engineer-in-charge or h authorised subordinate to visit the works, shall have been given to the contractor, either himself be present to receive order an instructions, or have a responsible agent duly accredited in writing present for that purpose. Orders given to the contractor's agent
	shall be considered to have the same force as if they had been given to the contractor himself. 16.2 If it shall appear to the Engineer-in-charge or his authorised subordinates in charge of the work or to the Chief Engineer-in- charge/Vigilance Cell or his subordinate officers or to the Chief Technical Examiner or his subordinate officers, that any work has bee executed with unsound, imperfect or unskillfulworkmanship, or with materials or articles provided by him for the execution of the work which are unsound or of a quality inferior to that contracted or otherwise not in accordance with the contract the contractor sha on demand in writing which shall be made within six months of the completion of the work from the Engineer-in-charge specifyin the work, materials or articles complained of notwithstanding that the same may have been passed, certified and paid for forthwite rectify or remove and reconstruct the work so specified in whole or in part, as the case may require or as the case may be remove the materials or articles so specified and provide other proper and suitable materials or articles at his own charge and cost. If the event of his failing to do so within a period specified by the Engineer-in-charge in the demand aforesaid, then the contract 16.3 In such case the Engineer-in-charge may not accept the item of work at the rates applicable under the contract but ma accept such items at reduced rates as the competent authority (Superintending Engineer) may consider reasonable during th equipment or he may reject the work outright without any payment and/or get it an other connected and incidental items rectified or removed and re-executed at the risk and cost of the contractor. Decision of the Engineer-in-charge to be conveyed in writing in respective or removed and re-executed at the risk and cost of the contractor. Decision of the Engineer-in-charge to be conveyed in writing in respective the work outright without any payment and/or get it an other connected and incidental items rectif
for damages defects during	of the same will be final and bindingon the contractor. <b>CLAUSE 17</b> If the contractor or his working people or servants shall break, deface, injure or destroy any part of buildingin which they may b working, or any building road, road kerb, fence enclosure, water pipe, cable drains, electric or telephone post or wires, trees, gras or grassland, or cultivated ground contiguous to the premises on which the work or any part of its is being executed or if any damage sha happen to the work while in progress, from any cause whatever or if any defect, shrinkage or other faults appear in the work with twelve months after a certificate final or otherwise of its completion shall have been given by the engineer-in-charge as aforesaid arisin out of defective or improper materials or workmanship the contractor shall upon a receipt of a notice in writing on that behalf make th same good at his own expense, or in default, the engineer-in-charge may cause the performance guarantee and security deposit or the proceeds of sale there of or of a same to be made good by other workmen and deduct the expense from any sums that may b due, or at any time thereafter may become due to the contractor, or from sufficient portion thereof. The performance guarante
	CLAUSE 18 The contractor shall provide at his own cost all materials (except such special materials if any, as may in accordance with the contract be supplied from the engineer-in-charge's stores), Plant, tools, appliances, implements, ladders, cordage, tackle, scaffolding an temporary works required for the proper execution of the work, whether original, altered or substituted and whether included in th
	specification or other documents forming part of the contract or referred to in these conditions or not, or which may be necessary for the purpose of satisfying or complying with the requirements of engineer-incharge as to any matter as to which under thes conditions he is entitled to be satisfied, or which he is entitled to require together with carriage therefore to and from the work. Th contractor, shall also supply without charge the requisite number of persons with the means and materials, necessary for th purpose of setting out works, and counting, weighing and assisting in the measurements or examination at any time and from tim to time of the work of materials. Falling his so doing the same may be provided by the engineer-in-charge at the expenses of <b>CLAUSE 18 A</b>
	In every case in which by virtue of the provisions of section 12, subsection (i) of the workmen's compensation act, 1923. BSNL obliged to pay compensation to a workmen employed by the contractor, in execution of the works. BSNL will recover from th contractor, the amount of the compensation so paid; and, without prejudice to the rights of the BSNL under section 12, sub-section (ii) of the said act, BSNL shall be at liberty to recover such amount or any part thereof by deduction from the performance guarantee or from any sum due by BSNL to the contractor whether under this contract or otherwise. BSNL shall not be bound to contest any claim made against it under section 12, sub-section (i) of the said act, except on the written request of the contractor and upon h giving to BSNL full secruity for all costs for which BSNL might become liable in consequence of contesting such claim.
Ensuring Payment	CLAUSE 18 B In every case in which by virtue of the provisions of the e The Building & Other Construction Workers( Regulation of Employment & Condition of Service) Act 1996", The The Building & Other Construction W orkers ( Regulation of Employment & Condition of Service) Rules 1998, AND, Contract Labour (Regulation and Abolition)Act, 1970, and of the Contract Labour (Regulation and Abolitio
& Amenities to Workers, if Contractor Fails	Central Rules, 1971, amended from time to time, BSNL is obliged to pay any amounts of wages to a workman employed by th contractor in execution of the works, or to incur any expenditure in providingwelfare and health amenities required to be provided und the above said Act and the rules under Clause 19H or under the Contractor's Labour Regulations, or under the Rules framed by th Government / BSNL from time to time for the protection of health and sanitary arrangements for workers employed by th Contractor, BSNL will recover from the contractor the amount of wages so paid or the amount of expenditure so incurred ; an

	CLAUSE 19 The contractor shall comply with the provisions of the "The Building & Other Construction Workers( Regulation of Employment & Condition of Service) Act 1996" and the "The Buildingand Other Construction Workers Welfare Cess Act 1996" amended from time to time and rules framed there-under. The contractor shall comply with the provisions of the "The Building & Other Construction W
Labour Laws to be Complied by the Contractor	orkers ( Regulation of Employment & Condition of Service) Rules 1998" and the "The Buildingand Other Construction W orkers Welfare Cess Rules 1998", amended from time to time. The BSNL at the time of making any payment to Rules as applicable to the State in which the work is situated, of gross value of the workthe contractor for work done and measured under the contract shall deduct such sun at the rate, as prescribed in the The Building and Other Construction Workers Welfare Cess done from each running bill and final bill Such deduction will be transferred to the State Workers Welfare Board by the Engineer-in-Charge as per the rules. The Engineer-in charge, as Principal Employer, shall continue to monitor the rigorous implementation of the act/rules during the currency of the contract. The contractor shall register himself under The Building & Other Construction Workers
	(Regulation of Employment & Condition of Service) Act 1996" & The Building & Other Construction Workers (Regulation of Employment & Condition of Service) Rules 1998, and, the "The Building and Other Construction Workers Welfare Cess Act 1996' and the "The Building and Other Construction Workers Welfare Cess Act 1996', AND, shall also obtain a valid Licence under the Contract Labour (R&A) Act 1970, and the Contract Labour (Regulation and Abolition) Central Rules 1971, as amended from time to time, before the commencement of the work and continue to have these validated until the completion of the work. Any failure to fulfillthe above requirements shall attract the penal provisions of this contract arising out of the resultant of non-execution of the work. <b>CLAUSE 19 A</b>
	No labour below the age of eighteen years shall be employed on the work.
Payment of wages	CLAUSE 19 B Payment of wages:
	i) The contractor shall pay to labour employed by him either directly or through sub-contractors, wages not less than fair wages as defined in the contractor's Labour Regulation or as per the provisions of The Building & Other Construction Workers (Regulation of Employment & Condition of Service) Act 1996", The Building & Other Construction Workers (Regulation of Employment & Condition of Service) Act 1996", The Building & Other Construction Workers (Regulation of Employment & Condition of Service) Rules 1998, AND, contract labour (Regulation and Abolition) Act 1970, and the contract labour (Regulation and Abolition Central Rules, 1971, wherever applicable.
	ii) The contractor shall, not withstanding the provisions of any contract to the contrary, cause to be paid fair wage to labour indirectly engaged on the work, including any labour engaged by his sub-contractors in connection with the said work, as if the labour had been immediately employed by him.
	iii) In respect of all labour directly or indirectly employed in the works for performance of the contractor's part of this contract, the contractor shall comply with or cause to be complied with the contractor's Labour Regulations made by the Government / BSNL from time to time in regard to payment of wages, wage period, deductions from wages recovery of wages not paid and deduction: unauthorisedlymade, maintenance of wage books or wage slips, publication of scale of wages and other terms of employment, inspection and submission of periodical returns and all other matters of the like nature or as per the provisions of The Building & Other Construction Workers (Regulation of Employment & Condition of Service) Act 1996", The Building & Other Construction Workers (Regulation and Abolition) Central Rules, 1971, wherever applicable.
	iv) a)The Engineer-in-Charge concerned shall have the right to deduct from the moneys due to the contractor any sum required or estimated to be required for making good the loss suffered by a worker or workers by reason of non-fulfillment of the conditions of the contract for the benefit of the workers, non-payment of wages or of deductions made from his or their wages which are not justified by their terms of the contract or non- observance of the Regulations.
	b) Under the provisions of Minimum W ages (Central) Rules, 1950, the contractor is bound to allow to the labours directly or indirectl employed in the works one day rest for six days continuous work and pay wages at the same rate as for duty. In the event of defaul the Engineer-in-Charge shall have the right to deduct the sum or sums not paid on account of wages for weekly holidays to any labour and pay the same to the persons entitled thereto from any money due to the contractor by the Engineer-in-Charge concerned.
	In the case of Union Territory of Delhi, however, as the all inclusive minimum daily wages fixed under Notification of the Delh Administration No.F.12 (162) MWO/DAB/43884-91, dated 31.12.1979 as amended from time to time are inclusive of wages for the weekly day of rest, the question of extra payment for weekly holiday would not arise.
	v) The contractor shall comply with the provisions of the Payment of W ages Act, 1936, Minimum Wages Act, 1948, Employee: Liability Act 1938, workmen's compensation Act, 1923, industrial disputes Act, 1947, Maternity benefits act, 1961, and the contractor's labour (Regulation and Abolition)Act, 1970, The Building & Other Construction W orkers (Regulation of Employment & Condition o Service) Act 1996 or the modificationsthereof or any other laws relating thereto and the rules made there-under from time to time.
	<ul> <li>vi) The contractor shall indemnify and keep indemnified BSNL against payments to be made under and for the observance of the Laws aforesaid and the contractor's Labour Regulations without prejudice to his right to claim indemnity from his sub-contractors.</li> <li>vii) The laws aforesaid shall be deemed to be a part of this contract and any breach thereof shall be deemed to be a breach of thi contract.</li> </ul>
	viii)Whatever is the minimum wage for the time being, or if the wage payable is higher than such wage, such wage shall be paid by the contractor to the Workmen directly without the intervention of Jamadar and that Jamadar shall not be entitled to deduct or recover any amount from the minimum wage payable to the workmen as and by way of commission or otherwise. viii) The contractor shall ensure that no amount by way of commission or otherwise is deducted or recovered by the Jamadar from the wage of workmen.
	CLAUSE 19 C (1) In respect of of all labour directly or indirectly employed in the work for the performance of the contractor's part of this contract, the contractor shall, at his own expense, arrange for the safety provisions as per Model Safety Code framed from time to time and shall, at hi own expense, provide for all facilities in connection therewith. The contractor shall ensure that at the construction site of The Building o other construction work, adequate safety measures are taken to protect The Building workers against any ccident etc. The adequate safety measures in conformity with the provisions of Part III of The Building and Other Construction Workers (Regulation of the provision of Part III of The Building and Other Construction Workers (Regulation)
	of Employment and condition of service) Central Rules 1998 should be provided in addition to the safety measures laid down in Mode Safety Code. In case of any discrepancy, the safety measures as perPart III of the Building and Other Construction Workers (Regulation of Employment and condition of service) Central Rules 1998 shall supercede other provisions. (2) In case the contractor fails to make arrangements and provide necessary facilities as aforesaid he shall be liable to pay a penalty
	of Rs.200/- for each default and in addition the Engineer-in-Charge shall be at liberty to make arrangement and provide facilities as aforesaid and recover the costs incurred in that behalf from the contractor. CLAUSE 19 D The contractor shall submit by the 4th and 19th of every month, to the Engineer-in-Charge a true statement showing in respect of the second
	half of the preceding month and the first half of the current month respectively:- (1) the number of labourers employed by him on the work,
	(2) their working hours, (3) the wages paid to them,
	(3) the wages pair to them, (4) the accidents that occurred during the said fortnight showing the circumstances under which they happened and the extent of the damages and injury caused by them, and,
	(5) the number of female workers who have been allowed maternity benefit according to Clause 19 F and the amount paid to them.Failin, which the contractor shall be liable to pay to BSNL a sum not exceeding Rs.200/- for each default or materially incorrect statement. The decision of the Engineer-in-Charge shall be final in deducting from any billdue to the contractor the amount levied as fine and be bindin.

 CLAUSE 19 E
In respect of all labour directly or indirectly employed in the works for the performance of the contractor's part of this contract, the contractor shall comply with or cause to be complied with all the provisions of various statutes/enactments and rules there unde framed by the Central/State Governments, and rules framed by BSNL from time to time for the protection of health and sanitary arrangements for the workers employed by the BSNL/Deptt.of Telecommunications and its contractors. Notwithstanding the above provisions, the contractor shall be liable for levy of any penalty in case he fails to meet the requirements of The Building and Othe
Construction Workers (Regulation of Employment and Condition of Service) Act, 1996 and The Building and Other Constructio Workers (Regulation of Employment and Condition of Service) Central Rules 1998 and Contract Labour (Regulation and Abolition Act, 1970 and Contract Labour (Regulation and Abolition) Central Rules, 1971, Industrial Disputes Act, 1947 or any other Labour law relating there of and rules made there under from time to time
 CLAUSE 19 F
Leave and pay during leave shall be regulated as follows:- 1. Leave:
(i) in the case of delivery-maternity leave not exceeding 8 weeks, 4weeks, upto and including the day of delivery and 4 week following that day,
(ii) in case of miscarriage-upto 3 weeks from the date of miscarriage.
<ol> <li>Pay:</li> <li>(i) in case of delivery- leave pay during maternity leave will be at the rate of the women's average daily earnings, calculated on tota wages earned on the days when full time work was done during the period of three months immediately preceding the date on which sh gives notice that she expects to be confined or at the rate of Rupee one only a day whichever is greater.</li> </ol>
 <ul> <li>(ii) in the case of miscarriage – leave pay at the rate of average daily earning calculated on the total wages earned on the day when full time work was done during a period of three months immediately preceding the date of such miscarriage.</li> <li>Conditions for the grant of Maternity Leave:</li> </ul>
 No maternity leave benefit shall be admissible to a woman unless she has been employed for a total period of not less than si months immediately preceding the date on which she proceeds on leave, 4. The contractor shall maintain a register of Maternity (Benefit) in the prescribed form as shown in Appendix-I and II, and the sam
 shall be kept at the place of work. CLAUSE 19 G
In the event of the contractor(s) committing a default or breach of any of the provisions of the Contractor's Labour Regulatio and Model Rules for the protection of health and sanitary arrangements for the workers as amended from time to time or furnishin any information or submitting or filing any statement under the provisions of the above Regulation and Rules which is materiall incorrect, he/they shall, without prejudice to any other liability, pay to the BSNL a sum not exceeding Rs.200/- for every default, breact or furnishing, making, submitting, filing such materially incorrect statements and in the event of the contractor (s) defaultin continuously in this respect, the penalty may be enhanced to Rs.200/- per day for each day of default subject to a maximum of 5 percen of the tendered value of the Work. The decision of the Engineer-in-Charge shall be final and bindingon the parties.
 Should it appear to the Engineer-in-Charge that the contractor(s) is/ are not properly observing and complying with the provisions of the Contractor's Labour Regulations and Model Rules and the provisions of The Building & Other Construction Workers Regulation of Employment & Condition of Service) Act 1996", The Building & Other Construction Workers (Regulation of Employment & Condition of Service) Rules 1998, AND, Contract labour (Regulation and Abolition)Act, 1970, and the Contract Labour (R&A) Centra Rules 1971, for the protection of health and sanitary arrangements for the work-people employed by the contractor(s)(hereinafte referred as "the said Rules") the Engineer-in-Charge shall have power to give notice in writing to the contractor(s) requiring that th said Rules to be complied with and the amenities prescribed therein be provided to the work-people within a reasonable time to b specified in the notice. If the contractor(s) shall fail within the period specified in the notice to comply with and/or observe the said
 Rules and to provide the amenities to the workpeople as aforesaid, the Engineer-in-Charge shall have the power to provide the amenitie           CLAUSE 19 H         The contractor(s) shall at his/their own cost provide his /their labour with a sufficient number of huts (hereinafter referred to as th camp) of the followingspecifications
 <ul> <li>i)</li> <li>a) The minimum height of each hut at the eaves level shall be 2.10m (7 ft.) and floor area to be provided will be at the rate of 2. Sq.ms. (30 Sq.Ft.) for each member of the workers family staying with the labourers.</li> </ul>
 <ul> <li>b) The contractor(s) shall in addition construct suitable cooking places having a minimumarea of 1.80m X 1.50m(6'X5') adjacent to the hut for each family.</li> <li>c) The contractor(s) shall also construct temporary latrines and urinals for the use of the labourers each on the scale of not less that</li> </ul>
 four per each one hundred of the total strength, separate latrines and urinals being provided for women. d) The contractor(s) shall construct sufficient number of bathing and washing places, one unit for every 25 persons residing in the camp. These bathing and washing places shall be suitably screened.
 ii) a) All the huts shall have walls of sun-dried or burnt-bricks laid in mud mortar or other suitable local materials as may be approve by the Engineer-in-Charge. In case of sun-dried bricks, the walls should be plastered with mud gobri on both sides. The floor may be kutcha but plastered with mud gobri and shall be atleast 15 cm (6") above the surrounding ground. The roofs shall be laid wit thatch or any other materials as may be approved by the Engineer-in-Charge and the contractor shall ensure that through out th period of their occupation the roofs remain watertight.
b) The contractor(s) shall provide each hut with proper ventilation.
 <ul> <li>c) All doors, windows, and ventilators shall be provided with suitable leaves for security purposes.</li> <li>d) There shall be kept an open space of at least 7.2m(8yds.) between the rows of huts which may be reduced to 6m(20ft.) according t the availability of site with the approval of the Engineer-in-Charge. Back to back construction will be allowed.</li> <li>iii) Water Supply</li> </ul>
The contractor(s) shall provide adequate supply of water for The use of labourers. The provisions shall not be less than two gallons of pur and wholesome water per head per day for drinking purposes and three gallons of clean water per head per day for bathing an washing purpose. Where piped water supply is available, supply shall be at stand posts and where the supply is from wells or river, tanks, which may be of metal or masonry, shall be provided. The contractor(s) shall also at his/their own cost make arrangement for laying pipe lines for water supply to his/their labour camp from the existing mains wherever available, and shall pay all fees an charges therefor.
 iv) The site selected for the camp shall be high ground, removed from jungle. v) Disposal of Excreta-
The contractor(s) shall make necessary arrangements for the disposal of excreta from the latrines by trenching or incineration, which sha be according to the requirements laid down by the Local Health Authorities. If trenching or incineration is not allowed the contractor(s) shall make arrangements for the removal of the excreta through the Municipal Committee/Authority and inform it about the number of labourers employed so that arrangements may be made by such Committee/authority for removal of the excreta. All charge on this account shall be borne by the contractor and paid direct by him to the Municipality/authority. The contractor shall provide on
 sweeper for every eight seats in case of dry system. vi)Drainage:-
 The contractor(s) shall provide efficient arrangements for draining away sullage water so as to keep the camp neat and tidy.
vii) The Contractor(s) shall make necessary arrangements for keeping the camp area sufficiently lighted to avoid accidents to the workers.

	The contractor(s) shall make arrangements for conservancy and sanitation in the labour camps according to the rules of the Local Public Health and Medical Authorities.
	CLAUSE 19 I The Engineer-in-Charge may require the contractor to dismiss or remove from the site of the work any person or persons in the contractor's employment upon the work who may be incompetent or misconducts himself and the contractor shall forthwith comply with such requirements. CLAUSE 19 J
	It shall be the responsibility of the contractor to see that the building under construction is not occupied by any body unauthorisedly during construction, and is handed over to the Engineer-in-Charge with vacant possession of complete building. If such building though completed is occupied illegally, then the Engineer-in-Charge shall have the option to refuse to accept the said building/buildings in that position. Any delay in acceptance on this account will be treated as the delay in completion and for such delay a levy upto 5% of the tendered value of work may be imposed by the Superintending Engineer whose decision shall be final both with regard to the justification and quantum and be binding on the contractor. However, the Superintending Engineer, through a notice, may require the contractor to remove the illegaloccupation any time on or before construction and delivery. CLAUSE 19 K
Employees Provident Fund Scheme to be Complied by the	Employees Provident Fund Scheme to be Complied by the Contractor -
onpred by the	The contractor shall comply with the provision of the Employees Provident Fund Scheme 1952 as under the Employees Provident Funds and Miscellaneous Provisions Act 1952, amended from time to time. The contractor shall get himself registered and get the allocation of Registration Code No. from the competent authority as per provisions of the above scheme. The contractor shall indemnify and keep indemnified BSNL against payment to be made under and for the observance of the above scheme. The Executive Engineer (Engineer-in-Charge) as Principal Employer shall continue to monitor the rigorous implementation of the act/ rules during the currency of the contract. <b>CLAUSE 20</b>
Minimum wages Act to be Compiled	The contractor shall comply with all the provisions of the Minimum Wages Act,1948, The Building & Other Construction Workers (Regulation of Employment & Condition of Service) Act 1996 and Contract Labour (Regulation and Abolition)Act, 1970, amended from time to time and rules framed there-under and other labour laws affecting contract labour that may be brought into force from time to time.
sublet, Action in	CLAUSE 21 The contract as a whole or part thereof shall not be assigned or sublet or transferred either directly or indirectly whether by creating agent on the basis of General Power of Attorney or in any other manner or given on general power of attorney without the written approval of the Engineer-in-Charge. If the contractor assign or sublet (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in the work, shall not be deemed to be subletting) or give on general power of attorney or transferred either directly or indirectly whether by creating agent on the basis of General Power of Attorney or in any other manner, his contract, or attempt to do so, or become insolvent or commence any insolvency proceedings or make any composition with his creditors or attempt to do so, or if any bribe, gratuity, gift, loan, perquisite, reward or advantage pecuniary or otherwise, shall either directly, consideration of any kind as an inducement or be given, promised or offered by the contractor, or any of his servants or agent to any public officer or person in the employment of BSNL in any way relating to his office or employment or if any such <b>CLAUSE 22</b>
	All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to use of BSNL without reference to the actual loss or damage sustained and whether or not any damage shall have been sustained.
Changes in Firm's Constitution to be intimated	CLAUSE 23 Where the contractor is a partnership firm, the previous approval in writing of the Engineer-in-Charge shall be obtained before any change is made in the constitution of the firm. Where the contractor is an individualor a Hindu undivided family business concern such approval as aforesaid shall likewise be obtained before the contractor enters into any partnership agreement where-under the partnership firm would have the right to carry out the works hereby undertaken by the contractor. If previous approval as aforesaid is not obtained, the contract shall be deemed to have been assigned in contravention of Clause 21 hereof and the same action may be taken, and the same consequences shall ensue as provided in the said Clause 21. CLAUSE 24
	All works to be executed under the contract shall be executed under the direction and subject to the approval in all respects of the Engineer- in-Charge who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.
Settlement of Disputes & Arbitration	CLAUSE 25 Except where otherwise provided in the contract all questions and disputes relating to the meaning of the specifications, design, drawings and instructions herein before mentioned and as to the quality of workmanship or materials used on the work or as to any other question, claim, right, matter or thing whatsoever in any way arising out of or relating to the contract, designs, drawings, specifications, estimates, instructions orders or these conditions or otherwise concerning the works or the execution or failure to execute the same whether arising during the progress of the work or after the cancellation, termination, completion or abandonment thereof shall be dealt with as mentioned hereinafter:-
	<ul> <li>(i) If the contractor considers that he is entitled to any extra payment or compensation in respect of the works over and above the amounts admitted as payable by the BSNL or in case the contractor wants to dispute the validity of any deductions or recoveries made or proposed to be made from the contract, the contractor shall forthwith give notice in writing of his claim, in this behalf to the Engineer-in-Charge within 30 days from the date of disallowance thereof for which the contractor claims such additional payment or compensation or disputes the validity of any deduction or recovery. The said notice shall give full particulars of the claim, grounds on which it is based and detailed calculations of the amount claimed and the contractor shall not be entitled to raise any claim nor shall the BSNL be in any way liable in respect of any claim by the contractor unless notice of such claim shall have been given by the contractor to the Engineer-in-Charge in writing in the manner and within the time as aforesaid. The contractor shall be deemed to have waived and extinguished all his rights in respect of any claims not notified to the Engineer-in-Charge in writing on the claims notified by the contractor may within 15 days of the receipt of the decision of the Engineer-in-Charge submit his claims to the conciliation proceedings of the receipt of the advision of the Engineer-in-Charge submit his claims to the conciliation proceedings shall commence when the other party a written invitation, conciliate. If the outractor may within the time all so the other party a written invitation, conciliate. If the outractor does not reply within the thirty days from the date of or correspondence exchanged between him and the Engineer-in-Charge.</li> <li>(iii) The party initiating conciliationshall send to the other party a written invitation to conciliate. The other party rejects the invitation, or does not reply within thirty days from the date of invitation, there will be no Conciliation Proceedings.</li> </ul>
	(iv) When it appears to the Conciliator that there exists element of a settlement which may be acceptable to the parties, he shall formulate the terms of a possible settlement and submit them to parties for their observation after receiving the observations of the parties. He may reformulate the terms of a possible settlement in the light of such observations. If the parties reach agreement on settlement of the dispute, they may draw up and sign a written settlement agreement. Parties may request the Conciliator to draw up or assist them in drawing up the settlement agreement. Such settlement agreement shall have the same status and effect as if it is an arbitral award on agreed terms on the substance of the dispute rendered by an arbitral tribunal under section 30 of Arbitration and Conciliation Act 1996. If a settlement does not appear possible, the Conciliator, after consultation with the parties will give a written declaration that further efforts at Conciliation are no longer justified and the ConciliationProceedings are terminated.

	24
	(v) When conciliation proceedings have become in-fructuous or have been terminated the party, which initiated the Conciliation shall, within a period of 30 days of termination thereof shall give a notice, in the form prescribed by the BSNL, to the Chief Engineer, Bharat Sanchar Nigam Limited in-charge of the work or if there be no Chief Engineer, to the Administrative Head of the Bharat Sanchar Nigam Limited for appointment of an arbitrator to adjudicate the notified claims failing which the claims of the contractor shall be deemed to have been considered absolutely barred and waived.
	(vi) Except where the decisions have become final, binding and conclusive in terms of the contract, all disputes arising out of the notified claims of the contractor as aforesaid and all claims of the BSNL shall be referred for adjudication through the arbitration by the Sole Arbitrator appointed by the Chief Engineer, Bharat Sanchar Nigam Limited in-charge of the work or if there be no Chief Engineer, the Administrative Head of the Bharat Sanchar Nigam Limited. It will also be no objection to any such appointent that the Arbitrator so appointed is a BSNL Employee and that he had to deal with the matters to which the Contract relates in the course of his duties as BSNL Employee. If the arbitrator so appointed is unable or unwillingto act or resigns his appointment or vacates his office due to any reason whatsoever another sole arbitrator shall be appointed in the manner aforesaid by the said Chief Engineer. Such person shall be entitled to proceed with the reference from the stage at which it was left by his predecessor.
	It is a term of this contract that the party invoking arbitration shall give a list of disputes with amounts claimed in respect of each dispute along-with the notice for appointment of arbitrator. It is also a term of this contract that no person other than a person appointed by such Chief Engineer, Bharat Sanchar Nigam Limited or the administrativehead of the Bharat Sanchar Nigam Limited as aforesaid should act as arbitrator and if for any reasons that is not possible, the matter shall not be referred to arbitration at all. The conciliation and arbitration shall be conducted in accordance with the provisions of the Arbitration & ConciliationAct 1996 or any statutory modification or re-enactment thereof and the rules made thereunder and for the time being in force shall apply to the arbitration proceeding under this clause
	It is also a term of this contract that the arbitrator shall adjudicate on only such disputes as are referred to him by the appointing authority and give separate award against each disputes and claim referred to him. The arbitrator shall give reasons for the award for each dispute referred to him. It is also a term of the contract that if any fees are payable to the arbitrator these shall be paid equally by both the parties. It is also a term of the contract that the arbitrator shall be deemed to have entered on the reference on the date he issues notice to both the parties calling them to submit their statement of claims and counter statement of claims. The venue of the arbitration shall be such place as may be fixed by the arbitrator in his sole discretion. The fees, if any, of the arbitrator) shall be in the discretion of the arbitrator of the arbitrator to any, by whom and in what manner, such preference on who may direct to any, by whom and in what manner, such
Contractor to Indemnify BSNL against Patent Rights	costs or any part thereof, shall be paid and fix or settle the amount of costs to be so paid. CLAUSE 26 The Contractor shall fully indemnify and keep indemnified the Bharat Sanchar Nigam Limited against any action, claim or proceeding relating to infringement or use of any patent or design or any alleged patent or design rights and shall pay any royalties which may be payable in respect of any article or part thereof included in the contract. In the event of any claims made under or action brought against BSNL in respect of any such matters as aforesaid the contractor shall be immediately notified thereof and the contractor shall be at liberty, at his own expense, to settle any dispute or to conduct any litigation that may arise therefrom, provided that the contractor shall not be liable to indemnify the Bharat Sanchar Nigam Limited if the infringement of the patent or design or any alleged patents or design right is the direct result of an order passed by the Engineer-in-Charge in this behalf.
	CLAUSE 27 When the estimate on which a tender is made includes lump sum in respect of parts of the work, the contractor shall be entitled to payment in respect of the items of work involvedor the part of the work in question at the same rates as are payable under this contract for such items, or if the part of the work in question is not , in the opinion of the Engineer-in –charge payable of measurement , Engineer-In charge may at his discretion pay the lump sum amount entered in the estimate , and the certificate in writing of the Engineer-In-Charge shall be final and conclusive against the contractor with regard to any sum or sums payable to him under the provisions of the clause . CLAUSE 28
Action where no Specifications are specified	In case of any class of work for which there are no such specifications as referred to in Clause 11 such work shall be carried out in accordance with the Bureau of Indian Standards specifications. In case there is no such specifications in Bureau of Indian Standards, the work shall be carried out as per manufacturer's specifications. In case no such manufacturer's specifications is available then as per District Specifications. In case there are no such specifications as required above, the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-Charge.
Withholding and lien in respect of sum due from the Contractor	CLAUSE 29 i) Whenever any claim or claims for payment of a sum of money arises out of or under the contract or against the contractor, the Engineer-in-Charge or the Government shall be entitled to withhold and also have a lien to retain such sum or sums in whole or in part from the security, if any, deposited by the contractor and for the purposes aforesaid, the Engineer-in-Charge or the Government shall be entitled to withhold the security deposit, if any, furnished as the case may be and also have lien over the same pending finalisation or adjudication of any such claim. In the event of the security being insufficient to cover the claimed amount or amounts or if no security has been taken from the contractor, the Engineer-in-Charge or the Government shall be entitled to withhold and have a lien to retain such claimed amount or amounts referred to above, from any sum or sums found payable or which may at any time thereafter have mere available to the contractor and on the component of the contractor and sum or sums found payable or which may at any time thereafter
	become payable to the contractor under the same contract or any other contract with the Engineer-in-Charge of the Government or any contracting person through the Engineer-in-Charge pending finalisation of adjudication of any such claim. It is an agreed term of the contract that the sum of money or moneys so withheld or retained under the lien referred to above by the Engineer-in-Charge or Government will be kept withheld or retained as such, by the Engineer-in-Charge, till the claim arising out of or under the contract is determined by the arbitrator (if the contract is governed by the arbitration clause) or by the competent court, as the case may be and that the contractor will have no claim for interest or damages whatsoever on any account in respect of such withholding or retention under the lien referred to above and duly notified as such to the contractor. For the purpose of this clause, where the contractor is a partnership firm or a limited company, the Engineer-in-charge or the Government shall be entitled to withhold and also have a lien to retain towards such claimed amount or amounts in whole or in part from any sum found payable to any
	partner/limited company as the case may be ,whether in his individualcapacity or otherwise. ii) Government shall have the right to cause an audit and technical examination of the works and the final bills of the contractor including all supporting vouchers, abstract, etc., to be made after payment of the final bill and if as a result of such audit and technical examination any sum is found to have been overpaid in respect of any work done by the contractor under the contract or any work claimed to have been done by him under the contract and found not to have been executed, the contractor shall be liable to refund the amount of over-payment and it shall be lawful for Government to recover the same from him in the manner prescribed in sub-clause (i) of this clause or in any other manner legally permissible; and if it is found that the contractor was paid less than what was due to him under the contract in respect of any work executed by him under it, the amount of such under payment shall be duly paid by the Government to the contractor, without any interest thereon whatsoever. Provided that the Government shall not be entitled to recover any sum overpaid, nor the contractor shall be entitled to payment of any sum paid short where such payment has been agreed upon between the
	CLAUSE 29 A Any sum of money due and payable to the contractor (including the security deposit returnable to him) under the contract may be withheld or retained by way of lien by the Engineer-in-Charge or the Government or any other contracting person or persons or through Engineer-in-Charge against any claim of the Engineer-in-Charge of Government or such other person or persons in respect of payment of a sum of money arising out or under any other contract made by the contractor with the Engineer-in-Charge or of the

	It is an agreed term of the contract that the sum of money so withheld or retained under this clause by the Engineer-in-Charge or the Government will be kept withheld or retained as such by the Engineer-in-Charge or the Government or till his claim arising out of the same contract or any other contract is either mutually settled or determined by the arbitration clause or by the competent court, as the case may be and that the contractor shall have no claim for interest or damages whatsoever on this account or on any other ground in respect of any sum of money withheld or retained under this clause and duly notified as such to the contractor.
	CLAUSE 30 30.1 The contractor shall provide all necessary superintendence during execution of the work and as long thereafter as may be
	necessary for proper fulfillingof the obligations under the contract. 302 The contractor shall immediately after receiving letter of acceptance of the tender and before commencement of the work, intimate in writing to the Engineer-in-charge the name, qualifications, experience, age, address and other particulars along with certificates, of the principal technical representative to be in charge of the work. Such qualifications and experience shall not be lower than specified
	as under :- i) Work with estimated cost Recognised Diploma holder
	Put to tender more than Rs.,2 lakh
	But less than Rs.5 lakh. ii) Work with estimated cost Graduate or recognised
	Put to tender more than Rs. 5 lakh diploma holder with three years experience.
	30.3 The Engineer-in-charge shall within 15 days of receipt of such communication intimate in writing his approval or otherwise of such a representative to the contractor. Any such approval may at any time be withdrawn and in case of such withdrawal the contractor shall appoint another such representative according to the provisions of this clause. Decision of the tender accepting authority shall be final and
	binding on the contractor in this respect. Such a principal technical representative shall be appointed by the contractor soon after receipt of the approval from Engineer-in-charge and shall be available at site within fifteen days of start of work. 30.4 If the contractor (or any partner in case of firm/company) who himself has such qualifications, it will not be necessary for
	the said contractor to appoint such a principal technical representative but the contractor shall designate and appoint a responsible agent to represent him and to be present at the work whenever the contractor is not in a position to be so present. All the provisions applicable to the principal technical representative under the clause will also be applicable in such a case to contractor or his responsibleagent.
	The principal technical representative and/or the contractor shall on receiving reasonable notice from the Engineer-in-charge or his designated representative(s) in charge of the work in writing or in person or otherwise, present himself to the Engineer-in-charge and/or at the site of work, as required, to take instructions. Instructions given to the principal technical consultation with the Engineer-in-charge as well as during important stages of execution of representative or the responsible agent shall be deemed to have the same force as if these have been given to the contractor. The principal technical representative and/or the contractor or his responsible authorised agent shall
	30.5 If the Engineer-in-charge, whose decision in this respect is final and binding on the contractor, is convinced that no such technical representative or agent is effectively appointed or is effectively attending or fulfillingthe provision of this clause, a recovery shall be effected from the contractor as specified below :-
	<ul> <li>i) Rs. 4000/- per month for works costing above 5 lakhs</li> <li>ii) Rs.2000/- per month for works costing between 2 lakhs and 5 lakhs</li> </ul>
	30.6 The decision of the Engineer-in-charge as recorded in the site book and measurement recorded in Measurement Books shall be final and binding on the Contractor. Further if the contractor fails to appoint a suitable technical representative or responsible agent and if such appointed persons are not effectively present or do not discharge their responsibilitiessatisfactorily, the Engineer-in-charge shall have full powers to suspend the execution of the work until such date as a suitable agent is appointed and the contractor shall be held responsible for the delay so caused to the work. The contractor shall submit a certificate of employment of the technical representative/responsible agent alongwith every on account bill/final bill and shall produce evidence if at any time so required by the
	Engineer-in-charge. 30.7 The contractor shall provide and employ on the site only such technical assistants as are skilled and experienced in their respective fields and such foremen and supervisory staff as are competent to give proper supervision to the work. 30.8 The contractor shall provide and employ skilled, semi-skilled and unskilled labour as is necessary for proper and timely execution of the work.
	30.9 The Engineer-in-charge shall be at liberty to object to and require the contractor to remove from the works any person who in his opinion mis-conducts himself, or is incompetent or negligent in the performance of his duties or whose employment is otherwise considered by the Engineer-in-charge to be undesirable. Such person shall not be employed again at works site without the written permission of the Engineer-in-charge and the persons so removed shall be replaced as soon as possible by competent substitutes.
Compensation during warlike situations	CLAUSE 31 31.1 The work (whether fully constructed or not) and all materials, machines, tools and plants, scaffolding, temporary buildings and other things connected therewith shall be at the risk of the contractor until, the work has been delivered to the engineer-in-charge and a certificate from him to that effect obtained. In the event of the work or any materials property brought to the site for incorporation in the work being damaged or destroyed in consequence of hostilities or warlike operations, activities covered by "excepted risk", the contractor shall, when ordered in writing by the engineer-in-charge, remove any debris from the site, collect and properly stack or remove in store all serviceable materials salvaged from the damaged work and shall be paid at the contract rates in accordance with the provision of this agreement for the work of clearing the site of debris, stacking or removal of serviceable materials and for the re-construction of all works ordered by the engineer-in-charge such payments being in addition to compensation upto the value of
	the work, originally executed before being damaged or destroyed and not paid for. In case of works damaged or destroyed but not already 31.2 Provided always that no compensation shall be payable for any loss in activities covered by "excepted risk" (a) unless the contractor had taken all such precautions against air raid as are deemed necessary by the A.R.P. Officers or the engineer-in-charge, (b) for any materials et e not on the site of the work or for any tools and plant, machinery, scaffolding temporary buildingsand other things not intended for the work.
	31.3 In the event of the contractor having to carry out reconstruction as aforesaid he shall be allowed such extension of time for its completion as is considered reasonable by the Engineer-in-charge. CLAUSE 32
	All electrical works shall be carried out in accordance with the provisions of Indian Electricity Act, 1910 and Indian Electricity Rule 1956 amended upto date. List of Rules of particular importance to building installations is given in Appendix B & C of CPWD General Specifications for Electrical W orks (external and internal). CLAUSE 33
Security Deposit	Security Deposit of the work shall not be refunded till the contractor produces a clearance certificate from the Labour Officer. As soon as the work is virtually complete the contractor shall apply for the clearance certificate to the Labour Officer under intimation to the Engineer-in-Charge. The Engineer-in-Charge, on receipt of the said communication, shall write to the Labour Officer to intimate if any complaint is pending against the contractor in respect of the work. If no complaint is pending, on record till after 3 months after the completion of the work and/or no communication is received from the Labour Officer to this effect till six months after the date of completion, it will be deemed to have received the clearance certificate and the Security Deposit will be released if otherwise due.
	CLAUSE 34

	Without limiting the Contractor's obligations and responsibilities stated elsewhere in the Contract, the Contractor shall at his own or arrange, secure and maintain insurance in the joint names of the BSNL and the contractor with any of the subsidiary of the Gene
	Insurance Corporation of India in such a manner that the BSNL and the contractor are covered for all time during the period
isurance	contract i.e. the time period allowed for completion of work, extended period and the defect liabilityperiod. The insurance shall be effected
	accordance with terms approved by the BSNL and the contractor shall submit the insurance policies to the Engineer-In-Charge wit
	one week of signing of the agreement along with the receipt of premium. The contractor shall timely pay and submit the receipts of payme
	of premiums for extensions of policies, if any. The insurance shall cover the following:- a) Contractor's All Risks Insurance
	The contractor shall insure the work for a sum equivalent to the Contract value or such additional sums as specified and t
	interests of the BSNL against ALL RISKS claims, proceedings, loss or damages, costs, charges and expenses from whatsoev
	cause arising out of or in consequence of the execution and maintenance of the work for which the contractor is responsible under the
	contract
	b) Workman Compensation & Employers Liability Insurance.
	This insurance shall be effected for all the contractor's employees engaged in the performance of the contract. The BSNL shall a
	be liable in respect of any damages or compensation payable at law in respect of or in consequence of any accident or injury to a
	workman or any other person in the employment of the contractor and the contractor shall indemnify and keep indemnified the BSN against all such damages and compensation and against all claims, demands, proceedings, costs, charges and expenses, whatsoever
	respect or in relation thereof.
	c) Third Party Insurance.
	The contractor shall be responsible for making good to the satisfaction of the Engineer-in-Charge any loss or any damage to all structures a
	properties belonging to the BSNL or being executed or procured or being procured by the BSNL or of the other agencies within the premis
	of all work of the BSNL if such loss or damage is due to fault and or the negligence or willful acts or omissions of t
	contractor, his employees, agents, representatives.
	The contractor shall take sufficient care in moving his plants, equipments and materials from one place to another so that they do a
	cause any damage to any person or to the property of the BSNL or any third party including overhead and underground cables and in t
	event of any damage resulting to the property of the BSNL or to a third party during the movement of the aforesaid plant, equipment
	materials, the cost of such damages including eventual loss of production, operation or services in any plant or establishment estimated by the BSNL or ascertained or demanded by the third party, shall be borne by the contractor.
,	<ul><li>d) The contractor shall also at times indemnify the BSNL against all claims, damages or compensation under the provisions of Payment</li></ul>
	Wages Act, 1936, Minimum W ages Act, 1948, Employer's Liability Act, 1938, the W orkman's Compensation Act, 1947, Industr
	Disputes Act, 1947 and Maternity Benefit Act, 1961, or any modification thereof or any other law relating thereof and rules made the
	under from time to time.
	e) Contractor shall also at his own cost carry and maintain any and all other insurance(s) which he may be required to take out und
	any law or regulation from time to time. He shall also carry and maintain any other insurance, which may be required by the Engineer-
	Charge.
	34.1The Contractor shall prove to the Engineer-in-charge from time to time he has taken out all the insurance policies referred to abc
	and has paid the necessary premiums for keeping the policies alive tillexpiry of the Defects LiabilityPeriod. 34.2The aforesaid insurance policies shall provide that they shall not be cancelled till the Engineer-in-charge has agreed for cancellation.
	34.3 Remedy on the contractor's failure to insure
	If the contractor shall fail to effect and keep in force the insurance referred to above or any other insurance which he/they may be requir
	to effect under the terms of the contract then and in any such case Engineer-in-charge may without being bound to, effect a
	keep in force any such insurance and pay such premium or premiums, as may be necessary for that purpose and from time
	time deduct the amount so paid by the Engineer-in-charge from any moneys due or which may become due to the contractor
	recover the same as a debt due from the contractor.
	BSNL SAFETY CODE
	BSNL SAFETY CODE           1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construction
	BSNL SAFETY CODE           1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid constructive except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged
	BSNL SAFETY CODE           1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid constructive except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the ladder of the ladder is used for carrying materials as well suitable footholds.
	BSNL SAFETY CODE           1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid constructive except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the ladder and the ladder shall be given an inclinationnot steeper than ¼ to 1(1/4 horizontal and 1 vertical).
	BSNL SAFETYCODE           1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construct except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the ladd and the ladder shall be given an inclinationnot steeper than ½ to 1(1/4 horizontaland 1 vertical).           2. Scaffolding of staging more than 3.6 m (12 ft.) above ground or floor ,swung or suspended from an overhead support
	BSNL SAFETY CODE           1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construct except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the ladder and the ladder shall be given an inclinationnot steeper than ½ to 1(1/4 horizontaland 1 vertical).           2. Scaffolding of staging more than 3.6 m (12 ft.) above ground or floor ,swung or suspended from an overhead support erected with stationery support shall have a guard rail properly attached or bolted ,braced and otherwise secured at least 90 cm (3 staging more staged
	BSNL SAFETY CODE           1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construct except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the ladd and the ladder shall be given an inclinationnot steeper than ½ to 1(1/4 horizontaland 1 vertical).           2. Scaffolding of staging more than 3.6 m (12 ft.) above ground or floor ,swung or suspended from an overhead support erected with stationery support shall have a guard rail properly attached or bolted ,braced and otherwise secured at least 90 cm (3 high above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends the
	BSNL SAFETY CODE           1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construct except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the ladd and the ladder shall be given an inclinationnot steeper than ½ to 1(1/4 horizontaland 1 vertical).           2. Scaffolding of staging more than 3.6 m (12 ft.) above ground or floor ,swung or suspended from an overhead support erected with stationery support shall have a guard rail properly attached or bolted ,braced and otherwise secured at least 90 cm (3 high above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends the
	BSNL SAFETY CODE           1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construct except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the ladd and the ladder shall be given an inclinationnot steeper than ¼ to 1(1/4 horizontaland 1 vertical).           2. Scaffolding of staging more than 3.6 m (12 ft.) above ground or floor ,swung or suspended from an overhead support erected with stationery support shall have a guard rail properly attached or bolted ,braced and otherwise secured at least 90 cm (3 the high above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends the of with only such opening as may be necessary for the delivery of materials. such scaffolding or staging shall be so fastened as to prevent it from swaying f rom the buildingor structure.
	BSNL SAFETY CODE           1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construct except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the lad and the ladder shall be given an inclinationnot steeper than ½ to 1(1/4 horizontal and 1 vertical).           2. Scaffolding of staging more than 3.6 m (12 ft.) above ground or floor ,swung or suspended from an overhead support erected with stationery support shall have a guard rail properly attached or bolted ,braced and otherwise secured at least 90 cm (3 in high above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends the of with only such opening as may be necessary for the delivery of materials .such scaffolding or staging shall be so fastened as to previor it from swaying from the buildingor structure.           3. W orking platforms ,gangways and stairways should be so constructed that they should not sag unduly or unequally and if height of the paltform or the gangway or the stairway is more than 3.6m (12ft) above ground level or floor level ,they should be clos
	BSNL SAFETY CODE           1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construct except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the ladd and the ladder shall be given an inclinationnot steeper than ½ to 1(1/4 horizontaland 1 vertical).           2. Scaffolding of staging more than 3.6 m (12 ft.) above ground or floor ,swung or suspended from an overhead support erected with stationery support shall have a guard rail properly attached or bolted ,braced and otherwise secured at least 90 cm (3 high above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends the of with only such opening as may be necessary for the delivery of materials .such scaffolding or staging shall be so fastened as to previat from swaying f rom the buildingor structure.           3. W orking platforms ,gangways and stairways should be so constructed that they should not sag unduly or unequally and if theight of the paltform or the gangway or the stairway is more than 3.6m (12ft) above ground level or floor level ,they should be clos boarded ,should have adequate width and should be suitably fastened as described in (2) above.
	BSNL SAFETY CODE           1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construct except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the lad and the ladder shall be given an inclinationnot steeper than ½ to 1(1/4 horizontal and 1 vertical).           2. Scaffolding of staging more than 3.6 m (12 ft.) above ground or floor ,swung or suspended from an overhead support erected with stationery support shall have a guard rail properly attached or bolted ,braced and otherwise secured at least 90 cm (3 high above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends th of with only such opening as may be necessary for the delivery of materials .such scaffolding or staging shall be so fastened as to previt from swaying f rom the buildingor structure.           3. W orking platforms ,gangways and stairways should be so constructed that they should not sag unduly or unequally and if height of the paltform or the gangway or the stairway is more than 3.6m (12ft) above ground level or floor level ,they should be clos boarded ,should have adequate width and should be suitably fastened as described in (2) above.           4. Every opening in the floor of a buildingor in a working platforms shall be provided with suitable means to prevent the fall of person
	BSNL SAFETY CODE           1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construct except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the lad and the ladder shall be given an inclinationnot steeper than ½ to 1(1/4 horizontaland 1 vertical).           2. Scaffolding of staging more than 3.6 m (12 ft.) above ground or floor ,swung or suspended from an overhead support erected with stationery support shall have a guard rail properly attached or bolted ,braced and otherwise secured at least 90 cm (3 high above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends th of with only such opening as may be necessary for the delivery of materials .such scaffolding or staging shall be so fastened as to preveit from swaying from the buildingor structure.           3. W orking platforms ,gangways and stairways should be so constructed that they should not sag unduly or unequally and if height of the paltform or the gangway or the stairway is more than 3.6 m (12 ft) above ground level or floor level ,they should be clos boarded ,should have adequate width and should be suitably fastened as described in (2) above.           4. Every opening in the floor or a building or in a working platforms shall be provided with suitable means to prevent the fall of person materials by providing suitable f encing or railing whose minimumheight shall be 90 cm.
	BSNL SAFETY CODE           1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construct except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder shall be given an inclinationnot steeper than ½ to 1(1/4 horizontaland 1 vertical).           2. Scaffolding of staging more than 3.6 m (12 ft.) above ground or floor ,swung or suspended from an overhead support erected with stationery support shall have a guard rail properly attached or bolted ,braced and otherwise secured at least 90 cm (3 thigh above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends the of with only such opening as may be necessary for the delivery of materials .such scaffolding or staging shall be so fastened as to prever it from swaying from the buildingor structure.           3. W orking platforms ,gangways and stairways should be so constructed that they should not sag unduly or unequally and if height of the paltform or the gangway or the stairway is more than 3.6m (12 ft) above ground level or floor level ,they should be closs boarded ,should have adequate width and should be suitably fastened as described in (2) above.           4. Every opening in the floor of a buildingor in a working platforms shall be provided with suitable means to prevent the fall of person materials by providing suitable f encing or railing whose minimumheight shall be 90 cm.           5. Safe means of access shall be provided to all working platforms and other working places. Every ladder shall be secure.
	BSNL SAFETY CODE           1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construct except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the lad and the ladder shall be given an inclinationnot steeper than ½ to 1(1/4 horizontaland 1 vertical).           2. Scaffolding of staging more than 3.6 m (12 ft.) above ground or floor ,swung or suspended from an overhead support erected with stationery support shall have a guard rail properly attached or bolted ,braced and otherwise secured at least 90 cm (3 high above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends th of with only such opening as may be necessary for the delivery of materials .such scaffolding or staging shall be so fastened as to previt it from swaying from the buildingor structure.           3. W orking platforms ,gangways and stairways should be so constructed that they should not sag unduly or unequally and if height of the paltform or the gangway or the stairway is more than 3.6m (12ft) above ground level or floor level ,they should be closs boarded ,should have adequate width and should be suitably fastened as described in (2) above.           4. Every opening in the floor of a buildingor in a working platforms shall be provided with suitable means to prevent the fall of person materials by providingsuitable f encing or railing whose minimumheight shall be 90 cm.           5. Safe means of access shall be provided to all working platforms and other working places. Every ladder shall be socer 9m (30ft) in length while the width between side rails in rung ladder s
	BSNL SAFETY CODE           1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construct except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the lad and the ladder shall be given an inclinationnot steeper than ½ to 1(1/4 horizontaland 1 vertical).           2. Scaffolding of staging more than 3.6 m (12 ft.) above ground or floor ,swung or suspended from an overhead support erected with stationery support shall have a guard rail properly attached or bolted ,braced and otherwise secured at least 90 cm (3 high above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends th of with only such opening as may be necessary for the delivery of materials .such scaffolding or staging shall be so fastened as to previt from swaying f rom the buildingor structure.           3. W orking platforms ,gangways and stairways should be so constructed that they should not sag unduly or unequalIly and if height of the paltform or the gangway or the stairway is more than 3.6m (12ft) above ground level or floor level ,they should be clos boarded ,should have adequate width and should be suitably fastened as described in (2) above.           4. Every opening in the floor of a building or in a working platforms shall be provided with suitable means to prevent the fall of person materials by providing suitable f encing or railing whose minimumheight shall be 90 cm.           5. Safe means of access shall be provided to all working platforms and other working places. Every ladder shall be securified. No portable single ladder shall be over 9m (30ft) in length while
	BSNL SAFETY CODE           1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construct except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the lad and the ladder shall be given an inclinationnot steeper than ½ to 1(1/4 horizontaland 1 vertical).           2. Scaffolding of staging more than 3.6 m (12 ft.) above ground or floor ,swung or suspended from an overhead support erected with stationery support shall have a guard rail properly attached or bolted ,braced and otherwise secured at least 90 cm (3 high above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends th of with only such opening as may be necessary for the delivery of materials .such scaffolding or staging shall be so fastened as to preveit from swaying f rom the buildingor structure.           3. W orking platforms ,gangways and stairways should be so constructed that they should not sag unduly or unequally and if height of the paltform or the gangway or the stairway is more than 3.6 m(12ft) above ground level or floor level ,they should be clos boarded ,should have adequate width and should be suitably fastened as described in (2) above.           4. Every opening in the floor of a buildingor in a working platforms shall be provided with suitable means to prevent the fall of person materials by providingsuitable f encing or railing whose minimumheight shall be 90 cm.           5. Safe means of access shall be provided to all working platforms and other working places. Every ladder shall be secur fixed. No portable single ladder shall be over 9m (30ft) in length while
	BSNL SAFETY CODE           1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construct except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the lad and the ladder shall be given an inclinationnot steeper than ¼ to 1(1/4 horizontaland 1 vertical).           2. Scaffolding of staging more than 3.6 m (12 ft.) above ground or floor ,swung or suspended from an overhead support erected with stationery support shall have a guard rail properly attached or bolted ,braced and otherwise secured at least 90 cm (3 high above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends th of with only such opening as may be necessary for the delivery of materials .such scaffolding or staging shall be so fastened as to previt from swaying from the buildingor structure.           3. W orking platforms ,gangways and stairways should be so constructed that they should not sag unduly or unequally and if height of the paltform or the gangway or the stairway is more than 3.6m (12 ft) above.           4. Every opening in the floor of a buildingor in a working platforms shall be provided with suitable means to prevent the fall of person materials by providing suitable f encing or railing whose minimumheight shall be 90 cm.           5. Safe means of access shall be provided to all working platforms and other working places. Every ladder shall be securf fixed. No portable single ladder shall be over 9m (30ft) in length while the width between side rails in rung ladder shall in no case less than 29 cm (111/2") for ladder upto and including 3m (10 ft) in length. For
	BSNL SAFETY CODE           1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construct except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder shall be given an inclination steeper than ½ to 1(1/4 horizontaland 1 vertical).           2. Scaffolding of staging more than 3.6 m (12 ft.) above ground or floor ,swung or suspended from an overhead support erected with stationery support shall have a guard rail properly attached or bolted ,braced and otherwise secured at least 90 cm (3 high above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends th of with only such opening as may be necessary for the delivery of materials .such scaffolding or staging shall be so fastened as to previt it from swaying f rom the buildingor structure.           3. W orking platforms ,gangways and stairways should be so constructed that they should not sag unduly or unequally and if height of the paltform or the gangway or the stairway is more than 3.6m (12ft) above ground level or floor level ,they should be closs boarded ,should have adequate width and should be suitably fastened as described in (2) above.           4. Every opening in the floor of a building or in a working platforms shall be provided with suitable means to prevent the fall of person materials by providing suitable f encing or railing whose minimumheight shall be 90 cm.           5. Safe means of access shall be provided to all working platforms and other working places. Every ladder shall be secur fixed. No portable single ladder shall be over 9m (30ft) in length while the width between side rails in rung ladder shall in no case less than 29 cm (111/2'') for ladder upto and including 3m (10 ft) in
	BSNL SAFETY CODE           1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construct except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the lad and the ladder shall be given an inclinationnot steeper than ½ to 1(1/4 horizontaland 1 vertical).           2. Scaffolding of staging more than 3.6 m (12 ft.) above ground or floor ,swung or suspended from an overhead support erected with stationery support shall have a guard rail properly attached or bolted ,braced and otherwise secured at least 90 cm (3 high above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends th of with only such opening as may be necessary for the delivery of materials .such scaffolding or staging shall be so fastened as to previt if from swaying from the buildingor structure.           3. W orking platforms ,gangways and stairways should be so constructed that they should not sag unduly or unequally and if height of the paltform or the gangway or the stairway is more than 3.6m (12 ft) above ground level or floor level ,they should be closs boarded ,should have adequate width and should be suitably fastened as described in (2) above.           4. Every opening in the floor of a buildingor in a working platforms shall be provided with suitable means to prevent the fall of person materials by providingsuitable face shall be over 9m (30ft) in length while the width between side rails in rung ladder shall be secur fixed. No portable single ladder shall be over 9m (30ft) in length while the width between side rails in rung ladder shall be secur fixed. No portable single ladder shall be over
	<ul> <li>BSNL SAFETY CODE <ol> <li>Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construct except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the lad and the ladder shall be given an inclinationnot steeper than ¼ to 1(1/4 horizontaland 1 vertical).</li> <li>Scaffolding of staging more than 3.6 m (12 ft.) above ground or floor ,swung or suspended from an overhead support erected with stationery support shall have a guard rail properly attached or bolted ,braced and otherwise secured at least 90 cm (3 high above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends th of with only such opening as may be necessary for the delivery of materials .such scaffolding or staging shall be so fastened as to previt from swaying from the buildingor structure.</li> <li>Working platforms ,gangways and stairways should be so constructed that they should not sag unduly or unequally and if height of the paltform or the gangway or the stairway is more than 3.6 m (12 ft) above ground level or floor level ,they should be clos boarded ,should have adequate width and should be suitably fastened as described in (2) above.</li> <li>Every opening in the floor of a buildingor in a working platforms shall be provided with suitable means to prevent the fall of person materials by providing suitable fencing or railing whose minimumheight shall be 90 cm.</li> <li>Safe means of access shall be provided to all working platforms and other working places. Every ladder shall be secur fixed. No portable single ladder shall be over 9m (30ft) in length while the width between side rails in rung ladder shall in no case less than 29 cm (11/2<sup>n</sup>) for ladder upto and including 3m (10 ft) in length. So rolonger ladders, this</li></ol></li></ul>
	BSNL SAFETY CODE         1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construct except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the lad and the ladder shall be given an inclinationnot steeper than ¼ to 1(1/4 horizontaland 1 vertical).         2. Scaffolding of staging more than 3.6 m (12 ft.) above ground or floor ,swung or suspended from an overhead support erected with stationery support shall have a guard rail properly attached or bolted ,braced and otherwise secured at least 90 cm (3 high above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends th of with only such opening as may be necessary for the delivery of materials such scaffolding or staging shall be so fastened as to previt it from swaying from the buildingor structure.         3. W orking platforms ,gangways and stairways should be so constructed that they should not sag unduly or unequally and if height of the paltform or the gangway or the stairway is more than 3.6m (12t) above ground level or floor level ,they should be clos boarded ,should have adequate width and should be suitably fastened as described in (2) above.         4. Every opening in the floor of a buildingor in a working platforms and other working places. Every ladder shall be secure fixed. No portable single ladder shall be ever 9m (30ft) in length while the width between side rails in rung ladder shall in no case less than 29 cm (111/2") for ladder upto and including 3m (10 ft) in length. For longer ladders, this width should be increased athe fixed no prevent danger from electrical equipment . No materials
	<ul> <li>BSNL SAFETY CODE <ol> <li>Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construct except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the lad and the ladder shall be given an inclinationnot steeper than ¼ to 1(1/4 horizontaland 1 vertical).</li> <li>Scaffolding of staging more than 3.6 m (12 ft.) above ground or floor ,swung or suspended from an overhead support erected with stationery support shall have a guard rail properly attached or bolted ,braced and otherwise secured at least 90 cm (3 high above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends th of with only such opening as may be necessary for the delivery of materials such scaffolding or staging shall be so fastened as to previt from swaying f rom the buildingor structure.</li> <li>W orking platforms ,gangways and stairways should be so constructed that they should not sag unduly or unequally and if height of the paltform or the gangway or the stairway is more than 3.6m (12ft) above ground level or floor level ,they should be clos boarded ,should have adequate width and should be suitably fastened as described in (2) above.</li> <li>Every opening in the floor of a buildingor in a working platforms shall be provided with suitable means to prevent the fall of person materials by providingsuitable f encing or railing whose minimumheight shall be 90 cm.</li> <li>Safe means of access shall be over 9m (30ft) in length while the width between side rails in rung ladder shall in no case less than 29 cm (11fort) of length. Uniform step spacing of nor working places, this width should be increased atle ¼" for each additional30 cm (1foot) of length. Uniform step spacing of nor work shall be so stacked or placed as cause</li></ol></li></ul>
	<ul> <li>BSNL SAFETY CODE</li> <li>1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construct except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the lad and the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the lad and the ladder shall be given an inclinationnot steeper than ¼ to 1(1/4 horizontaland 1 vertical).</li> <li>2. Scaffolding of staging more than 3.6 m (12 ft.) above ground or floor, swung or suspended from an overhead support erected with stationery support shall have a guard rail properly attached or bolted, braced and otherwise secured at least 90 cm (3 high above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends th of with only such opening as may be necessary for the delivery of materials .such scaffolding or staging shall be so fastened as to previt it from swaying f rom the buildingor structure.</li> <li>3. W orking platforms gangways and stairways is more than 3.6m (12ft) above ground level or floor level, they should be clos boarded ,should have adequate width and should be suitably fastened as described in (2) above.</li> <li>4. Every opening in the floor of a buildingor in a working platforms shall be provided with suitable means to prevent the fall of person materials by providingsuitable fencing or railing whose minimumheight shall be 90 cm.</li> <li>5. Safe means of access shall be provided to all working platforms and other working places. Every ladder shall no case less than 29 cm (111/2") for ladder upto and including 3m (10 ft) in length. For longer ladders, this width should be increased atle 4/" for each additional30 cm (1foot) of length. Uniform step spacing of not more than 30</li></ul>
	<ul> <li>BSNL SAFETY CODE</li> <li>1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construct except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the ladd and the ladder shall be given an inclinationnot steeper than ¼ to 1(1/4 horizontaland 1 vertical).</li> <li>2. Scaffolding of staging more than 3.6 m (12 ft.) above ground or floor, swung or suspended from an overhead support erected with stationery support shall have a guard rail properly attached or bolted, braced and otherwise secured at least 90 cm (3 thigh above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends the of with only such opening as may be necessary for the delivery of materials such scaffolding or staging shall be so fastened as to prevent it from swaying from the buildingor structure.</li> <li>3. W orking platforms ,gangways and stairways should be so constructed that they should not sag unduly or unequally and if the height of the paltform or the gangway or the stairway is more than 3.6 m (12ft) above ground level or floor level, they should be clos boarded ,should have adequate width and should be suitably fastened as described in (2) above.</li> <li>4. Every opening in the floor of a building or in a working platforms and other working places. Every ladder shall in no case less than 29 cm (111/2") for ladder upto and including 3m (10 ft) in length. For longer ladders, this width should be increased atle ¼" for each additional30 cm (1foot) of length. Uniform step spacing of not more than 30 cm shall be knould be so tacked or placed as cause danger or inconvenience to any person or the public. The contractor shall provide all necessary fencing and lights to protect tp public from the accident and shall be bo</li></ul>
	<ul> <li>BSNL SAFETY CODE</li> <li>1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construct except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the lad and the ladder shall be given an inclinationnot steeper than ¼ to 1(1/4 horizontaland 1 vertical).</li> <li>2. Scaffolding of staging more than 3.6 m (12 ft.) above ground or floor, swung or suspended from an overhead support erected with stationery support shall have a guard rail properly attached or bolted, braced and otherwise secured at least 90 cm (3 high above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends the of with only such opening as may be necessary for the delivery of materials such scaffolding or staging shall be so fastened as to previ it from swaying from the buildingor structure.</li> <li>3. W orking platforms , gangways and stairways should be so constructed that they should not sag unduly or unequally and if height of the paltform or the gangway or the stairway is more than 3.6 m (12 ft) above.</li> <li>4. Every opening in the floor of a buildingor in a working platforms shall be provided with suitable means to prevent the fall of person materials by providingsuitable f encing or railing whose minimumheight shall be 90 cm.</li> <li>5. Safe means of access shall be over 9m (30 ft) in length while the width between side rails in rung ladder shall in no case less than 29 cm (111/2") for ladder upto and including 3m (10 ft) in length. For longer ladders, this width should be increased atle ¼" for each additional30 cm (1foot) of length. Uniform step spacing of not more than 30 cm shall be so stacked or placed as casue danger or inconvenience to any person or the public. The contractor shall perovide all neccasa</li></ul>
	BSNL SAFETY CODE           1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construct except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the ladd and the ladder shall be given an inclinationnot steeper than ½ to 1(1/4 horizontaland 1 vertical).           2. Scaffolding of staging more than 3.6 m (12 ft.) above ground or floor, swung or suspended from an overhead support erected with stationery support shall have a guard rail properly attached or bolted, braced and otherwise secured at least 90 cm (3 thigh above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends the of with only such opening as may be necessary for the delivery of materials such scaffolding or staging shall be so fastened as to preven it from swaying from the buildingor structure.           3. W orking platforms ,gangways and stairways should be so constructed that they should not sag unduly or unequally and if height of the paltform or the gangway or the stairway is more than 3.6m (12ft) above.           4. Every opening in the floor of a buildingor in a working platforms shall be provided with suitable means to prevent the fall of person materials by providingsuitable f encing or railing. Whose minimumheight shall be 90 cm.           5. Safe means of access shall be provided to all working platforms and other working places. Every ladder shall be secure fixed. No portable single ladder shall be over 9m (30ft) in length while the width between side rails in rung ladder shall in no case less than 29 cm (111/2") for ladder upto and including 3m (10 ft) in length.
	<ul> <li>BSNL SAFETY CODE</li> <li>1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construct except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the ladd and the ladder shall be given an inclinationnot steeper than ¼ to 1(1/4 horizontaland 1 vertical).</li> <li>2. Scaffolding of staging more than 3.6 m (12 ft.) above ground or floor ,swung or suspended from an overhead support erected with stationery support shall have a guard rail properly attached or bolted, braced and otherwise secured at least 90 cm (3 thigh above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends the of with only such opening as may be necessary for the delivery of materials such scaffolding or staging shall be so fastened as to previt it from swaying from the buildingor structure.</li> <li>3. W orking platforms ,gangways and stairways should be so constructed that they should not sag unduly or unequalily and if height of the paltform or the gangway or the stairway is more than 3.6m (12ft) above ground level or floor level, they should be clos boarded ,should have adequate width and should be suitably fastened as described in (2) above.</li> <li>4. Every opening in the floor of a buildingor in a working platforms and other working places. Every ladder shall be secure fixed. No portable single ladder shall be provided to all working platforms and other working places. Every ladder shall be secure fixed. No portable single ladder shall be over 01(30ft) in length while the width between side rails in rung ladder shall in no case less than 29 cm (111/2") for ladder upto and including 3m (10 ft) in length. For longer ladders, this width should be increased atle ¼" for each additional30 cm (16ot) of length. Unifo</li></ul>
	<ul> <li>BSNL SAFETY CODE</li> <li>1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construct except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the ladd and the ladder shall be given an inclinationnot steeper than ½ to 1(1/4 horizontaland 1 vertical).</li> <li>2. Scaffolding of staging more than 3.6 m (12 ft.) above ground or floor ,swung or suspended from an overhead support erected with stationery support shall have a guard rail properly attached or bolted ,braced and otherwise secured at least 90 cm (3 ft) high above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends the of with only such opening as may be necessary for the delivery of materials .such scaffolding or staging shall be so fastened as to prever it from swaying from the buildinger structure.</li> <li>3. W orking platforms gangways and stairways should be so constructed that they should not sag unduly or unequally and if height of the paltform or the gangway or the stairway is more than 3.6m (12ft) above ground level or floor level ,they should be clos boarded ,should have adequate width and should be suitably fastened as described in (2) above.</li> <li>4. Every opening in the floor of a buildingor in a working platforms shall be provided with suitable means to prevent the fall of person materials by providing suitable floening or railing whose minimumheight shall be so more than 30 cm (shall be kpt. Adequate prevations shall he ver 9m (30ft) in length while the width between side rails in rung ladder shall in no case less than 29 cm (111/2") for ladder upto and including 3m (10 ft) in length. For longer ladders, this width should be increased atle ¼" for each additional30 cm (floot) of length. Uniform step spac</li></ul>
	<ul> <li>BSNL SAFETY CODE</li> <li>1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid constructive except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the ladd and the ladder shall be given an inclinationnot steeper than ¼ to 1(1/4 horizontaland 1 vertical).</li> <li>2. Scaffolding of staging more than 3.6 m (12 ft.) above ground or floor ,swung or suspended from an overhead support erected with stationery support shall have a guard rail properly attached or bolted, braced and otherwise secured at least 90 cm (3 thigh above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends the of with only such opening as may be necessary for the delivery of materials such scaffolding or staging shall be so fastened as to preve it from swaying from the buildingor structure.</li> <li>3. W orking platforms ,gangways and stairways should be so constructed that they should not sag unduly or unequally and if height of the paltform or the gangway or the stairway is more than 3.6m (12ft) above ground level or floor level, they should be close boarded ,should have adequate width and should be suitably fastened as described in (2) above.</li> <li>4. Every opening in the floor of a building or in a working platforms and other working places. Every ladder shall be securificated and including 3m (10 ft) in length while the width between side rails in rung ladder shall be securificated. Y<sup>a</sup> for each additional30 cm (11ot) of length. Uniform step spacing of not more than 30 cm shall be kept . Adequate precautions shall taken to prevent danger from electrical equipment . No materials or any of the sites or work shall be so stacked or placed as cause danger or inconvenience to any person or the public. The contr</li></ul>
	<ul> <li>BSNL SAFETY CODE</li> <li>1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construct except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the lad and the ladder shall be given an inclinationnot steeper than ¼ to 1(1/4 horizontalan1 1 vertical).</li> <li>2. Scaffolding of staging more than 3.6 m (12 ft), above ground or floor swung or suspended from an overhead support erected with stationery support shall have a guard rail properly attached or bolted ,braced and otherwise secured at least 90 cm (3 high above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends th of with only such opening as may be necessary for the delivery of materials .such scaffolding or staging shall be so fastened as to prevei it from swaying from the buildingor structure.</li> <li>3. W orking platforms .gangways and stairways should be so constructed that they should not sag unduly or unequally and if height of the paltform or the gangway or the stairway is more than 3.6 m (12 ft) above ground level or floor level ,they should be clos boarded ,should have adequate width and should be suitably fastened as described in (2) above.</li> <li>4. Every opening in the floor of a buildingor in a working platforms shall be provided with suitable means to prevent the fall of person materials by providingsuitable f encing or railing whose minimumheight shall be 90 cm.</li> <li>5. Safe means of access shall be over 9m (30ft) in length while the width between side rails in rung ladder shall in oc case less than 29 cm (111/2<sup>n</sup>) for ladder upto and including 30 (10 ft) in length. For longer ladders, this width should be increased atle %<sup>n</sup> for each additional30 cm (160t) of length Uniform step spacing of not more t</li></ul>
	BSNL SAFETY CODE           1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid constructive except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the ladd and the ladder shall be given an inclinationnot steeper than ¼ to 1(1/4 horizontaland 1 vertical).           2. Scaffolding of staging more than 3.6 m (12 ft) above ground or floor, swung or suspended from an overhead support erected with stationery support shall have a guard rail properly attached or bolted braced and otherwise secured at least 90 cm (3 1 high above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends th of with only such opening as may be necessary for the delivery of materials. such scaffolding or staging shall be so fastened as to prever if from swaying from the buildingor structure.           3. W orking platforms , gangways and stairways should be so constructed that they should not sag unduly or unequally and if theight of the platform or the gangway or the stairway is more than 3.6 m (12t) above ground level or floor level, they should be close boarded , should have adequate width and should be suitably fastened as described in (2) above.           4. Every opening in the floor of a buildingor in a working platforms and other working places. Every ladder shall he secure fixed. No portable single ladder shall be ory 0m (30t) in length. For longer ladders, this width should be increased atle (" for each additional30 cm (1foot) of length. Uniform step spacing of not more than 30 cm shall be kept . Adequate precautions shall take no porathol single ladder shall be everem (30t) in length. F
	<ul> <li>BSNL SAFETY CODE</li> <li>1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construction except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the ladd and the ladder shall be given an inclinationnot steeper than ½ to 1(1/4 horizontaland 1 vertical).</li> <li>2. Scaffolding of staging more than 3.6 m (12 ft.) above ground or floor ,swung or suspended from an overhead support erected with stationery support shall have a guard rail properly attached or bolted ,braced and otherwise secured at least 90 cm (3 thigh above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends the of with only such opening as may be necessary for the delivery of materials. such scaffolding or staging shall be so fastened as to prevent it from swaying from the buildingor structure.</li> <li>3. W orking platforms ,gangways and stairways should be so constructed that they should not sag unduly or unequally and if theight the platform or the gangway or the stairway is more than 3.6 m (12ft) above.</li> <li>4. Every opening in the floor of a buildingor in a working platforms shall be provided with suitable means to prevent the fall of person materials by providing suitable f encing or railing whose minimumheight shall be 90 cm.</li> <li>5. Safe means of access shall be over 9m (30ft) in length while the width between side rails in rung ladder shall be increased at leas 40 cm (12 '') for ladder upto and including 3m (10 ft) in length. For longer ladders, this width should be increased at leas 40 cm (17 '') for ladder upto and including 3m (10 ft) in length. For longer ladders, this width should be increased at leas 40 cm (10 cort) of length. Uniform step spacing of not more than 30 cm shall be kept . Adequ</li></ul>
	BSNL SAFETY CODE           1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid constructive except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder shall be given an inclinationnot steeper than ¼ to 1(1/4 horizontal and 1 vertical).           2. Scaffolding of staging more than 3.6 m (12 ft) above ground or floor, swung or suspended from an overhead support erected with stationery support shall have a guard rail property attached or bolted braced and otherwise secured at least 90 cm (3 ft) high above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends the of with only such opening as may be necessary for the delivery of materials such scaffolding or staging shall be so fastened as to prever it from swying from the buildingor structure.           3. W orking platforms gangways and stairways should be so constructed that they should not sag unduly or unequally and if the height of the paltform or the gangway or the stairway is more than 3.6 m (127) above ground level or floor level , they should be clos boarded , should have adequate width and should be suitably fastened as described in (2) above.           4. Every opening in the floor of a buildingor in a working platforms shall be provided with suitable means to prevent the fall of person materials by providingsuitable facing or railing whose minimumheight shall be 90 cm.           5. Safe means of access shall be provided to all working platforms and other working places. Every ladder shall be soer fixed. No portable single ladder shall be over 9m (30ft) in length while the width between side rails in rung ladder shall be soer fixed. No portable single ladder upto and including 3m (10 ft) in l
	BSNL SAFETY CODE           1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construction except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the ladd and the ladder shall be given an inclinationnot steper than ½ to 1(1/4 horizontal and 1 vertical).           2. Scaffolding of staging more than 3.6 m (12 ft) above ground or floor ,swung or suspended from an overhead support erected with stationery support shall have a guard rail properly attached or bolted, braced and otherwise secured at least 90 cm (3 to its with only such opening as may be necessary for the delivery of materials such scaffolding or staging and extending along the entire length of the outside and ends the of with only such opening as may be necessary for the delivery of materials. such scaffolding or staging and the platform or the gangway and stairways should be so constructed that they should not sag unduly or unequally and if the height of the patform or the gangway or the stairway is more than 3.6 m (12ft) above ground level or floor level, they should be clos boarded , should have adquate with an should he suitable face ing or railing whose minimumheight shall be 90 cm.           5. Safe means of access shall be provided to all working platforms and other working places. Every ladder shall is ever fixed. No portable single ladder shall be over 9m (30ft) in length while the width between side arials in rung ladder shall in no case less than 29 cm (111.27) for ladder upto and including 3m (10 ft) in length. For longer ladders, shall be solated or placed as cause danger or incorveinence on my person or the public. The contractor shall provide all necessary fencing and lighi
	BSNL SAFETY CODE           1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construction except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder shall be given an inclinationot steeper than ¼ to 1(1/4 horizontaland 1 vertical).           2. Scaffolding of staging more than 3.6 m (12 ft) above ground or floor, swung or suspended from an overhead support erected with stationery support shall have a guard rail properly attached or bolted, braced and otherwise secured at least 90 cm (3 to fm swang from the buildingor structure.           3. W orking platform sgamgways and stairways should be so constructed that they should not sag unduly or unequally and if theight of the patiform or the gangway or the stairway is more than 3.6 m (12ft) above ground level of floor level, they should be clos boarded, should have adquate width and should be suitably fastened as described in (2) above.           4. Every opening in the floor of a buildingor in a working platforms shall be provided with suitable means to prevent the fall of person materials by providing suitable f enering or railing whose minimumheight shall be 90 cm.           5. Safe means of access shall be provided to all working platforms and other working places. Every ladder shall is no case less than 29 cm (11/2'') for ladder upto and including 3m (10 ft) in length. For longer ladders, this width should be increased at lex/" for each additional30 cm (10 to) to length. Unforms they spacing of not more than 30 cm shall be kept . Adequate precutions shall be toreased at lex/" for each additional30 cm (10 to) to length. Unform suce spacing of not more than 30 cm shall be kept . Adequate precuting shall taken to prevent danger from electrical equipment . No m
	BSNL SAFETY CODE           1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid constructie except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder shall be given an inclinationnot steper than 'to 10(1/4 horizontal and 1 vertical).           2. Scaffolding of staging more than 3.6 m (12 ft) above ground or floor, swung or suspended from an overhead support erected with stationery support shall have a guard rail properly attached or bolted, braced and otherwise secured at least 90 cm (3 to high above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends the of with only such opening as may be necessary for the delivery of materials such scaffolding or staging shall be so fastened as to preve it from swying from the buildingor structure.           3. W orking platforms, gangways and stairways should be so constructed that they should not sag unduly or unequally and if the height of the patform or the gangway or the stairway is more than 3.6 m (12) bave.           4. Every opening in the floor of a buildingor in a working platforms shall be provided with suitable means to prevent the fall of person materials by providing suitable f encing or railing whose minimumheight shall be 90 cm.           5. Safe means of access shall be provided to all working platforms and other working platees. Every ladder shall is execting to railing whose minimumheight shall be fore one plades, this witch should be increased at least 0 are cess at a sole as a secret of a long providing at a stat shall in no case lease than 20 cm (117) for ladder upto and including 3m (10 ft) in length. For longer ladders, shall is to protect 1 public from the accident and shall be ound to
	BSNL SAFETY CODE           1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construction except such short period work as can be done safely from ladders. When ladder is used, an extra mazdoor shall be engaged holding the ladder shall be given an inclinationot steeper than ¼ to 1(1/4 horizontaland 1 vertical).           2. Scaffolding of staging more than 3.6 m (12 ft) above ground or floor, swung or suspended from an overhead support erected with stationery support shall have a guard rail properly attached or bolted, braced and otherwise secured at least 90 cm (3 to fm swang from the buildingor structure.           3. W orking platform sgamgways and stairways should be so constructed that they should not sag unduly or unequally and if theight of the patiform or the gangway or the stairway is more than 3.6 m (12ft) above ground level of floor level, they should be clos boarded, should have adquate width and should be suitably fastened as described in (2) above.           4. Every opening in the floor of a buildingor in a working platforms shall be provided with suitable means to prevent the fall of person materials by providing suitable f enering or railing whose minimumheight shall be 90 cm.           5. Safe means of access shall be provided to all working platforms and other working places. Every ladder shall is no case less than 29 cm (11/2'') for ladder upto and including 3m (10 ft) in length. For longer ladders, this width should be increased at lex/" for each additional30 cm (10 to) to length. Unforms they spacing of not more than 30 cm shall be kept . Adequate precutions shall be toreased at lex/" for each additional30 cm (10 to) to length. Unform suce spacing of not more than 30 cm shall be kept . Adequate precuting shall taken to prevent danger from electrical equipment . No m

10.Use of hoisting machines and tackle including their attachments, anchorage and supports shall conform to the following standards or conditions:-
<ul> <li>i) a) These shall be of good mechanical construction, sound materials and adequate strength and free from patent defects and shall be kept repaired and in good working order.</li> </ul>
b)Every rope used in hoisting or lowering materials or as a means of suspension shall be of durable quality and adequate strength and free from patent defects.
 ii) Every crane driver or hoisting appliance operator, shall be properly qualified and no person under the age of 21 years should be in charge of any hoisting machine including any scaffolding winch or give signals to operator.
 iii) In case of every hoisting machine and of every chain ring hook, shackle swivel and pulley block used in hoisting or as means of
suspension, the safe working load shall be ascertained by adequate means. Every hoisting machine and all gear referred to above shall be plainly marked with the safe working load. In case of a hoisting machine having a variable safe working load each safe working
load and the condition under which it is applicable shall be clearly indicated. No part of any machine or any gear referred to
 above in this paragraph shall be loaded beyond the safe working load except f or the purpose of testing. iv) In case of departmental machines, the safe working load shall be notified by the Electrical Engineer-in-charge. As regards
contractor's machines the contractors shall notify the safe working load of the machine to the Engineer-in-Charge whenever he brings any machinery to site of work and get if verified by the Electrical Engineer concerned.
11. Motors gearing, transmission, electric wiring and other dangerous parts of hoisting appliances should be provided with efficient
safeguards. Hoisting appliances should be provided with such means as will reduce to the minimumrisk of accidental descent of th load. Adequate precautions should be taken to reduce to the minimum the risk of any part of a suspended load becomin
accidentally displaced. When workers are employed on electrical installations which are already energized, insulating mats, wearin, apparel, such as gloves, sleeves and boots as may be necessary should be provided. The worker should not wear any rings, watche
 and carry keys or other materials which are good conductors of electricity.
12. All scaffolds, ladders and other safety devices mentioned or described herein shall be maintained in safe condition and n scaffold, ladder or equipment shall be altered or removed while it is in use. Adequate washing facilities should be provided at or nea
 places of work. 13. These safety provisions should be brought to the notice of all concerned by display on a notice board at a prominent place a
 work spot. The person responsible for compliance of the safety code shall be named therein by the contractor.
14. To ensure effective enforcement of the rules and regulations relating to safety precautions the arrangements made by the contractor shall be open to inspection by the Labour Officer or Engineer-in-Charge of the department or their representatives.
15. Notwithstanding the above clauses from (1) to (15) there is nothing in these to exempt the contractor from the operations of any other Act or Public force in the Perulain force in the Perulain
 other Act or Rule in force in the Republic of India. 16. At every work place, First Aid Box shall be provided and maintained so as to be easily accessible during the working hours.
 NOTE: In case of difference or ambiguity in Hindi and English Version, the English version will prevail
MODEL RULES FOR THE PROTECTION OF HEALTH AND SANITARY ARRANGEMENTS FOR WORKERS EMPLOYED BY
BHARAT SANCHAR NIGAM LIMITED OR ITS CONTRACTORS
 1. APPLICATION These rules shall apply to all buildings and construction works in charge of the Bharat Sanchar Nigam Limited in which twenty of
more workers are ordinarily employed or are proposed to be employed in any day during the period during which the contract work i in progress.
 2. DEFINITION
Work place means a place where twenty or more workers are ordinarily employed in connection with construction work, on any day during the period, during which the contract work is in progress.
 3. FIRST-AID FACILITIES i) At every work place there shall be provided and maintained, so as to be easily accessible during working hours, first aid boxes at th
 rate of not less than one box for 150-contract labour or part thereof ordinarilyemployed.
 <ul> <li>ii) The first-aid box shall be distinctly marked with a red cross on white back ground and shall contain the following equipment: -</li> <li>a) For work places in which the number of contract labour employed does not exceed 50- Each first-aid box shall contain the following</li> </ul>
 equipment:- 1. 6 small sterilised dressings.
 2. 3 medium size sterilised dressings.
 3. 3 large size sterilised dressings.     4. 3 large sterilised burn dressings.
 <ol> <li>5. 1 (30 ml.) bottle containing a two percent alcoholic solution of iodine</li> <li>6. 1 (30ml) bottle containing salvolatile having the dose and mode of administration indicated on the label.</li> </ol>
 7. 1 snakebite lancet.
 8. 1 (30gms.) bottle of potassium permanganate crystals.     9. 1 pair scissors.
 10. 1 copy of the first-aid leaflet issued by the Director General, Factory Advice Service and Labour Institute, Government of India.
 <ol> <li>11. 1 Bottle containing 100 tablets (each of 5 gms.) of aspirin.</li> <li>12. Ointment for burns.</li> </ol>
 <ul> <li>13. A bottle of suitable surgical antiseptic solution</li> <li>b) For workplaces in which the number of contract labour exceeds 50- Each first-aid- box shall contain the following equipment.</li> </ul>
1. 12 small sterilised dressing.
 2. 6 medium size sterilised dressings.     3. 6 large size sterilised dressings.
 <ol> <li>6 large size sterilised burn dressings.</li> <li>6 (15-gms.) packets sterilised cotton wool.</li> </ol>
6. 1 (60 ml.) bottle containing two percent alcoholic solution iodine.
 <ol> <li>1 (60-ml.) bottle containing salvolite latile having the dose and mode of administration indicated on the label.</li> <li>8. 1 roll of adhesive plaster.</li> </ol>
9. 1 snake bite lancet.
<ol> <li>1 (30 gms.) bottle of potassium permanganate crystals.</li> <li>1 1 pair of scissors.</li> </ol>
12. 1 copy of the first-aid leaflet issued by the Director General Factory Advice Service and Labour Institute/ Government o India.
 13. A bottle containing 100 tablets (each of 5 gms.) of aspirin.
 <ol> <li>Ointment for burns.</li> <li>A bottle of suitable surgical antiseptic solution.</li> </ol>
 iii) Adequate arrangements shall be made for immediate recoupment of the equipment when necessary.
 <ul> <li>iv) Nothing except the prescribed contents shall be kept in the First-aid box.</li> <li>v) The first-aid box shall be kept in charge of a responsible person who shall always be readily available during the working hours at the work</li> </ul>
 place. vi) A person in charge of the first-aid box shall be a person trained in First-Aid treatment, at the work places where the numbe
of contract labour employed is 150 or more.

vii) In work places where the number of contract labour employed is 500 or more and hospital facilities are not available within easy distanc from the works, First-aid posts shall be established and run by a trained compounder. The compounder shall be on duty and shall b available at all hours when the workers are at work.
 <ul> <li>viii) Where work places are situated in places, which are not towns or cities, a suitable motor transport shall be kept readily available t carry injured person or person suddenly taken ill to the nearest hospital.</li> <li>4. DRINKING WATER</li> </ul>
 <ul> <li>i) In every work place, there shall be provided and maintained, at suitable places, easily accessible to labour, a sufficient supply of col water fit for drinking.</li> </ul>
 ii) Where drinkingstored, water is obtained from an intermittent public water supply, each work place shall be provided with storag where such drinking water shall be
iii) Every water supply or storage shall be at a distance of not less than 50 feet from any latrine drain or other source of pollution. Wher water has to be drawn from an existing well, which is within such proximity of latrine, drain or any other source of pollution, the well shall b properly chlorinated before water is drawn from it or for drinking. All such wells shall be entirely closed in and be provided with a trap doo which shall be dust and waterproof.
iv) A reliable pump shall be fitted to each covered well, the trap door shall be kept locked and opened only for cleaning or inspection which shall be done at least once a month.
 <ul> <li>5. WASHING FACILITIES</li> <li>i) In every work place adequate and suitable facilities for washing shall be provided and maintained for the use of contract labour employe therein.</li> </ul>
<ul> <li>ii) Separate and adequate cleaning facilities shall be provided for the use of male and female workers.</li> <li>iii) Such facilities shall be conveniently accessible and shall be kept in clean and hygienic condition.</li> </ul>
 6. LATRINES AND URINALS i) Latrines shall be provided in every work place on the followingscale namely:-
 a) Where female are employed there shall be at least one latrine for every 25 females.
 b) Where males are employed, there shall be at least one latrine for every 25 males.
Provided that where the number of males or females exceeds 100, it shall be sufficient if there is one latrine for 25 males or females a the case may be upto the first 100, and one for every 50 thereafter.
 ii) Every latrine shall be under cover and so partitioned off as to secure privacy, and shall have a proper door and fastenings.
iii) Construction of latrines: The inside walls shall be constructed of masonry or some suitable heat-resisting nonabsorbent materials and sha be cement washed inside and outside at least once a year. Latrines shall not be of a standard lower than bore-hole system.
 iv) a) Where workers of both sexes are employed, there shall be displayed outside each block of latrine and urinal, a notice in th
 language understood by the majority of the workers "For Men only" or "For Women only" as the case may be. b) The notice shall also bear the figure of a man or a woman, as the case may be.
v) There shall be at least one urinal for upto 50 number of male workers and one for upto 50 number of female workers employed at a time
provided that where the number of male or femal e workers, as the case may be, exceeds 500, it shall be sufficient if there is one urinal for every 50 males or females, up to the first 500 and one for every 100 or part thereafter.
<ul> <li>vi) a) The latrines and urinals shall be adequately lighted and shall be maintained in a clean and sanitary conditionat all times.</li> <li>b) Latrines and urinals other than those connected with a flush sewage system shall comply with the requirements of the Public Healt</li> </ul>
 Authorities. vii) Water shall be provided by means of tap or otherwise so as to be conveniently accessible in or near the latrines and urinals. viii) Disposal of excreta: - Unless otherwise arranged for by the local sanitary authority, arrangements for proper disposal of excreta t
incineration at the work purpose and covering it with a 15 cm. layer of waste or refuse and then covering it place shall be made by means of suitable incinerator. Alternately excreta may be disposed off by putting a layer of night soil at the bottom of a pucca tank prepared for th with a layer of earth for a fortnight (W hen it will turn to manure).
ix) The contractor shall at his own expense, carry out all instructions issued to him by the Engineer-in-Charge to effect proper disposal of night soil and other conservancy work in respect of the contractor's workmen or employees on the site. The contractor shall b responsible for payment of any charges, which may be levied by Municipal or Cantonment Authority for execution of such on h behalf.
 7. PROVISION OF SHELTER DURING REST
At every place there shall be provided, free of cost, four suitable sheds, two for meals and the other two for rest separately for the use of men and women labour. The height of each shelter shall not be less than 3 metres (10 ft.) from the floor level to the lowest part of th roof. These shall be kept clean and the space provided shall be on the basis of 0.6 sq. m. (6 sft.) per head. Provided that the Engineer in-Charge may permit subject to his satisfaction, a portion of the buildingunder construction or other alternative accommodation to be use for the purpose.
8. CRECHES
 i) At every work place, at which 20 or more women worker are ordinarily employed, there shall be provided two rooms of reasonabl dimensions for the use of their children under the age of six years. One room shall be used as a playroom for the children and the other a their bedroom. The rooms shall be constructed with specifications as per clause 19 H (ii) a, b & c.
ii) The rooms shall be provided with suitable and sufficient openings for light and ventilation. There shall be adequate provision of sweepers to keep the places clean.
 iii) The contractor shall supply adequate number of toys and games in the playroom and sufficient number of cots and beddings in the bedroom.
 iv) The contractor shall provide one ayah to look after the children in the crèche when the number of women workers does not exceed 5 and two when the number of women workers exceeds 50.
<ul> <li>v) The use of the rooms earmarked as crèches shall be restricted to children, their attendants and mothers of the children.</li> <li>9. CANTEENS</li> </ul>
i) In every work place where the work regarding the employment of contract labour is likely to continue for six months and where contract labour numbering one hundred or more are ordinarily employed, an adequate canteen shall be provided by the contractor for the use of such contract labour.
 ii) The contractor shall maintain the canteen in an efficient manner.
iii) The canteen shall consist of atleast a dining hall, kitchen, storeroom, pantry and washing places, separately for workers an utensils.
 <ul> <li>iv) The canteen shall be sufficiently lighted at all times when any person has access to it.</li> <li>v) The floor shall be made of smooth and impervious materials and inside walls shall be lime-washed or colour washed atleast once in eac</li> </ul>
 year. Provided that the inside walls of the kitchen shall be lime-washed every 4 months. vi) The premises of the canteen shall be maintained in a clean and sanitary condition.
 vii) Wastewater shall be carried away in suitable covered drains and shall not be allowed to accumulate so as to cause a nuisance. viii) Suitable arrangements shall be made for the collection and disposal of garbage.
<ul> <li>ix) The dininghall shall accommodate at a time 30 percent of the contract labour working at a time.</li> <li>x) The floor area of the dining hall, excluding the area occupied by the service counter and any furniture, except tables and chair</li> </ul>
shall not be less than one square metre (10 sft.) per diner to be accommodated as prescribed in sub-Rule 9.
<ul> <li>shall not be less than one square metre (10 stt.) per diner to be accommodated as prescribed in sub-Rule 9.</li> <li>xi)</li> <li>a) A portion of the dining hall and service counter shall be partitioned off and reserved for women workers in proportion to the number.</li> </ul>

 1. There shall be provided and maintained, sufficient utensils, crockery, furniture and any other equipment's, necessary for the efficien
running of the canteen.
 2. The furniture utensils and other equipment shall be maintained in a clean and hygienic condition.
 b)
1. Suitable clean cloths for the employees serving in the canteen shall be provided and maintained.
 2. A service counter, if provided, shall have top of smooth and impervious material.
 3. Suitable facilities including an adequate supply of hot water shall be provided for the cleaning of utensils and equipment's.
 xiv) The foodstuffs and other items to be served in the cast sensitive provides the orbit with the normal habits of the contract labour.
 xv) The charges for foodstuffs, beverages and any other items served in the canteen shall be based on 'No profit, No loss' and shall be
conspicuously displayed in the canteen.
 xvi) In arriving at the price of food stuffs, and other articles served in the canteen, the following items shall not be taken int
consideration as expenditure namely:-
 a) The rent of land and building.
 b) The depreciation and maintenance charge for the building and equipment's provided for the canteen.
 <ul> <li>c) The cost of purchase, repairs and replacement of equipment's including/unrular, erockery, cuttery and utensils.</li> </ul>
 d) The water charges and other charges incurred for lighting and ventilation.
 e) The interest and amounts spent on the provision and maintenance of equipment's provided for the canteen.
 xvii)Registered accountants and auditors shall audit the accounts pertaining to the canteen once every 12 months.
 10. ANTI-MALARIAL PRECAUTIONS The contractor shall at his own expense, conform to all anti-malarial instructions given to him by the Engineer-in-Charge including the filling-u
of any borrow pits which may have been dug by him.
11. The contractor shall ensure that at the construction site of The Building or other construction work, adequate safety measures are taken to protect The Building workers against any accident etc. The adequate safety measures in conformity with the provisions or Part III of The Buildingand Other Construction W orkers (Regulation of Employment and condition of service) Central Rules 1998 shoul be provided in addition to the safety measures laid down hereunder: In case of any discrepancy, the safety measures as per Part III of The Building and Other Construction W orkers (Regulation of Employment and condition of service) Central Rules 1998 shall supercede.
 12. Notwithstanding the provisions made above, the contractor shall be liable for levy of any penalty in case he fails to meet th requirements of The Building and Other Construction Workers (Regulation of Employment and condition of service) Act, 1996 and Th Building and Other Construction Workers (Regulation of Employment and condition of service)Central Rules 1998.
13. The above rules shall be incorporated in the contracts and in notices invitingtenders and
 shall form an integral part of the contracts.
14. AMENDMENTS
Government/ BSNL may, from time to time, add to or amend these rules and issue directions it may consider necessary for th
purpose of removing any difficulty, which may arise in the administration thereof.
CONTRACTOR'S LABOUR REGULATIONS
1. SHORT TITLE
These regulations may be called the Contractors Labour Regulations.
 2. DEFINITIONS
 i) Workman
means, any person employed by BSNL or its contractor directly or indirectly, through a subcontractor, with or without the knowledge of th
BSNL, to do any skilled, semiskilled or unskilled, manual, supervisory, technical or clerical work, for hire or reward, whether the term
of employment are expressed or implied, but does not nelude any person: -

i a) W ho is employed mainly in a managerial or administrative capacity; or,
b) W ho, being employed in a supervisory capacity draws wages exceeding five hundred rupees per mensem or exercises either the nature of the duties attached to the office or by reason of powers vested in him, functions mainly of managerial nature; or,
c) W ho is an out worker, that is to say, person to whom any article or materials are given out by or on behalf of the principal employe to be made up cleaned, washed, altered, ornamental finished, repaired adopted or otherwise processed for sale for the purpose of the trac or business of the principal employers and the process is to be carried out either in the home of the out worker or in same other premise not being premises under the control and management of the principal employer.
ii) Fair Wages means wages whether for time or piecework fixed and notified under the provision of the Minimum Wages Act from time time.
 <ul> <li>iii) Contractors shall include every person who undertakes to produce a given result other than a mere supply of goods or articles manufacture through contract labour or who supplies contract labour for any work and includes a subcontractor.</li> <li>iv) Wages shall have the same meaning as defined in the Payment of Wages Act.</li> </ul>
 <ul> <li>i) Normally working hours of an adult employee should not exceed 9 hours a day and in case of child 4 ½ hours a day. The working day shabe so arranged that inclusive of interval for rest, if any, it shall not spread over more than 12 hours on any day.</li> <li>ii) When an adult worker is made to work for more than 9 hours on any day or for more than 48 hours in any week he shall be paid ov time for the extra hours put in by him at double the ordinary rate of wages. Children shall not be made to work extra hours.</li> </ul>
iii) a) Every worker shall be given a weekly holiday normally on a Sunday, in accordance with the provisions of Minimum W age (Central) Rules 1960, as amended from time to time, irrespective of whether such worker is governed by the Minimum Wages Act or no
<ul> <li>b) Where the minimum wages prescribed by the Government, under the Minimum Wages Act, are not inclusive of the wages for the weekly day of rest, the worker shall be entitled to rest day wages, at the rate applicable to the next preceding day, provided he has worker under the same contractor for a continuous period of not less than 6 days.</li> <li>c) Where a contractor is permitted by the Engineer-in-Charge to allow a worker to work on a normal weekly holiday, he shall grant</li> </ul>
 substituted holiday to him for the whole day, on one of the five days, immediately before or after the normal weekly holiday, at pay wages to such worker for the work performed on the normal weekly holidayat the overtime rate. 4. DISPLAY OF NOTICE REGARDING WAGES ETC.
 The contractor shall, before he commences his work on contract, display and correctly maintain and continue to display and correct maintain, in a clear and legible condition in conspicuous places on the work, notices in English and in local Indian languages spoken by the majority of the workers, giving the minimum rates of the wages fixed under Minimum Wages. Act, the actual wages being paid, the hous of work for which such wage are earned, wages periods, dates of payments of wages and other relevant information as per
 Appendix 'III'. 5. PAYMENT OF WAGES.
 i) The contractor shall fix wage periods in respect of which wages shall be payable.
 <ul> <li>ii) No wage period shall exceed one month.</li> <li>iii) The wages of every person employed as contract labour in an establishment or by a contractor, where less than one thousand success persons are employed, shall be paid before the expiry of seventh day and in other cases before the expiry of tenth day after the last day of the wage period in respect of which the wages are payable.</li> </ul>
iv) Where the employment of any worker is terminated by or on behalf of the contractor the wages earned by him shall be paid before the expiry of the second working day from the date on which his employment is terminated.
 v) All payment of wages shall be made on a working day at the work premises and during the working time and on a date notified in advance and in case the work is completed before the expiry of the wage period, final payment shall be made within 48 hours of the last working day.
 <ul> <li>vi) Wages due to every worker shall be paid to him direct or to other person authorised by him in this behalf.</li> <li>vii) All wages shall be paid in current coin or currency or in both.</li> </ul>
 <ul> <li>viii) Wages shall be paid without any deductions of any kind except those specified by the Central Government by general or special order this behalf or permissible under the Payment of W ages Act 1956.</li> <li>ix) A notice showing the wages period and the place and time of disbursement of wages shall be displayed at the place of work and copy sent by the contractor to the Engineer-in-Charge under acknowledgement.</li> </ul>
 x) It shall be the duty of the contractor to ensure the disbursement of wages in presence of the Junior Engineer or any other authorise representative of the Engineer-in- Charge who will be required to be present at the place and time of the disbursement of wages by the contractor to workmen.
xi) The contractor shall obtain from the Junior Engineer or any other authorised representative of the Engineer-in-Charge, as the cas may be, a certificate under his signature at the end of the entries in the "Register of W ages" or the "Wage-cum-Muster Roll", as the cas may be, in the following form: -
 "Certified that the amount shown in the column Nohas been paid to the workman concerned in my presence onat
 6. FINES AND DEDUCTIONS WHICH MAY BE MADE FROM WAGES
 <ul> <li>(i) The wages of a worker shall be paid to him without any deduction of any kind except the following:-</li> <li>(a) Fines</li> <li>(b) Deductions for absence from duty i.e. from the place or the places where by the terms of his employment he is required to work. The place of the pl</li></ul>
 amount of deduction shall be in proportion to the period for which he was absent. (c) Deductions for damage to or loss of goods expressly entrusted to the employed person for custody, or for loss of money or at
 other deductions which he is required to account, where such damage or loss is directly attributable to his neglect or default. (d) Deduction for recovery of advances or for adjustment of overpayment of wages, advances granted shall be entered in a register.
 <ul> <li>(e) Any other deduction, which the Central Government may from time to time, allows.</li> <li>(ii) No fines should be imposed on any worker save in respect of such acts and omissions on his part as have been approved of by the Chi Labour Commissioner.</li> </ul>
 Note:- An approved list of Acts and Omission for which fines can be imposed is enclosed at Appendix-X. (iii) No fine shall be imposed on a worker and no deduction for damage or loss shall be made from his wages until the worker has been
 given an opportunity of showing cause against such fines or deductions. (iv) The total amount of fine, which may be imposed, in any one-wage period, on a worker, shall not exceed an amount equal to three paise in rupee of the total wages, payable to him in respect of that wage period.
<ul> <li>(v) No fine imposed on any worker shall be recovered from him by instalment, or after the expiry of sixty days from the date on which it was imposed.</li> </ul>
 (vi) Every fine shall be deemed to have been imposed on the day of the act or omission in respect of which it was imposed.
 <ul> <li>7. LABOUR RECORDS         <ul> <li>(i) The contractor shall maintain a Register of Persons employed on work on contract in Form XIII of the CL (R&amp;A) Central Rules 19 (Appendix IV)</li> </ul> </li> </ul>
 <ul> <li>(ii) The contractor shall maintain a Muster Roll register in respect of all workmenregister in respect of all workmen employed by h on the work under Contract in Form XVI of the CL (R&amp;A) Rules 1971 (Appendix V)</li> </ul>
(iii) The contractor shall maintain a Wage Register in respect of all workmen employed by him on the work under contract in Form XVII the CL (R&A) Rules 1971 (Appendix VI)

 (iv) Register of accident –
The contractor shall maintain a register of accidents in such form as may be convenient at the work place but the same shall include t
 followingparticul ars: a) Full Particulars of the labourers who met with accident.
 b) Rate of wages.
c) sex
d) Age
 e) Nature of accident and cause of accident
 f) Time and date of accident
 g) Date and time when admitted in hospital     h) Date of discharge from the hospital
 i) Period of treatment and result of treatment
 <ul> <li>i) Percentage of loss of earning capacity and disabilityas assessed by Medical Officer.</li> </ul>
k) Claim required to be paid under Workmen's Compensation Act.
1) Date of payment of compensation
 m) Amount paid with details of the person to whom the same was paid
 n) Authority by whom the compensation was assessed
 o) Remarks.
v) The contractor shall maintain a Register of Fines in the Form XII of the CL (R&A) Rules 1971 (Appendix XI) The contractor shall display in a good condition and in a conscious place of work the approved list of east and emission for which fines can be imposed.
display in a good condition and in a conspicuous place of work the approved list of acts and omission for which fines can be impos (Appendix X)
<ul> <li>(Appendix X)</li> <li>v) The contractor shall maintain a Register of deductions for damage or loss in Form XX of the CL (R&amp;A) Rules 1971 (Appendix XII).</li> </ul>
vii) The contractor shall maintain a Register of Advances in Form XXIII of the CL (R&A) Rules 1971 (Appendix-XIII).
i) The contractor shall maintain a Register of Overtime in Form XXIII of the CL (R&A) Rules 1971 (Appendix-XIV).
 8. ATTENDANCE CARD-CUM WAGE SLIP
i) The contractor shall issue an Attendance card cum wage slip to each workman employed by him in the specimen form at (Append
 VII).
 ii) The card shall be valid for each wage period. iii) The contractor shall mark the attendance of each workman on the card twice each day,once at the commencement of the day a
again after the rest interval, before he actually starts work.
 iv) The card shall remain in possession of the worker during the wage period under reference.
v) The contractor shall complete the wage slip portion on the reverse of the card at least a day prior to the disbursement of wages
 respect of the wage period under reference.
 vi) The contractor shall obtain the signature or thumb impression of the worker on the wage slip at the time of disbursement of wages a
 retain the card with him.
 9. EMPLOYMENT CARD
The contractor shall issue an Employment Card in the Form XIV of CL (R&A) Central Rules 1971 to each worker within three days the employment of the worker (Appendix VIII)
 the employment of the worker (Appendix-VIII). 10. SERVICE CERTIFICATE
 On termination of employment for any reason whatsoever the contractor shall issue to the workmanwhose services have been terminated,
Service Certificate in the Form XV of the CL (R&A) Central Rules 1971 (Appendi x-IX).
11. PRESERVATION OF LABOUR RECORDS
All records required to be maintained under Regulations Nos. 6 &7 shall be preserved in original for a period of three years from the date
last entries made in them and shall be made available for inspection by the Engineer-in-Charge or Labour Officer or any other office
 authorised by the Ministry of Communication in this behalf.
 12. POWER OF LABOUR OFFICER TO MAKE INVESTIGATIONS OR ENQUIRY The labour officer or any person authorised by the Central Government on their behalf shall have power to make enquiries with a view
ascertaining and enforcing due and proper observance of Fair Wage Clauses and provisions of these Regulations. He shall investigate into a
complaint regarding the default made by the contractor or subcontractor in regard to such provision.
 13. REPORT OF LABOUR OFFICER
The Labour Officer or other persons authorised as aforesaid shall submit a report of result of his investigation or enquiry to the Executi
Engineer concerned indicating the extent, if any, to which the default has been committed with a note that necessary deductions from t
contractor's bill be made and the wages and other dues be paid to the labourers concerned. In case an appeal is made by t
contractor under Clause 13 of these regulations, actual payment to labourers will be made by the Executive Engineer after t
 SuperintendingEngineer has given his decision on such appeal.
<ul> <li>i) The Executive Engineer shall arrange payments to the labour concerned within 45 days from the receipt of the report from t Labour Officer or the Superintending Engineer as the case may be.</li> </ul>
14. APPEAL AGAINST THE DECISION OF LABOUR OFFICER
Any person aggrieved by the decision and recommendations of the Labour Officer or other person so authorised may appeal against su
decision to the Superintending Engineer concerned within 30 days from the date of decision, forwarding simultaneously a copy of his appertise to the Executive Engineer concerned but subject to such appeal, the decision of the officer shall be final and bindingupon the contractor.
 15. PROHIBITION REGARDING REPRESENTATION THROUGH LAWYER
 <ul> <li>i) A workman shall be entitled to be represented in any investigation or inquiry under these regulations by: -</li> <li>a) An officer of a registered trade union of which he is a member.</li> </ul>
 <ul> <li>a) An officer of a registered trade union of which he is a member.</li> <li>b) An officer of a federation of trade unions to which the trade union referred to in Clause (a) is affiliated.</li> </ul>
 c) Where the employer is not a member of any registered trade union, by an officer of a registered trade union, connected with t
industry in which the worker is employed or by any other workman employed in the industry in which the worker is employed.
 ii) An employer shall be entitled to be represented in any investigation or inquiry under these regulations by:-
 a) An officer of an association of employers of which he is a member.
 b) An officer of a federation of associations of employers to which association referred to in Cl ause (a) is affiliated.
c) Where the employer is not a member of any association of employers, by an officer of association of employer connected with t
industry, in which the employer is engaged or by any other employer, engaged in the industry in which the employer is engaged.
 iii) No party shall be entitled to be represented by a legal practitioner in any investigation inquiry under these regulations.
 16. INSPECTION OF BOOKS AND SLIPS
 The contractor shall allow inspection of all the prescribed labour records to any of his workers or to his agent at a convenient time a
 place after due notice is received or to the Labour Officer or any other person, authorised by the Central Government on his behalf.
 17. SUBMISSION OF RETURNS
 The contractor shall submit periodical returns as may be specified from time to time.
18. AMENDMENTS
 The Central Government/ BSNL may from time to time add to or amend the regulations and on any question as to t

### **REGISTER OF MATERNITY BENEFITS (Clause 19F)**

Name and address of the contractor

Name and Location of the work

Name of Employee	Father's/	Nature of	Period of	Date on
	Husband's	Employee	Actual	which notice
	Name		Confinement	of Given
1	2	3	4	5
L	1		1	

Date on Which Maternity leave commenced and ended						
Date of Delivery /	Date of Delivery / In Case of Deliver			In Case of Miscarrige		
Miscarriage	Commended	Ended	Commended	Ended		

Leav	Remarks			
In case De	elivery	In case of	Miscarriage	

#### SPECIMEN FORM OF THE REGISTER, REGARDING MATERNITY BENEFIT ADMISSIBLE TO THE CONTRACTOR'S LABOUR IN DEPARTMENT OF TELECOM/ BSNL

Name and address of the contractor\_\_\_\_\_

Name and location of the work

- 1. Name of the woman and her husband's name.
- 2. Designation
- 3. Date of appointment.
- 4. Date with months and years in which she is employed.
- 5. Date of discharge / dismissal, if any.
- 6. Date of production of certificates in respect of pregnancy.
- 7. Date on which the woman informs about the expected delivery.
- 8. Date of delivery / miscarriage / death.
- 9. Date of production of certificates in respect of delivery / miscarriage.
- 10. Date with the amount of maternity/ death benefit paid in advance of expected delivery.
- 11. Date with amount of subsequent payment of maternity benefit.

12. Name of the person nominated by the woman to receive the payment of the maternity benefit after her death.

13. If the woman dies, the date of death, the name of the person to whom maternity

benefit amount was paid, the month thereof and the date of payment.

- 14. Signature of the contractor for authenticating entries in the register.
- 15. Remarks column for the use of inspecting officer.

## Appendix'III' LABOUR BOARD

Name of work:

Name of Contractor:\_\_\_\_\_

Address of Contractor:\_\_\_\_\_

Name and address of BSNL Division:

Name of BSNL Labour Officer :\_\_\_\_\_

Address of BSNL Labour Officer:\_\_\_\_\_

Name of Labour Enforcement Officer:

Address of Labour Enforcement Officer:

SI. No.	e allegel j	Actual wage paid	No. of Present	Remarks

W eekly holiday	
W age period	
Date of payment of W ages	
W orking hours	
Rest interval	

#### Form-XIII (See Rule 75) Register of Workmen Employed by contractor

Name and address of contractor

Name and address of establishment under which contract is carried

on

Nature and location of Work\_\_\_\_\_

SI. No.	Name of Worker		Age and Sex		Father/Husband Name		Nature of employment/	designation	anent	agress of the workman	Local Adress		Date of commencement of Employment	ignature or thump impression the		Date Termination of employment		Reasons for termination		Remarks	
	1	2		3		4		5			6	7	8		9		10		11		12

#### Form-XVI (See Rule 78(2)(a) Muster Roll

Name and address of the contractor

Name and address of establishment under which contract is carried

on BSNL, ELEC. DIVISION, AJMER

Nature and location of work\_\_\_\_

Name and address of Principal Employer\_\_\_\_\_

For the month of fortnight

SI. No.	Name of Worker	Age and Sex	Father/ Husban d Name			Dates			Remark s
					Į	5			6
1	2	3	4	1	2	3	4	5	-

#### Appendix'VI'

# Form –XVII (See Rule 78(2)(a)) Register of Wages

Name and address of the contractor\_\_\_\_\_

Name and address of establishment under which

Contract is carried on

Nature and location of work\_\_\_\_\_

Name and address of Principal Employer

Wages period\_\_\_\_\_ Monthly/fortnightly

SI. No.		Name of Worker		Serial No. in register of	workerman	Designation	nature of work done		No. of days worked		Units of work done		wage / price rate		Basic Wages	
	1		2		3			4		5		6		7		8

Dearance allowances	Overtime	Other cash bayment (Indicate nature)	Total	Deductions if any, (indicate nature)	Net amount paid	Signature or thump impression of the workman	intial of contractor or his representative
(	9 10	) 11	12	13	14	15	16

(Observe) Wage Card No.

Wage Card

Name and address of the contractor\_\_\_\_\_ Date of issue\_\_\_\_\_

Name and location of work Designation

Name of Workman Month/fortnight

Rate of Wages

ime															D	ATE															
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
Morning																															
Evening																															
Initial																															
F	Rate																		Amour	nt											

Received from

the sum of Rs.

On account of

my wages.

Signature

Appendix'VII' (Reverse)

Form-XIX (See rule 78(2)(b))

## Wages Slip

Name and address of the contractor

Name and Father's/Husband's name of workman

Nature and location of work

For the W eek/Fortnight/Month ending

- 1. No. of days worked
- 2. No. of units worked in case of piece rate workers
- 3. Rate of daily wages/piece rate
- 4. Amount of overtime wages
- 5. Gross wages payable
- 6. Deduction, if any\_\_\_\_\_
- 7. Net amount of wages paid\_\_\_\_\_

Initials of the Contractors or his representative

Appendix'VIII'

#### Form-XIV (See rule 76)

### **Employment Card**

Name and address of the contractor

Name and address of establishment under which contract is carried

on

Nature of work and location of work\_\_\_\_\_

Name and address of Principal Employer\_\_\_\_\_

- 1. Name of Workman
- 2. Sl No. in the register of workman employed\_\_\_\_\_
- 3. Nature of employment/designation\_\_\_
- 4. Wage rate (with particulars of unit in case of piece work)
- 5. Wages period\_\_\_\_
- 6. Tenure of employment
- 7. Remarks

JMER

Signature of contractor

#### Appendix'IX' Form-XV (See Rule 77) Service Certificate

Name and address of the contractor

Nature and location of work

Name and Address of workman

Age or date of birth

Identification marks

Father's/Husband's name

Name and address of establishment in/under which contract is carried

on\_

Sl. No.	Fotal period for which employed		Nature of Work Done	Rate of Wage (With particulars of	Remarks
	From	То		Rá P	
1	2	3	4	5	6

#### Appendix'X'

#### LIST OF ACTS AND OMISSIONS FOR WHICH

In accordance with rule 7 (v) of the DOT Contractors Labour Regulations to be displayed prominently at the site of work both in English and local Language.

1. Wilful insubordination or disobedience, whether along or in combination with other.

2. Theft fraud or dishonestly in connection with the contractors beside a business or property of DOT.

3. Taking or giving bribes or any illegal gratifications.

4. Habitual late attendance.

5. Drunkenness fighting, riotous or disorderly or indifferent behavior.

6. Habitual negligence.

7. Smoking near or around the area where combustible or other materials are locked.

8. Habitual indiscipline.

9. Causing damage to work in the progress or to property of the DOT or of the contractor.

10. Sleeping on duty.

11. Malingering or showing down work.

12. Giving of false information regarding name and father's name etc.

13. Habitual loss of wage cards supplied by the employers.

14. Unauthorized use of employer's property of manufacturing or making of unauthorized articles at the work place.

15. Bad workmanship in construction and maintenance by skilled workers which is not approved by the Department and for which the contractors are compelled to undertake rectification.

16. Making false complaints and/or misleading statements.

17. Engaging on trade within the premises of the establishment.

18. Any unauthorized divulgence of business affairs of the employees.

19. Collection or canvassing for the collection of any money within the premises of an establishment unless authorized by the employer.

20. Holding meeting inside the premises without previous sanction of the employers.

21. Threatening or intimidating any workman or employer during the working hours within the premises.

## Form-XII (See Rule 78(2)(d)) Register of Fines

Name and address of the contractors

Name and address of establishment under which contract is carried on

Nature and location of work

SI. No.	Name of Worker	Father/HusbandName	Designation/ nature of employment	Act / Omission for which fine imposed	Date of offence	Whether workman showed cause against fine	Vame of person in whose presennce employees explanation was heard	Wage period and wages payable	Amount of fine imposed	Date on which fine realized	Remarks
1	2	3	4	5	6	7	8	9	10	11	12
	_										
	-		1								

Appendix'XII'

## Form-XX(See Rule 78(2)(d)) Register of Deduction for Damage or Loss

Name and address of the contractors

Name and address of establishment under which contract is carried

on

Nature and location of work

SI. No.	Name of Worker	Father/Husband Name	Designation/ nature of employment	Particulars of damage or loss	Date of damage of loss	Whether workman showed cause against fine	Jame of person in whose presennce employees explanation was heard	Amount deduction imposed	No. of installment	Oale of	iecover,	Remarks
										lst Inst.	2nd inst.	
1	2	3	4	5	6	7	8	9	10	11	12	13

## Form-XXII (See Rule 78(2)(d) Register of Advances

Name and address of the contractors

Name and address of establishment under which contract is carried

on

Nature and location of work

SI. No.	Name of Worker	Father/Husband Name	Designation/ nature of employment	Wage period and wage payable	Date and amount of advance given	Purpose (s) for which advance made	No. of installments by which advance to be repaid	Date on which last installments was repaid	Date on which fine realized	Remarks
1	2	3	4	5	6	7	8	9	10	11

Appendix'XIV'

## Form-XXIII (See Rule 78(2)(e)) Register of Overtime

Name and address of the contractors

Name and address of establishment under which contract is carried

on

Nature and location of work

SI. No.	Name of Worker	Father/Husband Name	Designation/ nature of employment	Sex	Date on which overtime worked	Total overtime worked or production in case	Normal rate of wage	Overtime rate of wages	Overtime earings	Rate on which overtime wages paid	Remarks
1	2	3	4	5	6	7	8	9	10	11	12

#### PROFORMA OF SCHEDULES

( Operative Schedules to be supplied separately to each of the intending tenderer)

#### Clause 10 i) SCHEDULE "B"

Schedule of Materials to be issued to the contractor

S. No.	Description of		Rates in figures & words at which the	
1	2	3	4	5

#### SCHEDULE "F"

	Reference to General Con		
	Name of Work		
	Estimated cost of Work		
	Earnest Money	( 20 (	
	from Scheduled B ank	( 3% of the ten	ndered value in the form of BG/CDR/FDR/DD
		Rs.	
		(Rupees	only)
	Security Deposit :	bill shall be a amount to	b performance guarantee stated above, a sum @ 10% of the gross amount of the deducted from each running bill of the contractor till the sum deducted will security deposit of 3% of the Tendered value of the work(Rupeesonly)
	GENERAL RULES AN	D DIRECTION	NS
	Officers inviting tender		
	C	Exe	ecutive Engineer (E)/SDE (E) BSNL Electrical Division/SubDivision
2(v)	Engineer-in charge		• (, (,
		Exe	ecutive Engineer (E)/SDE (E) BSNL Electrical Division/SubDivision
2(vi)	Accepting Authority	EE	E (E)/SE(E)/PCE in their competancy
2 (x)	Clause 5		for to $=10\%$ Cover all overheads and profit
	i) Time allowed for execution	of work. =	
	<b>Clause 12</b> 12.2(iii) Schedule of rates for for additional, altered or s that cannot be determined	determining the r substituted iten l under 12.2. (i)	ns ) and (ii). = DSR 2007
	12.2(iii) Plus/ minus the % ov	er the rate entere	ea in the schedule of rates.

Clause 25 Competent authority for conciliation

SE (E) not in charge of the work.