

# **NOTICE INVITING e-TENDER**

## NIT No. 99/EEC/BSNL /JP/2023-24

NAME OF WORK: Provision of aluminiumn work for making new chambers and conference hall at 1st floor, Admin. Building at Jhalana Doongri, Jaipur.

CERTIFIED THAT THIS E-TENDER CONTAINS PAGES FROM 1 To 50 AND NO PAGE IS MISSING OR TORN.

Executive Engineer (Civil)

BSNL Civil Division

Jaipur.

Tenderer 1 of 50 EE(C)

NAME OF WORK:- Provision of aluminiumn work for making new chambers and conference hall at 1st floor, Admin. Building at Jhalana Doongri, Jaipur.

# **INDEX**

S.	Descriptions	Page No.
No.	1	S
1	Information and instructions for bidders for e-	3
	tendering	
2	Notice (for press) for inviting e-tender	4
3	Notice (for web site)/ BSNL W 6 for e-tendering	5-10
4	BSNL W-8	11-12
5	Schedule A to F	13-16
6	Proforma for agreement	17-21
7	Form of Performance Security Bank Guarantee	22-23
	Bond	
8	General Instructions	24
9	Conditions and Specifications	25-29
10	Additional Specifications and Particular	30-36
	Specifications	
11	Specific Conditions & Specifications	37-38
12	Bid Security declaration form	39
13	List of preferred brands to be used	40
14	Undertaking by contractor for non-employment	41
	of near relative in BSNL	
15	Schedule of quantities for civil work	42-50

### INFORMATION AND INSTRUCTIONS FOR BIDDERS FOR e-TENDERING

- 1. The intending bidder must read the terms and conditions of BSNL-6 carefully. He should only submit his bid if he considers himself eligible and he is in possession of all the documents required.
- 2. Information instructions for bidders posted www.etenders.gov.in/eprocure/app shall form part of bid document. If not registered, the bidders can enroll themselves on the website http://eprocure.gov.in by clicking the option "eprocure - On line Bidder Enrollment". Possession of a Valid Class III Digital Signature Certificate (DSC) in the form of smart card/e-token in the Company's name is a prerequisite for registration and participating in the bid submission activities through this web site. Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the web site http://eprocure.gov.in under the link "eprocure- -Information about DSC".
- 3. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website www.eprocure.gov.in
- 4. The bid can only be submitted after uploading the mandatory scanned documents such as Demand Draft or Pay order or Banker's Cheque or Deposit at call Receipt or Fixed deposit receipts/ Bank Transaction Details with UTR Number towards cost of bid document and EMD in favour of Accounts Officer (Cash), O/o CGMT, BSNL JAIPUR or online payment as per details of account on page 6 & 7 of this NIT.
- 5. Those contractors not registered on the website mentioned above, are required to get registered beforehand.
- 6. The intending bidder must have valid class-III digital signature to submit the bid.
- 7. On opening date, the contractor can login and see the bid opening process. After opening of bids he will receive the competitor bid sheets.
- 8. Contractor can upload documents in the form of JPG format and PDF format.
- 9. Contractor must ensure to quote rate of each item. Therefore, if a cell is left blank and no rate is quoted by the bidder, rate of such item shall be treated as "0" (ZERO)".
- 10. Conditional tender shall be rejected.
- 11. SC/ST contractors enlisted under class-V category are exempted from processing fee payable.
- 12. The department reserves the right to reject any prospective application without assigning any reason and to restrict the list of qualified contractors to any number deemed suitable by it, if too many bids are received satisfying the laid down criteria.
- 13. The intending bidder shall have to associate an Electrical agency of respective class for execution of Electrical component.

### List of Documents to be scanned and uploaded within the period of bid submission:

- 1. Demand draft/Pay order or Banker's Cheque/Deposit at Call Receipt/FDR/ Bank Transaction Details with UTR Number against EMD.
- 2. Demand draft/Pay order or Banker's Cheque / Bank Transaction Details with UTR Number of any Scheduled Bank towards cost of Bid document.
- 3. Valid Enlistment order.
- 4. Certificates of Work Experience (If applicable for B S N L & Non B S N L registered
- 5. GSTIN Registration certificate issued by the competent authority, Employee Provident Fund Registration No./ Undertaking for obtaining EPF registration number from EPF authority.
- **6.** Near relative certificate as stipulated in Notice Inviting Tender.
- 7. Any other documents as specified in the press notice8. Partnership deed if any.
- **9.** Affidavit in compliance with Para 1.3.7 (If required).

**Executive Engineer (Civil) BSNL Civil Division** Jaipur.

Tenderer 3 of 50 EE(C)

## **BHARAT SANCHAR NIGAM LIMITED**

# (A Govt. of India Enterprise) PRESS NOTICE INVITING E-TENDER

The Executive Engineer(Civil), BSNL Civil Division, Jaipur on behalf of Bharat Sanchar Nigam Limited invites item rate e-tender for the following works:-

NIT No. 99/EEC/BSNL /JP/2023-24

Name of work :- Provision of aluminiumn work for making new chambers and conference hall at 1st floor, Admin. Building at Jhalana Doongri, Jaipur.

Estimated Cost : - Rs. 12,28,417.00 Earnest Money :- Rs. 24,568.00

Period of Completion: - Two Months.

Last Time and Date of Submission of e-tender: - 15:00 Hrs. on 03.01.2024

The e-tender forms and other details can be obtained from the website www.etenders.gov.in/eprocure/app and www.rajasthan.bsnl.co.in

**Executive Engineer (Civil)** 

### **BHARAT SANCHAR NIGAM LIMITED**

(A GOVERNMENT OF INDIA ENTERPRISE)

BSNL-6 FOR e-TENDERING

### NIT No. 99/EEC/BSNL /JP/2023-24

Dated:- 27.12.2023

1.1 Item rate E-tenders on single bid system are invited on behalf of BHARAT SANCHAR NIGAM LIMITED from approved and Enlisted eligible contractors in appropriate class as per usual terms and conditions applicable to them from time to time or the eligible contractors from the approved class of BSNL, DOT (Civil Wing), DOP (Civil Wing), CPWD, MES, Rajasthan state PWD (B&R) and central / State Government undertakings & specialised agency which are eligible for tendering in appropriate class as per usual terms and conditions applicable to them from time to time for the work of "Provision of aluminiumn work for making new chambers and conference hall at 1st floor, Admin. Building at Jhalana Doongri, Jaipur."

The work is estimated to Cost Rs. 12,28,417.00

- 1.2 Tenders/Bidders will be founds eligible bidders if they will provided the off line following documents (as Technical bid) as well as on line submitted to their valid enlistment, GSTIN registration & EPF registration, Tender cost, Earnest money, undertaking for No Near relative working in BSNL, Certificates of experience / List of similar works as per Para no.1.3.6 of this NIT( If applicable), affidavit with the appropriate authorities subject to the following relaxations:-
- 1.3 In case "Any of the contractor is not already having registration with EPF authority, then after opening of financial bid such contractor/ agency shall apply for EPF registration number to EPF registration authority but he will given an undertaking along with these documents.
- **1.3.1** A self attested copy of such application shall be submitted by him/ them within 15 days of issue of acceptance of Bid by BSNL.
- 1.3.2 In case of failure on part of agency to furnish the proof of submission of application for obtaining EPF registration number within 15 days of date of issue of acceptance letter, the full amount of EMD submitted by him/them along with the tender shall stand forfeited in favour of BSNL and no claim whatsoever shall be entertained in the matter.
- **1.3.3** Ist R.A. Bill shall be made only after submission of EPF registration certificate.
- 1.3.4 Any financial & legal consequences arising due to non-submission of proof of application or detail of registration certificate with EPF authorities at appropriate time mentioned above, shall be borne by the agency and no claim whatsoever shall rest with BSNL. An undertaking shall be submitted by the intending tenderer/bidder in this regard as a token & acceptance of conditions mentioned above regarding EPF registration.
- **1.3.5** Criteria of eligibility for submission of tender documents for Non-BSNL registered contractors of Public Works Organizations like CPWD, State PWD (B&R), DOP, MES & Railways.
- 1.3.6 Criteria of eligibility for issue of tender documents for non BSNL registered contractors For works upto Rs 7 Lakhs- Nil
  - For works above Rs 7 Lakhs & upto Rs 5 Cr and all specialized works irrespective its cost, The applicant should have completed similar works as per details below during the last seven years ending last day of the month previous to the one in which the tenders are invited:-
  - a) Three similar works\* each of value not less than (40%) OR
  - b) Two similar works\* each of value not less than (50%) OR
  - c) One similar work\* of value not less than (80%)

For the purpose of this clause 'Similar work' means "Building with RCC foundation or RCC works, Addition/alteration to buildings, construction of Compound wall, executed for central / State Govt / Public sector undertakings."

### 1.3.7 Special condition for Execution of Environmental works

The above work consists of works i.e. false ceiling, wall panelling & raised flooring and other allied works. Therefore, the **successful tenderer** will have to get the environmental work

Tenderer 5 of 50 EE(C)

executed through a specialized agency, having experience of execution of such type during last seven years ending last day of month previous to one in which the tenders are invited, with the approval of the Engineer in charge. Further for establishing that the said agency is specialized agency, the certificate given to him by the contractors (for whom the said specialized agency had done Environmental Work, tower erection & painting work) will be sufficient to establish that the said Environmental Work, agency is a specialized agency. The contractor shall submit the name of associated specialised agency fulfilling the above condition within 7 days of award of the work.

To become eligible for bidding, the bidder shall have to furnish an affidavit as under:-I/We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/we shall be debarred for tendering in BSNL in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in- Charge shall be free to forfeit the entire amount of Earnest Money Deposit / Performance Guarantee (Scanned copy to be uploaded at the time of submission of bid).

- 1.3.8 It is mandatory for Non-BSNL contractors to upload the work experience certificates and the affidavit for all contractors as per the provisions of clause 1.3.6 &.1.3.7
- 2.0 Agreement shall be drawn with the successful bidder on prescribed Form No. BSNL W-8, which is available as a BSNL Publication / BSNL Web site; <a href="http://civil.ntr.bsnl.co.in">http://civil.ntr.bsnl.co.in</a> Bidders shall quote the item rate on standard schedule rates as per various terms and the said from, which will form part of the agreement.
  - 3.0 The time allowed for carrying out the work will be **Two Months** which will be reckoned from **Seventh day** after the date of issue of letter of award of work, or, from the day of handing over of the site, whichever is later, in accordance with phasing, if any, indicated in the bid document.
- 4.0 The site for the work is available

Bid documents consisting of specifications, the schedule of quantities of the various classes of work to be done and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen on BSNL website: www.etenders.gov.in/eprocure/app and www.rajasthan.bsnl.co.in

- (i) The last date of submission of bid online will be 03.01.2024 up to 15:00 Hrs.
- (ii) The last date of submission of physical bid documents/ **TECHNICAL BID** will be **04.01.2024** up to **15:00** Hrs. and opening of Physical document on the same day at **15:30** Hrs.
- (iii) The date and time for opening of **FINANCIAL BID** (on Line) will be **intimated later**.
- 5.0 After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of bid as notified.
- 6.0 While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times( he need not re-enter rate of all the items) but before last time and date of submission of bid as notified.
- 7.0 When bid are invited in three stage system and if it is desired to submit revised financial bid then it shall be mandatory to submit revised financial bid. If not submitted then the bid submitted earlier shall become invalid.
- 1.0 (A) Tender Cost & EMD shall preferably be submitted through online payment mode in BSNL Current account (collection) as per following Account holder name A.O. Cash, CGMT, BSNL, Jaipur, Address AO (Cash), O/o The CGMT, BSNL, Jaipur Bank account No. 83001010017565 of CANARA Bank, Specialised SME Branch, Jaipur IFSC code CNRB0018300, MICR Code 302015026 , PAN of BSNL AABCB5576G, GSTIN No. 08AABCB5576GLZ1

- B) Original Tender Cost & EMD (If not submitted through e-payment mode), then are required to be submitted by bidder offline in Banker's cheque/deposit at call receipt of a scheduled bank/fixed deposit receipt of a scheduled bank/Demand draft of a Scheduled bank issued in favour of Accounts Officer (Cash), O/o CGMT, BSNL, Jaipur payable at Jaipur, in the O/o Executive Engineer (C), BSNL Civil Division, Jaipur, on any date before or within 5 days of bid submission end date failing which the tender bid (If already opened on basis of scanned copies uploaded in Electronic Envelope No-I i.e. Technical Envelope), shall be rejected.
- 2.0 Earnest money in form of banker cheque / deposit at call receipt of a scheduled bank/ fixed deposit receipt of a scheduled bank/demand draft of a scheduled bank (drawn in favour of Accounts Officer (Cash), O/o CGMT, BSNL Jaipur shall be scanned and uploaded to the e-Tendering website within the period of bid submission and original should be deposited in office of Executive Engineer(C), BSNL Civil Division, Jaipur. When amount of earnest money is more than Rs. 5 lakhs, part of the earnest money is acceptable in the form of bank guarantee also. In such case, minimum 50% of earnest money (but not less than 5 lakhs) or Rs. 25 lakhs, whichever is less, will have to be deposited in the shape prescribed above and balance in shape of Bank guarantee of any scheduled bank which is to be scanned and uploaded by the intending tenderer. Interested contractors who wish to participate in the bid had also to make following payments in the form of demand Draft/Pay order or Banker"s cheque of any scheduled Bank and to be scanned and uploaded to the e-Tendering web site within the period of bid submission.
- (i) Cost of Bid document: Rs. 500/- + 18% GST = Rs. 590/- (Non-refundable) drawn in favour of Accounts Officer (Cash), O/o CGMT, BSNL Jaipur
- (ii) EMD amounting to Rs. 24,568.00 drawn in favour of Accounts Officer (Cash), O/o CGMT, BSNL Jaipur .
- (iii) Demand draft or pay order or Banker's cheque or deposit at Call Receipt or FDR or Bank Transaction Details with UTR Number against EMD, cost of bid documents and cost of bid processing fee shall be placed in single sealed envelope superscripted as "Earnest Money, cost of Bid document in favour of Accounts Officer (Cash), O/o CGMT, BSNL Jaipur.
- (iv) "Cost of Bid" with name of work and due date of opening of the bid also mentioned thereon.

Copy of enlistment order and certificate of work experience and other documents as specified in the press notice shall be scanned and uploaded to the e-Tendering web site within the period of bid submission and certified copy of each shall be deposited in a separate envelope marked as "Other documents".

Both the envelopes shall be placed in another envelop with due mention name of work, date and time of opening of bids and to be submitted in the Office of Executive Engineer (C),BSNL Civil Division, Jaipur on any date before or within 5 days of bid submission end date, failing which the tender bid (If already opened on basis of scanned copies uploaded in Electronic Envelope No-I i.e. (Technical Envelope), shall be rejected. after last date & time of submission of bid..

- (I) Tender Cost (Original in prescribed form as specified in point no- 7 above) (If not submitted through e-payment mode)
- (ii) EMD –Bid Security (Original in prescribed form as specified in point no-8 above) (If not submitted through e-payment mode)

Note- 1. Other than these documents as above (i to ii), no other documents shall to be submitted in Hard Copy in above said envelope .2. Eligibility documents , Techno-Commercial Credential & Technical Bid i.e. e-Envelope-I will be opened on line at the first instance & shall be evaluated by the Committee. After Technical Evaluation of bids , Financial / Price Bid of only eligible tenderer will be opened ( at the time & date notified by BSNL through e- tender site) for further evaluation of financial bids.

The bid submitted shall become invalid and cost of bid & e-Tender processing fee shall not be refunded if:

- (i) The bidder is found ineligible.
- (ii) The bidder does not upload all the documents (including Service tax Registration/EPF Registration) as stipulated in the bid document.

Note: In case the eligibility credentials are not found in order at any stage i.e. before award of work or during execution of the work or after completion of the work, the contractor will be debarred from tendering in BSNL for three years including any other action under the contract or existing law.

- 9. (a) The rates quoted by the agency shall be inclusive of all types of taxes / levies / duty and GST as applicable by the Govt. including labour Cess and nothing extra shall be payable on such account. The Contractor, as service provider, shall be fully responsible for any default in payment of this tax.
- (b) The rates quoted by the agency shall be inclusive of 1 % (one percent) BOCW cess on the work done and shall be recovered from running / final bill as applicable on the building and other Construction workers welfare Cess Act, 1996 due to introduction of "The Building and other Construction Works Regulation of Employment and Conditions of Service Act 1996".
- (c) Successful contractor shall comply with the conditions of relevant EPF Act including maintaining, producing and submitting various documents when demanded showing details of employees / labours engaged, duration of their engagement, amount of wages paid to such labours / employees for the relevant period, amount of EPF contribution (both employees / labours' contribution) for the duration of engagement and proof of payment of the same to concerned EPF authority. Contractor will have to obtain EPF clearance from the concerned EPF authority before payment of final bill.
- 10. Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general, shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials tools & plants, water, electricity, access facilities for workers and on all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of tender by a tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the BSNL and local conditions and other factors having a bearing on the execution of the work.
- 11. The competent authority on behalf of Bharat Sanchar Nigam Limited does not bind himself to accept the lowest or any other tender, and reserves to himself the authority to reject any or all of the tenders received without the assignment of a reason. All tenders, in which any of the prescribed conditions is not fulfilled or any condition including that of conditional rebate is put forth by the renderer, shall be summarily rejected.
- 12. Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.
- 13. The competent authority on behalf of the Bharat Sanchar Nigam Limited reserves with himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- 14. The company or firm or any other person shall not be permitted to tender for works in BSNL Civil Zone in which his near relative (s) (directly recruited or on deputation in BSNL) is/are posted in any capacity either non-executive or executive employee. Near relative (s) for this purpose is/are defined as:
  - (i) Member of Hindu Undivided family (UHF).
  - (ii). They are Husband and Wife.
  - (iii). The one is related to other in the manner as father, mother, son(s) & Son's wife (Daughter-in-law), Daughter(s), Daughter's Husband (Son-in-law), brother(s) wife, sister(s), sister's husband (Brother-in-law).
- 15. The contractor shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relative to any executive employee / gazetted officer in the BSNL or Department of Telecom or in the Ministry of Communications.

All the intending tenderers will have to give a certificate that none of his/her such near relative (s) as defined above is/are working in the concerned BSNL Civil Zone where he is

Any breach of these conditions by the Company or Firm or any other person, the tender/work will be cancelled and Earnest Money/ Security Deposit will be forfeited at any stage, whenever it is so noticed. BSNL will not pay any damages to the company or Firm or the concerned person but damages arising on account of such cancellation to be borne by the contractor. The Company or Firm or the person will also be debarred for further participation in the tender in the concerned BSNL Civil Zone. Further, any breach of this condition by the tenderer would also render him liable to be removed from the approved list of contractors or BSNL. If however the contractor is registered in any other Department he shall also be debarred from tendering in BSNL for any breach of this condition.

- 16. No Engineer of Gazetted rank or other Gazetted Officer employed in engineering or administrative duties in an Engineering Department of the Government of India/State Government or PSU's is allowed to work as a contractor for a period of two years after his retirement from Govt. service, without previous permission of the Govt. of India or BSNL in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Govt. of India/State Government or PSU's as aforesaid before submission of the tender or engagement in the contractor's service.
- 17. The tender for the work shall remain open for acceptance for a period of 30 days from the date of opening of the tenders. If any tenderer withdraws his tender before the said period or issue of letter of acceptance/ intent, whichever is earlier or makes any modifications in the terms and conditions of the tender which are not acceptable to the BSNL, then the BSNL shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid.
- 18. In case of works having estimated cost below Rs.15,00,000/-, the successful tenderer shall be required to execute an agreement with the Engineer-in-charge in the Performa annexed to the tender document, within 15 days of the issue of letter of award by the BSNL. In the event of failure on the part of the successful tenderer to sign the agreement, the earnest money will be forfeited and tender cancelled.
- 19. This Notice Inviting Bid shall form a part of the Contract Document. In accordance with clause 1 of the contract, the letter of acceptance shall be issued first in favour of the successful Tenderer/Contractor. After submission of the performance guarantee, the letter of award shall be issued. The contract shall be deemed to have come into effect on issue of letter of acceptance of the tender. On issue of letter of award, the successful Tenderer/Contractor shall, within 30 days from such date, formally sign the agreement consisting of:
  - a) The Notice Inviting Tender, all the documents including additional conditions, specifications and drawings, if any, forming part of the tender, and, as issued at the time of invitation of tender and acceptance thereof together with any correspondence leading thereto.
  - b) Standard BSNL W-8 as on website: <a href="http://civil.ntr.bsnl.co.in">http://civil.ntr.bsnl.co.in</a> with up to date correction slips.
  - c) Agreement signed on non-judicial stamp paper as per Performa annexed to the tender document.
- 20.0 Payment to the contractors shall be made through e-payment system like ECS & EFT as detailed below:
  - a). In cities/areas where ECS/EFT facility is provided by Banks, the tenderer must have

- Account in such ECS/EFT facility providing Banks and that Bank A/c No shall be quoted in the tender by the tenderer.
- b). The cost of ECS/EFT will be borne by BSNL in all cases where the payment to contractor is made in a local Branch i.e. tenderer is having bank account in the same place from where the payment is made by BSNL unit.
- c). In case payment is made to outside branch i.e. tenderer is having back account not in the same place form where the payment is made by BSNL unit, the crediting cost will have to be borne by the tenderer only.
- d). The payments to contractors will compulsorily be made through ECS/EFT in respect of all contracts.
- 21.0 First running account bill shall be paid only after
  - a). Signing of the Agreement/Contract by both the parties, and
  - b). Progress chart has been prepared as required under Clause 5 and approved by the competent authority.
- 22.0 General conditions of contract for works in BHARAT SANCHAR NIGAM LIMITED are available on website <a href="http://civil.ntr.bsnl.co.in">http://civil.ntr.bsnl.co.in</a> with up to date correction slips as well as in the Divisional Office.
- 23.0 If any terms and conditions under General Rules and Directions are in contravention to terms and conditions as above, the terms and conditions as above shall prevail.
- 24.0 In the event of no rate has been quoted for any item (s) then the rate for such item(s) will be considered as Zero and work will be required to be executed accordingly. It will be presumed that the contractor has included the cost of this/these item(s) in other item(s).
- 25.0. Successful contractor shall comply with the conditions of relevant EPF Act including maintaining, producing and submitting various documents when demanded showing details of employees / labours engaged, duration of their engagement, amount of wages paid to such labours / employees for the relevant period, amount of EPF contribution (both employees / labours' contribution) for the duration of engagement and proof of payment of the same to concerned EPF authority. Contractor will have to obtain EPF clearance from the concerned EPF authority before payment of final bill.

#### 26. List of Documents to be scanned and uploaded within the period of bid submission:

- Demand draft/Pay order or Banker's Cheque/Deposit at Call Receipt/FDR/Bank Transaction Details with UTR Number against EMD.
- Demand draft/Pay order or Banker's Cheque/ Bank Transaction Details with UTR Number of any Scheduled Bank towards cost of Bid document.
- 3. Valid Enlistment order.
- 4. Certificates of Work Experience (If applicable for non registered contractor).
- 5. **GSTIN Registration certificate issued by the competent authority**, Employee Provident Fund Registration No/ Undertaking for obtaining EPF registration number from EPF authority.
- 6. Near relative certificate as stipulated in Notice Inviting Tender.
- 7. Any other documents as specified in the press notice
- 8. Partnership deed if any.
- 9. Affidavit in compliance with Para 1.3.7 (If required).

Signature and Name of Divisional Officer

Executive Engineer (Civil)
BSNL Civil Division, Jaipur

### **BHARAT SANCHAR NIGAM LIMITED**

(A GOVERNMENT OF INDIA ENTERPRISE)

STATE: Rajasthan CIRCLE: BSNL CIVIL CIRCLE, Jaipur ZONE: North Zone, Jaipur DIVISION: BSNL CIVIL DIVISION, Jaipur

# <u>Item Rate e-Tender & Contract for works</u> NIT No. 99/EEC/BSNL /JP/2023-24

NAME OF WORK:- Provision of aluminiumn work for making new chambers and conference hall at lst floor, Admin. Building at Jhalana Doongri, Jaipur.

- 1. Last date of submission of Cost bids on line will be 03.01.2024 up to 15:00 Hrs
- Document which are to be submitted by the bidders to the Executive Engineer, B S N L Civil
   Division, Jaipur, Up to 15:00 Hrs. on 04.01.2024 will be opened in the presence of bidders who
   may be present at 15:30 Hrs. on the same day i.e 04.01.2024
- 3. Financial Bids will be opened (Online) at 11:00 Hrs on date which will be intimated later.

#### **TENDER**

I/We have read and examined notice inviting tender, schedule, A, B, C, D, E & F. specifications applicable, Drawings & Design, General Rules and Directions, Conditions of Contract, Clauses of Contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the Conditions of Contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified by the Bharat Sanchar Nigam Limited for BBNL within the time specified in schedule "F", viz., schedule of quantities and in accordance in all respects with the specifications, designs, drawings and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of the contract and with such materials as are provided for, by and in respect in accordance with, such conditions so far as applicable.

I/We agree to keep the tender open for 30 days from the due date of submission thereof and not to make any modifications in its terms and conditions. If I/We withdraw my/our tender before the said period or issue of letter of acceptance/intent, whichever is earlier, or, makes any modifications in the terms and conditions of the tender which are not acceptable to the BSNL, then the BSNL shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid.

A sum of Rs.24,568.00 has been deposited in prescribed manner as earnest money. If I/We fail to commence the work specified I/We agree that the said Bharat Sanchar Nigam Limited shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely otherwise the said earnest money shall be retained by competent authority on behalf of the Bharat Sanchar Nigam Limited towards Security Deposit to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to therein and carry out such deviations as may be ordered, up to maximum of the percentage mentioned in Schedule "F" and those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.3 of the tender form. I/we agree that this contract is subject to jurisdiction of court at Jaipur only.(Where the NIT/Tender has been issued).

I/We hereby intimate that for receiving payments I/we have an account in \*......Bank with account No\*.....where the ECS/ NEFT facility of e-payment is available.

I/We hereby declare that I/We shall treat the tender documents drawings and other records

Tenderer 11 of 50 EE(C)

connected with the work as secret/confidential documents and shall not communicate information derived there-from to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

I/We agree that should I/We fail to commence the work specified in the above memorandum, an amount equal to

the amount of the earnest money mentioned in the form of invitation of tender shall be absolutely forfeited to the Bharat Sanchar Nigam Limited and the same may at the option of the competent authority on behalf of the Bharat Sanchar Nigam Limited be recovered without prejudice to any right or remedy available in law out of the deposit in so far as the same may extend in terms of the said bond and in the event of deficiency out of any other money due to me/us under this contract or otherwise. The information in respect of works in hand is as per Performa enclosed.

"I/We agree that this contract is subject to jurisdiction of court at Jaipur only." (Where the NIT/ Tender has been issued)

The evaluation and comparison of responsive bids shall be done on the basis of rates quoted to BSNL on the prices offered inclusive of Goods & Service taxes (GST).

Dated	
	() Signature of Contractor
Witness:	Postal Address:-
Address: Occupation:	
ACCEPTANCE	
	by you (Contractor) and as provided in the letters mentioned and on behalf of the BHARAT SANCHAR NIGAM LIMITED for a)
The letters referred to below shall (a) (b)	form part of this contract Agreement
Signature	
Name and Designation	
Dated	For & on behalf of the BHARAT SANCHAR NIGAM LIMITED

		PROFO	RMA C	OF SCHEDULES					
SCHED	_	lule of Quantities- S	chedule of (	Quantities Attached.					
SCHEE									
		be issued to the cor	ntractor			T .			
	Description of Item	Quantity		Rates in figures & words materials will be charg contractor		Place of issue			
1	2 3 4 5								
Nil									
SCHED	OULE "C"								
		ired to the contracto	or						
S. No.	Descri	ption of Item	Hire cha	rges per day	Place of iss	ue			
1	2		3		4				
DELE	 ГЕD								
SCHED	OULE "D"								
Extra S	Schedule for Speci	fic requirements/do	cuments for	the work if any.					
SCHEE	DULE "E"	of Materials, Labou		pecifications are enclosed.					
CLAU	USE 10 C.	NO'	T APPLIC	ABLE					
	onent of Materia Value of Work	ils expressed as pe	rcent of	"X"					
-	onent of Labour ex of Work	xpressed as percent	of Total	"Y"					
-	onent of POL ex of Work	pressed as percent	of Total	"Z"					
SCHEE	OULE "F"		L						
		al Conditions of (							
Name	of Work			luminiumn work for makin at Ist floor, Admin. Buildin	•				
Estima	ated cost of Work	Rs. 1	.2,28,417.00	)-					

Earnest	Money	Rs 24,568.00 has been de money.	posited in prescribed manner as earnest		
Tendere Guarant respect	nance Guarantee (5% of ed value in the form of Bank tee from Schedule Bank in of works with estimated cost tender exceeding Rs. 15.00	Rs(Rupees			
value for put to to 5% of to works	Deposit (10% of tendered or works with estimated cost ender up to Rs. 15.00 Lakhs ) rendered value in respect of with estimated cost put to exceeding Rs. 15.00 Lakhs)	Rs(Rupees	only)		
GENER	RAL RULES AND DIRECTIO	NS			
Officers	inviting tender		EXECUTIVE ENGINEER, BSNL CIVIL DIVISION, Jaipur.		
execute	im percentage for quantity d beyond which rates ar nce with Clause 12.2 & 12.3		100% (Hundred percent)		
Definit	tions		See below		
i	Engineer-in charge		EXECUTIVE ENGINEER, BSNL CIVIL DIVISION, Jaipur		
ii	Accepting Authority		EXECUTIVE ENGINEER, BSNL CIVIL DIVISION, Jaipur		
iii	Percentage on cost of mat all overheads and profit	terials and Labour to cover	10 % (Ten Percent)		
iv	Standard Schedule of Rate	S	CPWD <b>DSR-2021</b> as amended from time to time and MR		
V	Department		BHARAT SANCHAR NIGAM LIMITED (BSNL Civil Division, Jaipur		
vi	Standard BSNL Contract Fo	BSNL W-8 as modified and corrected with up to date correction slips (1 to 5) as on the date of opening of tenders.			
Clause 2	2		1		
Author	ity for fixing compensation und	der Clause 2	Executive Engineer (C), BSNL Civil Circle, Jaipur.		
Wheth	er Clause 2A shall be applicable	2	NO		
Clause3	A		1		
Wheth	er Clause 3A shall be applicable	2	NO		

Clause 5	5	
i)	Time allowed for execution of work.	Two Months
ii)	Authority to give fair and reasonable extension of time for completion of work.	Executive Engineer (C), BSNL Civil Circle, Jaipur.
Clause (	6A	
Whethe	er Clause 6A shall be applicable	NO
Clause 7	7	
paymer collecte	alue of work to be done together with net of advances for materials d, if any, since the last such payment for ligible to interim payment.	Rs. 2,00,000/-( Rupees two lakhs only)
Clause :	10	,
	cement steel to be used in the work shall be procured from:	TMT bars Manufactured by Primary producers e.g. SAIL, VIZAG,TISCO, RINL etc.
Clause :	11	
Specific work.	ation to be followed for execution of	CPWD Specifications 2009 Volume I to II with up to date correction slips shall be followed.
Clause :	12	
12.1.2(i	Schedule of rates for determining the rates for additional, altered or substituted items that cannot be determined under 12.1.2(i) and (ii)	DELETED
12.1.2(i	v) Plus/ minus (+ / -) the % over the rate entered in the schedule of rates.	DELETED
Clause 2	16	1
Compet	ent authority for deciding reduced rates.	Superintending Engineer (C), BSNL Civil Circle, Jaipur.
Clause	25	
Compet	ent authority for conciliation	DELETED

Cla	use 36(i)							
					ff and r	ate of recovery in	case of non-compliance,	
for		be as per Disci	the following table:-					
S. N O.	N qualificatio		Designation (Principal Technical/Technic al representative)	Minim um Experi ence	Num ber	Rate at which recovery shall be ma from the contractor in the event of a fulfilling provision of clause 36 (i)  Figures Words		
1	Graduate Engineer	Civil	Principle Technical Representative OR	NIL	NIL	Rs. 10,000.00 per month	Rupees Ten thousand per month	
2	Diploma Engineer	Civil	Principle Technical Representative	NIL	NIL	Rs. 10,000.00 per month	Rupees Ten thousand per month	
	use 42	applic worke	able on purchase of g	goods/ serv	vices to l	oe used in the wor	ods and services tax as k and other contractual contract shall be payable	
i)	1		_				nen on the basis of Delhi n the date of opening of	
ii)	Variation pe	rmissible	on theoretical quantiti	ies				
a)	Cement for	works wit	h estimated costs put	to tender				
	i) not more	than Rs. !	5 lakhs			3 % minus		
	ii) more tha	n Rs. 5 la	khs			2 % minus		
b)	Steel reinfo diameter, se		and structural steel category.	sections	for each	2 % minus		
Star	Prices to be	considere	d for Escalation and Ro	ecoveries.				
SI. No Material		Star Pric (Rate in	_	nd Words)				
1	For Cei	ment						
2(a)	For Mi	d Steel		Nil				
2(b)		inforcem	ent Steel TMT bars					

EXECUTIVE ENGINEER (C)
BSNL CIVIL DIVISION,
JAIPUR

# PERFORMA FOR AGREEMENT

### (ON NONJUDICIALSTAMP PAPER OF APPROPRIATE VALUE)

CONTRACT	AGREEMENT	FOR TH	E WORK	OF		
					DATED	
Hereinafte or context Nigam Lim	r called the con include its sud ited hereinafte	ntractor (w ccessors ar er called th	which term nd permitte ne BSNL (w	shall unless exc ed assigns) of tl	ofluded by or repugnant to be ne one part and the Bharat unless excluded by or repu other part.	Sanchar
WHEREAS						
as mention General Co Plans, Time	ned, enumerat anditions of th	ed or refe e Contract completion	rred to in c, Special C of jobs, So	the tender inconditions of the	atshould be a luding Press Notice Inviting e Contract, Specifications, Entities and Rates, Agreed Va	Tender, Orawings,
documents nature of t conditions necessary thereto and obtained c documents probable a completion other matt matters inc	and has satisficted surface, structed the quantities, for the execution of the accommos or having any and possible sites, conditions	red himself rata, soil, so nature and on of work odation he nation as to connection uations, de to be carrieds and thing of and ancill	by carefull aubsoil and magnitud k, the mean may require to the matter therewith a dout under gs and prolary thereof	y examination by grounds, the form of the work the sof access to the and has made the sand things, and has considerances or interferent the contract, and the same of affecting the end possible and possible affecting the same of the contract.	of the work specified in the perfore submitting his tender orm and nature of the site of the availability of labour and resite, the supply of power and local and independent enquireferred to or implied in the lered the nature and extent erences to or with the executand has examined and consitible contingencies, and gent execution and completion of	as to the and local materials and water uiries and the tender of all the ation and dered all terally all
contract, S Specification and any state part of this	special Conditions, Drawings, patement of agre	ons of Cor olan, time seed variation	ntract, Sche schedule fo ons with its	edule of Quant r completi0n of enclosures copi	eviting Tender, General condities and rates, General ob work. Letter of Acceptance of es of which are hereto anne included in the expression	ligations, of tender xed form
AND WHER	REAS					
constructio	on of			at	refer note)(Contractor and conveyed vide letter rates stated in the Scho	No
enderer				17 of 50		EE(C)

quantities for the work and accepted by the BSNL (hereinafter called the Schedule of Rates) upon the terms and subject to the conditions of the contract.

#### NOW THIS AGREEMENT WITNESSTH & IT IS HEREBY AGREED AND DECLARED AS FOLLOWS.

- 1. In consideration of the payment to be made to the contract for the work to be executed by him, the contractor hereby convenient with the BSNL that the contractor shall and will duly provide, execute, complete and maintain the said work and shall do and perform all other acts and things in the contract mentioned or described or which are to be implied and there from or may be reasonably necessary for the completion of the said works and at the said times and in the manner and subject to the terms and conditions or stipulations mentioned in the contract, AND
- 2. In consideration of the due provisions execution, completion and maintenance of the said work, the BSNL does hereby agree with the contractor that the BSNL will pay to contractor the respective amounts for the work actually done by him and approved by the BSNL at the Schedule or Rates and such other sum payable to the contractor under provision of the contract, such payment to be made at such time in such manner as prescribed for in the contract.
- 3. It is specifically and distinctly understood and agreed between the BSNL and the contractor that the contractor shall have no right, title or interest in the site made available by the BSNL for execution of the works or in the building, structures or works executed on the said site by the contractor or in the goods, articles, materials, etc. brought on the said site (unless the same specifically belongs to the contractor) and the contractor shall not have or deemed to have any lien whatsoever charge for unpaid bills will not be entitled to assume or retain possession or control of the site or structures and the BSNL shall have an absolute and unfettered right to take full possession of site and to remove the contractor, their servants, agents and materials belonging to the contractor and lying on the site.
- 4. "The contract is subject to the jurisdiction of Court at Jaipur (Rajasthan) only," (Where the

NIT/Tender has been issued)

In Witness whereof the parties here to have hereinto set their respective hands and seals in the day and the year first above written.

Signed and delivered for and on behalf of BSNL	Signature and delivered for and or Behalf of the contractor
(BHARAT SANCHAR NIGAM LIMITED)	(Contractor)
OFFICIAL ADDRESS	
Date	Date
Place	Place

Tenderer 18 of 50 EE(C)

### IN PRESENCE OF TWO WITNESSES **SIGNATURE SIGNATURE** NAME NAME **SIGNATURE SIGNATURE** NAME NAME **For Proprietary Concern** Shri......r/o......carrying on business under the name and style of......at.....at......(Hereinafter called the said Contractor which expression shall unless the context requires otherwise include his heirs, executors, administrators and legal representatives). For Partnership Concern .....a having partnership firm its registered .....(hereinafter called the said Contractor which expression shall unless the context requires otherwise include his heirs, executors, administrators and legal representatives). The partners of the firms are: i) Shri ......, And ii) Shri .....etc..

**For Companies** 

M/s ......a company duly incorporated under the Indian Companies Act, 1956 and having its registered office at ......in the state of ......(hereinafter called the said Contractor which expression shall unless the context requires otherwise include its successors and assign).

EXECUTIVE ENGINEER (C)
BSNL CIVIL DIVISION, JAIPUR

# **RESPECT OF WATER SUPPLY AND SANITARY INSTALLATIONS** WHEREAS THIS agreement is supplementary to the contract. (Herein after called the Contract) dated\_ and made between the GUARANTOR OF THE ONE PART AND the BSNL of the other part, whereby the contractor interalia, undertook to render the work in the said contract recited structurally stable workmanship and use of sound materials. AND WHEREAS THE GUARANTOR agreed to give a guarantee to the effect that the said work will remain structurally stable and guarantee against faulty workmanship, finishing, manufacturing defects of materials and leakages etc. NOW THE GUARANTOR hereby guarantee that work executed by him will remain structurally stable, after the expiry of maintenance period prescribed in the contract for the minimum life of ten years, to be reckoned from the date after the expiry of maintenance period prescribed in the contract. The decision of the Engineer in charge with regard to nature and cause of defects shall be final. During the period of guarantee the guarantor shall make good all defects to the satisfaction of the Engineer in charge calling upon him to rectify the defects, failing which the work shall be got done by the BSNL by some other contractor at the guarantor's cost and risk. The decision of the Engineer in charge as to the cost payable by the Guarantor shall be final and binding. That if the guarantor fails to make good all the defects, commits breach there-under then the guarantor will indemnify the Principal and his successor against all loss, damage cost expense or otherwise which may be incurred by him by reason of any default on the part of the GUARANTOR in performance and observance of this supplementary agreement. As to the amount of loss and/or damage and/or cost incurred by the BSNL the decision of the Engineer in charge will be final and binding on the parties. IN WITNESS WHEREOF those presents have been executed by the obligator\_\_\_\_\_ and\_\_\_\_\_ by for and on behalf of the BHARAT SANCHAR NIGAM LIMITED on the day, month and year first above written. Signed sealed and delivery by OBLIGATOR in presence of: SIGNED FOR AND ON BEHALF OF THE BHARAT SANCHAR NIGAM LIMITED BY \_\_\_\_\_\_in the presence of:

GUARANTEE TO BE EXECUTED BY THE CONTRACTOR FOR REMOVAL OF DEFECTS AFTER COMPLETION IN

		ND TO BE EXE RACE/ TOILET	CUTED BY THE C	ONTRACIC	IK FOR W	VATER PROO	FING IF	KEATIVIEN	II FOR
The	agreement	made this	5	day	of _		two	thousand	d and
GUA			and the BHARAT						e BSNL
of th	ne other part	:).							
WHE	EREAS this ag	greement is su	upplementary to	a contract.	(Herein	after called t	he Cont	ract)	
date	ed	and made	between the G	GUARANTO	OF TH	E ONE PART	AND ti	he BSNL	of the
othe	er part, where	eby the contr	actor interalia, u	ndertook to	render t	the structure	s in the	said con	tractor
of th	ne work in the	e said contrac	t recited comple	tely water a	nd leak p	proof.			
THE	GUARANTO	R hereby gua	rantee that the	water proof	ing treat	tment given	by him	will rend	ler the
Stru	ctures comp	letely leak pr	oof and the mini	mum life o	such wa	ater proofing	treatm	ent shall	be ten
year	s to be recko	ned from the	date after the e	xpiry of ma	intenanc	e period pre	scribed	in the co	ntract.
Prov	ided that th	e guarantor v	will not be respo	onsible for	eakage o	caused by ea	ırthqual	ke or str	uctural
defe	cts. The dec	ision of the Er	ngineer in charge	with regard	d to caus	e of leakage s	shall be	final.	
Duri	ng the perio	d of guarante	e the guarantor	shall make	good all	defects and	in case	of any o	defects
bein	g found rend	ler the struct	ure water proof	to the satis	faction c	of the Engine	er in ch	arge at h	iis cost
and	shall comme	nce the work	for such rectification	ation withir	seven d	ays from the	date of	f issue of	notice
from	n the Enginee	er in charge ca	alling upon him t	o rectify the	e defects	, failing whic	h the w	ork shall	be got
done	e by the BSN	L through sor	ne other contrac	tor at the g	uarantor	s cost and r	isk. The	decision	of the
Engi	neer in charg	ge as to the co	st payable by the	e Guarantor	shall be	final and bin	ding.		
That	if the guara	antor fails to	execute the wa	ter proofing	g, or con	nmits breach	there-	under th	en the
guar	antor will in	demnify the F	Principal and his	successor a	igainst al	ll loss, damag	ge, cost	of exper	ises or
othe	erwise which	may be inc	curred by him b	y reason o	of any o	of any defau	lt on t	he part	of the
	•		and observance o						
			or cost incurred	by the BSN	IL on the	e decision of	the Eng	gineer in	charge
will		oinding on the	•						
IN	WITNESS	WHEREOF	•			executed	•		ligator
	and		by for and	d on behalf	of the BH	IARAT SANCH	IAR NIG	AM LIMI	ΓED on
			above written.					Signed	sealed
and	delivered by	OBLIGATOR i	n presence of:						
				2					
			OF THE BHARAT S	SANCHAR N	IGAM LIN	MITED			
BY_									
	•								
In pr	resence of:1.		2						

### **BANK GUARANTEE BOND**

1.	In cor	sideratio	n of the BHARA	ΓSANCHAR N	IIGAM L	IMITED (h	ereina	fter called	"the BSN	IL") havii	ng agreed
under	the te	erms and	conditions o								
		and									
				inafter called			ment"	) for comp	liance of	f his obl	igation in
			ms and condition		_		- 6 41	D = I-) /I			1 4 11
We			alca ta may t								
вапк)	nereby		ake to pay t			amount	not	exceeding	KS		_(Rupees
			only) on deman	u by the bain	L.						
2. We					(India	sata tha n	ama a	of the Bank	n do hor	oby und	lortako to
_	amour	nt due and	d payable under	this Guarant				of the Bank			
			nt claimed is re								
_			demand made of	-				-			
			rantee. Howev								
			(Rupe								
	_					′	•				
3. We ເ	underta	ke to pay	to the BSNL an	y money so d	lemand	ed notwith	hstand	ling any dis	pute or o	disputes	raised by
			y suit or proce						-	-	-
under t	his pres	sent being	g absolute and u	nequivocal.							
The pay	yment r	nade by ι	is under this bo	nd shall be va	alid disc	harge of c	our lial	oility for pa	yment to	ວ there-ເ	under and
the con			ave no claim ag		-						
4. We											
			n full force and								
_			t it shall continu							-	
_			en fully paid an				_	_		_	
			he terms and co				nt nav	e been full	y and pro	operly ca	arried out
			) accordingly dis				furtha	r agrae wit	h +ha DC	'NII +ha+	the DCNI
			erty without ou								
			and conditions				-		_		
			to time or to p								
			ctor(s) and to f	-	-		-	-		-	
_			relieved from o			-				_	
			r for any forbea								
			tor(s) or by any				-		-	_	-
would,	but for	this provi	sion, have effec	ted or so reli	eving us	S.					
			t be discharged								
7. We					(ind	licate the	nam	e of Bank)	lastly ι	undertak	ce not to
	_		cept with the p					-			
8. This	guaran	tee shall	be valid up to_		un	ess exten	ded o	n demand	by BSNL.	. Notwit	hstanding
			above our								
(Rs		<del> </del>	onl	y) and unless	a clain	n in writin	ng is Ic	odged with	us withi	n Two N	Nonths of
			e extended dat	e of expiry of	t this gu	iarantee, i	all our	' liabilities i	under the	e Guarai	ntee shall
stana a	lischarg	ea.									
Data +L			data of					fo-			
pale th	ie		date of					101			
							/1 or =1*		f D		
							(maic	cate the nar	ne ot gar	IIK)	

<b>AFFIDAVI</b>	Γ
-----------------	---

	ave submitted a											ent	No.
	Dat												
the Div	vision) with a vi uarantee expire	ew to s	eek e	xempt	ion fro	om p	oaymen	nt of	perform				
time at	undertake to keo t My /our own orded date of co	initiative	e up t	:o a pe	eriod c	of							
	also indemnify ment of the ban				ar Niga	am I	Limited	agai	nst any	o losses	arising	out	of non-
(Depon	nent)												
Signatu	ire of Contracto	r											
Note:	The affidavit	is to	be a	given	by t	the	Execut	ants	before	a firs	t class	Mag	gistrate.

# GENERAL INSTRUCTIONS

- The entire work shall in general conform to the C.P.W.D. Specifications for Works 2009
  (Volume I to Volume II) with all correction slips issued up to date as on the date of opening of
  tenders and description in the Schedule of Quantities, additional conditions, special
  conditions, additional specifications, latest relevent Bureau of Indian Standard codes and the
  drawings.
- 2. All the above quoted documents shall be considered complementary to each other. However in case of conflict among the various provisions, the following order of precedence shall be followed.
  - a) Provision in nomenclature of item in schedule of quantities, including drawings, if any mentioned therein.
  - b) Special Conditions.
  - c) Additional Conditions.
  - d) Additional Specifications.
  - e) C.P.W.D. Specifications.
  - f) Latest relevent B.I.S. codes
  - g) Drawings of the work not specifically mentioned in the nomenclature of the item.
  - h) The decision of the Engineer-in charge given in writing based on sound engineering practice and local usage shall be final and binding on the contractor
- 3. Where ever "C.P.W.D. Specification" is referred to in the tender documents, it shall mean "C.P.W.D. Specifications for Works 2009 (Volume I to Volume II) with all up to date correction slips as on the date of opening of tenders".
- 4. Wherever any reference to any Indian Standard Specifications (B.I.S.) occurs in the documents relating to this contract, the same shall be inclusive of all upto date amendments or revisions.
- 5. Where ever "D.S.R." is referred to in the tender documents, it shall mean "C.P.W.D. Delhi Schedule of Rates 2021 with all up to date correction slips as on the date of opening of tenders".
- 6. The work shall be executed and measured as per Metric Dimensions given in the schedule of quantities, drawings etc. (F.P.S. units wherever indicated are for guidance only).

EXECUTIVE ENGINEER,
BSNL CIVIL DIVISION
JAIPUR

### CONDITIONS & SPECIFICATIONS

#### **GENERAL**

The quoted rates for various items in the tenders shall be inclusive of all additional conditions and particular specifications and for adherence to all these conditions and specifications, no extra payment shall be made to the contractor. Any infringement and/or breach of these specification(s) and condition(s) etc. shall render the contractor liable to action(s) under various clauses of the contract and such action stipulated in conditions therein.

### "A" ADDITIONAL CONDITIONS

- 1. The contractor shall maintain safe custody of materials bought to the site. The Contractor shall also employ necessary watch and ward establishment for the work and other purposes as required at his own cost.
- 2. For Cement and Steel and other materials, as prescribed, the quantities brought at site shall be entered in the respective material at site accounts and shall be treated as issued for maintenance of daily consumption.
- 3. The procurement of Cement and Reinforcement Steel, and their issue and consumption shall be governed as per conditions laid down hereunder.

#### 3.1. Cement

- 3.1.1 The contractor shall procure 43 grade (Conforming to IS: 8112) Ordinary Portland cement, as required in the work, from reputed manufactures of cement, having a production-capacity of one million tonnes per annum or more, such as A.C.C., L&T, Vikram, Shri Cement and cement Corporation of India, etc. as approved by Ministry of Industry. Government of India, and holding license to use ISI certification mark for their product whose name shall be got approved from Engineer-in-Charge. Supply of cement shall be taken in 50 kg. Bags bearing manufacture's name and ISI marking. Sample of cement arranged by the contractor shall be taken by the Engineer-in-Charge and got tested in accordance with provisions of the relevent BIS codes. In case test results indicate that the cement arranged by the contractor does not conform to the relevent BIS codes, the same shall stand rejected and shall be removed from the site by the contractor at his own cost within a week's time of written order from the Engineer-in Charge to do so.
- 3.1.2. The Cement shall be brought at site in bulk supply of approximately 50 tonnes or as decided by the Engineer-in- charge.
- 3.1.3 The Cement godown of the capacity to store about 2000 bags of cement or as decide by the Engineer-in-charge shall be constructed by the contractor at site of work for which no extra payment shall be made. Double lock provision shall be made to the door of the cement godown. The keys of one lock shall remain with the Engineer-in –charge or his authorized representative and the key of other lock shall remain with the contractor. The contractor shall facilitate the inspection of the cement godown by the Engineer-in-charge at any time.

Tenderer 25 of 50 EE(C)

- 3.1.4. The contractor shall supply free of charge the cement required for testing .The cost of tests shall be borne by the contractor/Department in the manner indicated below:
  - i. By the contractor, if the results show that cement does not conform to relevent BIS codes.
  - ii. By the Department, if the results show that the cement conforms to relevent BIS codes.

#### **3.2. STEEL**

- 3.2.1. The contractor shall procure steel reinforcement bars conforming to relevent BIS codes from main producers as approved by the Ministry of steel or from secondary producers and rerollers having BIS License to produce CTD bars as specified in Schedule –F subject to following stipulations:
  - (i) If it is provided in the agreement that steel is to be procured from primary producers and procurement of steel from secondary producers is allowed then a deduction based on the difference in market rate of steel from primary producers and secondary producers shall be made in the running/ final bills.
  - (ii) However, if the stipulation is for procurement of steel from secondary procures then if the contractor uses steel from primary producers the same shall be allowed but nothing extra shall be payable on this account.

The procurement of TMT Bars conforming to relevent BIS codes shall be made from main producers as approved by the Ministry of steel or from secondary producers having BIS License to produce TMT bars as specified in Schedule–F subject to following stipulations:

- (i) If it is provided in the agreement that steel is to be procured from primary producers and procurement of steel from secondary producers is allowed by Engineer –in- charge then a deduction based on the difference in market rate of steel from primary producers and secondary producers shall be made in the running/ final bills.
- (ii) However, if the stipulation is for procurement of steel from secondary procures then if the contractor uses steel from primary producers the same shall be allowed but nothing extra shall be payable on this account.

The contractor shall have to obtain and furnish test certificate to the Engineer –in- charge in respect of all supplies of steel brought by him to the site of work. Samples shall also be taken and got tested by the Engineer –in- charge as per the provisions in this regard in the relevent BIS codes. Incase the test result indicate that the steel arranged by the contractor does not conform to BIS codes, the same shall stand rejected and shall be removed from the site of work within; a weeks' time from written order from the Engineer –in- charge to do so.

- \*Deduction item made on account of use of steel from secondary producers instead of primary producers shall not be treated as sub standard work.
- 3.2.2. The steel reinforcement shall be brought to the site in quantity of lots as approved by the Engineer-in-charge.
- 3.2.3. The steel reinforcement shall be stored by the contractor at site of work in such a way as to prevent distortion and corrosion and nothing extra shall be paid on this account. Bars of different sizes (diameters) and lengths shall be stored separately to facilitate easy counting and checking.

3.2.4. For steel procured from main producers or secondary producer, for checking nominal mass, tensile strength, bend test, etc. specimen of sufficient length shall be cut from each diameter of the bar at random at frequency not less than that specified below. In case of works costing more than Rs. 2 Crores and when the steel is procured from other than main producers, additional tests such as, retest, re-bend test, elongation test, proof stress may also be conducted.

Size(Diameter) of	For consignment		
bar	Below 100 tonnes	Over 100 tonnes	
Under 10m dia.	One sample for each 25 tonnes	One sample for each 40 tonnes	
	or part thereof	or part thereof	
10mm to 16mm	One sample for each 35 tonnes	One sample for each 45 tonnes	
dia.	or part thereof	or part thereof	
Over 16mm dia.	One sample for each 45 tonnes	One sample for each 50 tonnes	
	or part thereof	or part thereof	

- 3.2.5. The contractor shall supply free of charge the steel bars required for testing. The cost of tests shall be borne by the contractor/ Department in the manner indicated below:
  - i. By the contractor, if the results show that the steel does not conform to relevent BIS codes.
  - ii. By the Department, if the results show that the steel conforms to relevent BIS codes.
- 3.2 Coefficient of weight i.e. the weight per unit length of the steel procured by the contractor shall be ascertained at site before using it and certified by the Engineer-in-charge. In case weight per unit length is beyond the rolling margin as laid down in the BIS: 1786, the steel will be rejected and shall be removed from the site of work within; a week's time from written order from the Engineer-in Charge to do so. In case weight per unit length is more than the standard coefficient of weight for the diameter, but is within the rolling margin, then the payment shall be made as per the standard weight per unit length, and, where the weight per unit length is lesser than the standard coefficient of weight for the diameter, but is within the rolling margin, the payment shall be restricted with respect to the actual weight per unit length of the diameter.
- 3.3 The standard sectional weights referred to in standard table under para 5.3.3, page 75 of the revised CPWD specifications 2002 for cement mortar, cement Concrete and RCC works, are to be considered for conversion of length of various sizes of Steel Reinforcement bars into weight and are reproduced below ready reference.

SIZE (mm)	WEIGHT (Kg/M	SIZE(mm)	WEIGTH (Kg/M)
6	0.222	20	2.470
8	0.395	22	2.980
10	0.617	25	3.850
12	0.888	28	4.830
16	1.580	32	6.310
18	2.000	36	7.990

3.4 The actual issue and consumption of steel and Cement on the work shall be regulated and proper accounts maintained as provided in clause 10 of the contract. The theoretical consumption of steel shall be worked out as per procedure prescribed in clause 42 of the contract and shall be governed by conditions laid therein.

- 3.5 Steel and Cement brought to site and remaining unused shall not be removed from site without written permission of the Engineer-in-charge.
- 3.6. Cement used in ready mix concrete shall be evaluated based on the certification by the incharge of the RMC plant in accordance with design approved by the Engineer in-charge.
- 4. No payment shall be made to the contractor for any damage caused during the execution of work because of cause(s) not covered under clause 43 of the contract .The damage to work will be made good by the contractor at his own cost, and no claim on this account shall be entertained
- 5. Some restrictions may be imposed by the security staff etc. on the working and/or movement of labour, materials etc. and the contractor, shall be bound to follow all such restrictions / instructions and nothing shall be payable on this account.
- 6. The contractor shall comply with proper legal orders and directions of the local or public authority or municipality and abide by their rules and regulations and pay all fees and charges which he may be liable and nothing extra shall be payable on this account. The work shall be carried out without infringing on any of the local municipal bye-laws.
- 7. The contractors shall given a performance test of the entire installations as per standard specifications before the work is finally accepted and nothing extra what so ever shall be payable to the contractor for the tests.
- 8. The contractor shall engage licensed plumber for sanitary, water supply, drainage work and also get all the materials and system (including the materials supplied if any, by the department) tested by the municipal authority, whenever required, at his own cost including testing fees, transport etc. According to Municipal bye Laws. The contractor shall produce necessary certificate from Municipal Authorities after completion of work. Nothing extra will be paid on this account. The contractor shall execute the guarantee for removal of defects after completion in respect of water supply and sanitary installation.
- 9. The water supply sanitary installation and drainage work shall be carried out in a manner complying in all respects with the requirement of relevent by laws of the local municipal authority of the place at no extra cost of department.
- 10. The rate for every item of work to be done under this contract shall be for all heights, depth, lengths, and width of the structure (except where specially mentioned in the item) and nothing extra will be paid on this account.
- 11. The contractor shall take all precautions to avoid all accidents by exhibiting necessary caution boards such as day and night boards, speed limit boards and flags, red lights and providing barriers etc. He shall be responsible for all damages and accidents caused due to negligence on his part. no hindrance shall be caused to traffic during execution of work .nothing extra shall be paid on this account.
- 12. The contactor will work in close liaison, during the works, with other contractor of water supply, sanitary, drainage arrangements, electrical installation and any other works and adjust his work plan accordingly.

### 13. Other Taxes and Royalties

13.1. Income Tax and surcharges over Income Tax etc. at the rates fixed by the Ministry of finance, Government of India, shall be deducted from all the running and final bills of the contractor. Should there be any increase in rate of Income Tax and surcharge during execution of the contract, if any, and the contractor thereupon necessarily and properly pays such taxes / levies, the contractor shall be reimbursed the amount so paid, provided such payments, if any, is not, in the opinion of the Superintending Engineer (whose decision shall be final and binding on the contractor) attributable to delay in execution of work within the control of the contractor.

- 13.2. The rates quoted by the agency shall be inclusive of all types of taxes / levies / duty and GST as applicable by the Govt. including Labour Cess and nothing extra shall be payable on such account.
- 13.3. Royalty shall have to be paid by the contractor on all materials such as stone, bricks, boulders, metal, shingle, bajri, stone aggregate, coarse sand and fine sand etc. or any other materials used for the execution of the work direct to the Revenue Authority of the District/State Govt. concerned. The contractor shall obtain "No Demand" certificate from the District/State Govt. authority concerned before the final bill is paid, failing which necessary recovery will be effected at the applicable rates in the final bill

### 14. Secured Advance:

- 14.1. Secured advance on bricks, stone, stone aggregate brought at site for use in the work shall be paid only after receipt of satisfactory test results from the laboratory and provisions under rules.
- 14.2. Secured advance on steel doors, steel windows, etc. shall be paid only after the Engineer-in-Charge has personally verified that the materials brought at site of work, for use in work, conforms to the sample approved by him.
- 14.3. Secured advance whenever admissible on water supply, sanitary installation materials and fittings shall be allowed only after the Engineer-in-Charge has verified that materials brought at site have been checked by him personally and are in conformity with the samples approved by him.
- 14.4. Secured advance for terrazzo tiles Shall be paid only after satisfactory results are received from the laboratory.

### ADDITIONAL SPECIFICATIONS AND PARTICULAR SPECIFICATIONS

### **ADDITIONAL SPECIFICATIONS**

#### 1. GENERAL

1.1. The Work shall, in general, conform to the CPWD' Specifications. The CPWD specifications shall mean "C.P.W.D. Specifications - 2009 (Volume I to Volume II) with all up to date correction slips as on the date of opening of tenders".

Should there be any difference between the specifications mentioned above and the specifications given in the schedule of quantities, the later shall prevail.

- 1.1.2. If the specifications for any item are not available in the CPWD Specifications cited above, relevent BIS Specifications should be followed.
- 1.1.3 In case BIS Specifications are also not available, the decision of Engineer-in-Charge given in writing based on acceptable sound engineering practice and local usage shall be final and binding on the contractor.
- 1.2 The work will be carried out in accordance with the architectural drawings and structural drawings to be issued by the Engineer-in-Charge the structural and architectural drawings shall have to be properly correlated before executing the work.
- 1.2.1. In case of any difference noticed between Architectural and Structural drawings, the contractor shall obtain final decision in writing of the Engineer-in-charge.
- 1.2.2 In case of any discrepancy in the item given in the schedule of quantities appended with the tender and architectural drawings relating to the relevent item, former shall prevail unless otherwise given in writing by the Engineer-in-Charge.
- 1.3 For items where so desired, samples shall be prepared before starting the particular items of work for prior approval of the Engineer-in-Charge and nothing extra shall be payable on this account.
- 1.4 Materials brought at site of work shall not be used in the work before getting satisfactory Mandatory test results. For details, relevent provisions in the CPWD specification shall be referred to.
- 1.4.1. Wherever it is desired to procure factory-made materials, such factory-made materials shall be procured from reputed and approved manufacturers or through their authorized dealers. The contractor shall obtain the approval from the Engineer-in-Charge of such firms prior to procurement of such factory -made materials. The Engineer-in-charge may, at any stage, inspect such factories/ manufacturing units. The contractor shall have no claim if the factory made materials brought to the site are rejected by the Engineer-in-charge in part or in full due to bad workmanship/ quality etc. even after the inspection of the manufacturing units.
- 1.4.2 The manufactured materials brought at site of work shall, in general, conform to the relevent specifications. The source for supply of the manufactured materials shall be approved by the Engineer-in-charge. The contractor shall have no claim if the manufactured materials brought to the site are rejected by the Engineer-in-charge in part or in full due to bad

Tenderer 30 of 50 EE(C)

Workmanship/ Quality etc.

- 1.4.3 The preference amongst the various alternative materials available shall be as follows:
  - (a) The materials shall be as per the Brand specified to be used in the work.
  - (b) If the Brand specified material is not available then the material shall be ISI marked.
  - (c) If ISI marked item is not available then it should be from ISO certified company.
  - (d) If the ISI marked or ISO certified items are not available then the best available items in the market to be procured.
- 1.4.4. Equivalents for the various materials and the materials of approved make shall be got approved from the Engineer-in-Charge of work in writing before using them on the work.
- 2. The following modifications to the above specifications shall, however, apply.

### 2.1. Earth Work

- 2.1.1. During excavation and trenching work etc., the contractors shall ensure compliance to the guidelines in such matters laid down by the local body / bodies to ensure that there is minimum hazard to the operating personnel's and users, minimum inconvenience to the users, minimized damage to the underground plant/services of other utilities in a coordinated way, in the interest of public convenience and overall safety.
- 2.1.2. Any trenching and digging for laying sewer lines/ water line/ cables etc. shall be commenced by the contractor only when all men, machinery's and materials have been arranged and closing of the trench(s) thereafter shall be ensured within the least possible time.
- 2.1.3 Surplus excavated earth which is beyond the requirement or the B.S.N.L. shall have to be disposed of by the contractor at his own cost beyond the municipal limits or at places identified by the local bodies or as directed by the Engineer-in-Charge after obtaining written permission of the Engineer-in-Charge and no payment will be made by the Department for such disposal or this surplus excavated earth.
- 2.1.4 The contractor shall, at his own expense and without extra charges, make provision for all shoring, pumping, dredging or bailing out water, if necessary, irrespective of the source of water. The foundation trenches shall be kept free from water while all the works below Ground Level are in progress, without any extra payment.

### 2.2. Reinforced Cement Concrete Work & Plain Cement Concrete-General

- 2.2.1 Stone Aggregate. Stone aggregate to be used in work shall be of hard broken stone to be obtained from source approved by Engineer-in-Charge and shall conform to the relevent provisions in the CPWD Specifications.
- 2.2.2. Fine Sand/ Coarse Sand: Fine sand/ Coarse sand to be used in the work shall be obtained from sources approved by Engineer-in-Charge and shall conform to the relevent provisions in the CPWD Specifications.
- 2.2.2.1 Where only one variety of sand is available, the sand will be sieved for use in finishing

- work to achieve the required particle size distribution as per CPWD Specifications in order to obtain smooth surface and nothing extra shall be paid to the contractor on this account
- **2.2.3. Water:** It shall conform to requirements laid down in IS 456-2000 and CPWD Specification.
- 2.3. **R. C. C. work (Design Mix Concrete)** Wherever the RCC work is specified to be done with Design Mix Concrete, the particular specifications, as applicable, shall apply.
- 2.4. **R.C.C. Work (Nominal mix concrete)-** Water-Cement Ratio: For RCC Works, wherever nominal mix of concrete is stipulated In the items for work, for maintaining proper quality and durability requirements of the structure, maximum water-cement ratio shall be restricted to 0.55 If in normal course of work, the required workability is not achieved; suitable plasticizers/ admixtures may he used for improving the workability of concrete With the approval of Engineer-in-Charge for which nothing extra shall be paid.
- 2.5. Non-destructive Testing for Concrete/RC.C Work: The Engineer-in-charge shall, at his discretion, get the non-destructive testing (Such as Ultrasonic Pulse Velocity Test etc.) done and the Contractor shall make all necessary arrangements for getting such tests done and make good the same after the test, for which nothing extra shall be paid. The results of such tests shall be binding on the Contractor. In case of non-conformity of the test to the standards, the contractor shall be liable to re-do the concrete work at his cost including the cost of test, subject however to the acceptability of the work as laid down in the mandatory test defined in the relevent CPWD specifications.
- 2.6. Cement slurry, if any, added over base surface (or) for continuation of concreting for better bond is deemed to have been in built in the items (Unless other wise explicitly stated) and nothing extra shall be payable (or) extra cement considered in consumption on this account.
- 2.7. Centering and Shuttering For R.C.C Work: - The concrete surface shall be free from honey combing, offsets, superfluous, mortar, cement slurry and foreign matter. The formwork shall be assembled in such a way 'as to facilitate removal of their parts in proper sequence without any damage to the exposed cement concrete surfaces and corners etc. The contractor shall keep skilled staff for special care and supervision to check the formwork and concreting so that every member is made true to its size, shape, level and alignment so that it does not result in any deformation, snug, buldges etc. The contractor shall also take suitable precautionary measure to prevent breaking and chipping of corners and edges' of completed work until the building is handed over. The size of shuttering plates for slabs shall not be less than 0.6m x 0.9m in general. However, contractor has to provide tape or wooden fillets or rubber gaskets to seal the joint properly to get smooth surface. Further shuttering shall be of such quality that there are no undulations and surfaces will be fairly even and no extra thick ceiling plaster shall be permitted to make the surface even. Any honey-combed: or poorly formed concrete shall be repaired with polymer concrete of any suitable design by the Contractor at his own cost, in accordance with, the specifications laid down in hand book of Repairs and Rehabilitation of RCC buildings by CPWD.
- 2.8. **BRICK WORK:** Bricks used in the work shall be F.P.S. to be obtained from kilns approved by Engineer-In-Charge. In all other respects they shall conform to the

- provisions in CPWD specifications.
- 2.9. **STONE WORK:** Stone used for stone masonry work shall be hard granite/ basalt/ quartz stone/sand stone to be obtained from quarries approved by Engineer-In-Charge and shall conform to the relevent provision in the CPWD specifications.
- 2.10 All above materials like stone aggregates, coarse, fine sand, bricks, surkhi stone etc. confirming to the CPWD specifications to be brought from the sources approved by Engineer-In-Charge. In case, at any stage during execution of work, the material from the approved source being not available or otherwise, and, is required to be arranged from other sources conforming to relevent CPWD specifications and duly approved of Engineer-in-charge, involving extra lead etc. nothing extra shall be paid on this account.
- 2.11 **WOOD WORK:** Timber required for manufacture of chowkhats and shutters for doors, windows, ventilators, and partitions etc. in the work shall be kiln seasoned and preservative treated. The Timber shall be kiln seasoned before applying preservative treatment. The rate quoted for various Items shall be inclusive of kiln -seasoning and preservative treatment of wood. The wood used in the work shall conform to the provisions in the CPWD Specifications for works.
- 2.12 **FACTORY MADE SHUTTERS** etc.:- The shutters for doors, windows & ventilators, and, chowkhats etc. shall be factory made and obtained from suppliers approved by the Engineer-in-Charge.
- 2.13 **STEEL WORK**: All steel doors, steel windows, steel ventilators, wire gauge, steel glazing, and steel grill shall be according to the Architect's detailed drawings and factory made and obtained from approved suppliers.
- 2.13.1. In the case of composite steel windows the rates shall include the cost of coupling mullion and transom etc. Where windows with inside openable shutters are fixed alongwith windows with shutters openable outside, such inside openable windows shall be fitted with suitable friction hinges and openable outside with box type hinges. lever handles or otherwise as approved by the Engineer-in-Charge of the work. For such windows, cement concrete blocks of size 15cmx 10cmx 10cm shall be provided. Nothing extra shall be paid on this account.
- 2.13.2. In the case of steel windows and doors, steel glazing, wire gauge steel ventilators, rolling shutters, grills etc. an approved quality-priming coat of zinc chromate shall be applied over and above shop coat of primer. Nothing extra shall be payable for providing Shop-coat primer.

### 2.14. Sanitary and Water supply installations

The contractor shall engage licensed plumber for sanitary, water supply, drainage work and shall be carried out in manner complying in all respects with the requirement of relevent by laws of the local municipal authority. The Contractor shall give a guarantee to the effect that the, work shall remain structurally stable and shall guarantee against faulty workmanship, finishing, manufacturing defects of materials and leakages etc. The Contractor shall furnish a Guarantee Bond, as per prescribed format. The Guarantee Period shall be for 10 (Ten) years.

- 2.15. Approval of sample work of repetitive/ typical nature prior to general execution of work shall be as enumerated hereafter.
- 2.15.1. Samples of typical portion of the works of repetitive nature such as typical room, toilet room, or any other work shall be prepared by the contractor under the directions and to the satisfaction of Engineer-in-Charge and got approved from him in writing before the commencement of these items for the entire work.
- 2.15.2 The work shall be so arranged to be carried out that the requirement for preparation of samples are observed and fulfilled without any detriment to the general progress of work. In other words, this will not allows having any effect on the general progress of work or on any of the terms and conditions of the contract. No claims of any kind whatsoever including the claim of extension of time will be entertained due to the incorporation of this requirement.
- 2.16. **FLOOR TEST FOR TELEPHONE EXCHANGE BUILDINGS** The floor of Technical rooms in the T.E. buildings shall be laid in such a way that the limits in floor levels would not be exceeded as follows.
- (i) The levels at any places when checked over a distance of one metre in any direction would not show variation in floor levels in excess of 3mm.
- (ii) The levels if checked over a distance of 4 metre in any direction shall not to exceed 5mm.
- (iii) The maximum permissible variation in the levels at any two points more than 4 meters away in any direction in the same room shall not be more than 8mm.
- (iv) Floor levels shall be taken at every metre and recorded in a "Level chart" for flooring in all technical room This shall be checked, prepared and Certified by the Assistant Engineer-in-Charge of the work and contractor. this level chart shall be checked by the Engineer-in-Charge of work to satisfy himself that levels in the floors of 'technical rooms are with in the variation limits laid down at i) to iii) above.
- 2.16.1 No. payment of flooring in Technical room shall be allowed till "Level Chart" is prepared and meets the requirements of levels mentioned above.

### 2.17 TEST RESULTS & RELATED ASPECTS

- 2.17.1 Normally, part-rate payment shall be allowed in the running account bills only if the materials conforming to the CPWD specifications for works as mentioned in the work are tested and test results are found to be satisfactory by the Engineer –incharge.
- 2.17.2 The Engineer –in- charge of work shall check the test results and satisfy himself before allowing any payment in the running / final bill.

### 2.18. WATER PROOFING: -

2.18.1. Treatment for roof surfaces: - The treatment of Roof Surfaces, wherever done with integral cement based compound (Brick-coba), the particular specifications shall be applicable

- 2.18.2. The Contractor shall associate him self with the specialized firm, to be approved by the Engineer'-in-charge, for execution of water proofing treatment. The contractor shall furnish a Guarantee Bond, as per prescribed format, from the specialized firm and duly counter-signed by the contractor as a token of overall responsibility. The Guarantee Period shall be for 10(Ten) Years.
- 2. 18.3. Ten percent of the cost of items of water proofing treatment for sunken floors and on roofs would be retained as guarantee to watch the performance of the work done. However half of the amount withheld would be released after (5) live years. if the performance of the work done IS satisfactory. If any defect is noticed during the guarantee period, it should be rectified by the contractor within seven days, and if not attend to, the same will be got done from another agency at the risk and cost of the contractor. However, this security deposit can be released in full, if bank guarantee of equivalent amount for 10 (ten) years after completion of maintenance period is produced and deposited with the BSNL.

### **PARTICULAR SPECIFICATIONS**

### 1.1. Treatment for roof surfaces: -

For treatment of Roof Surfaces with integral cement based compound (Brick-coba), following specifications shall be applicable. This item shall be got executed from specialized agency to be got approved from Engineer-in-charge: -

- 1.1.1. The bricks bats shall be from over burnt bricks. The proprietary water-proofing compound shall bear I.S.I. mark and shall conform to IS: 2645. Before execution of work water proofing compound has to be brought to and a certificate of its conforming to IS code should be produced. The proprietary water-proofing compound shall be added at the rate recommended by the specialist firm but not exceeding 3 percent by weight of cement. The Engineer in charge reserve the right to collect the random sample from material brought at site and get it tested from laboratory of his choice. The material which does not conform to the specification shall have to be removed forthwith by the contractor.
- 1.1.2 The finished surface after water proofing treatment shall have minimum slope of 1 in 80. At no point shall the thickness of water proofing treatment be less than 65mm.
- 1.1.3 While treatment of roof surface is done, it shall be ensured that the outlet drain-pipes have been fixed and mouths at the entrance have been eased and round off properly for easy flow of water.
- 1.1.4 The surface 'where the water proofing is to be done shall be thoroughly cleaned with wire brushes. All loose scales mortar splashes etc. shall be removed and dusted off. The surface shall be treated with neat cement slurry admixed with proprietary water proof compound to penetrate into crevices and fill up all the pores in the surface. The cement slurry shall be applied at the junction of parapet and terrace slab including the vertical face of the parapet.
- 1.1.5 After the slurry coat is laid, layer of over burnt brick bats shall be laid in cement mortar of mix as specified by specialist firm but not leaner than 1:5(1 cement: 5coarse sand)

Fenderer 35 of 50 EE(C)

- admixed with proprietary water proofing compound to required gradient and joints filled to half the depth. The bricks bat layer shall be rounded at the junctions with the parapet and tapered towards top for a height of 300mm curing of this layer be done for 2 days.
- 1.1.6 After curing the surfaces shall be applied with a coat of cement slurry admixed with proprietary water proofing compound.
- 1.1.7 Joints of bricks bat layer shall be filled fully with cement mortar of mix as specified by the specialist firm but not leaner than 1:5 (1cement: 5 coarse sand)admixed with proprietary water proofing compound and finally top finished with average 20mm thick layers of cement mortar: 1:4 (1 cement:4 coarse sand) and finished smooth with cement slurry mixed with proprietary water proofing compound. The finished surface shall have marking of 300x300mm false squares to give the appearance of tiles.
- 1.1.8 Curing of water proofing treatment shall be done for a minimum period of weeks by flooding the water by making kiaries etc.
- 1.2 **MEASUREMENTS:** The measurement shall be taken for plan area of terrace only, Length and breadth shall be measured correct to 1 cm. And area shall be worked out to nearest 0.01 sqm, No deduction in measurement shall be made for either opening or recesses for chimney, stacks roof lights and the like of area upto 0.01sqrn not anything extra shall be paid for forming such openings. For similar areas exceeding 0.10 Sqm, deduction will be made in measurements for full openings and nothing extra shall be paid for making such opening. '
- 1.3 Rates: The rates shall include the cost of all labour and materials involved all the taxes including GST and BOCW etc.
- 2. CHECK LIST FOR QUALITY ASSURANCE: For works with estimated cost Rs.10 Lakhs and above, quality Assurance Check list for Back Filling, Plain Cement Concrete, Shuttering, Reinforced Cement Concrete and Structural Steel fabrication as available in BSNL W-8 shall form a part of the Tender Document. Compliance of this Quality Assurance Check List shall be before release of the payment.

# **SPECIFIC CONDITIONS & SPECIFICATIONS**

#### **GENERAL**:

The quoted rates for various items in the tender shall be inclusive of all the additional conditions and particular specifications and for adherence to all these conditions and specifications, no extra payment shall be made to the contractor. Any infringement and/or breach of these specification and condition(s) etc. shall render the contractor liable to action(s) under various clauses of the contract and such action stipulated in conditions therein.

- 1. The works under the Contract shall be executed as per the name of the work and location specified therein. However, in case of exigency, the <u>work at different location</u> within same districts under the same contract may also be got executed for which nothing extra shall be payable to the contractor.
- 2. All the intending tenderers should note that all the tower foundation and erection work is of extra ordinary urgent nature & targeted and the work is to be completed within the stipulated period from the date of issue of work order.

### 1.0 **RATES**

- 25.1 Unless otherwise specified, the rates quoted for the items shall include all labour, material, taxes, insurance, watch & ward, necessary T&P required for the work, tests, all weighing / measuring equipments etc. all complete. Nothing extra shall be paid over and above the quoted rates for the items.
- 25.2 The contractor shall pay Octroi wherever applicable. The Form "C" & "D", Octroi exemption certificates etc will not be issued by BSNL for any materials required in the work. The contractor shall quote all inclusive rates only. Nothing extra shall be paid over the quoted rates.

# 2.0 PROTECTION OF LIFE, PROPERTY AND EXISTING FACILITIES:

- 2.1 The contractor is fully responsible for taking all possible safety precaution during preparation for and actual performance of the works, and for keeping the construction site in a reasonable safe condition. The Contractor shall protect all life and property from damage or losses resulting from his construction operations and shall minimize the disturbance and inconvenience to the public.
- 2.2 In this connection, the attention of the contractors are drawn to the safety measures and precautions including code of conduct while safely carrying out the work and also detailed Engineering Instructions enumerated in this tender document.
- 2.3 The contractor shall be solely liable for all expenses for and in respect of repairs and / or damage occasioned by injury of or damage to such underground and over-ground structures or other properties and undertake to indemnify and keep indemnified the BSNL from and against all actions, cause of actions, damages, claims and demands what-so-ever either in law or in quality and all losses and damages and costs

Fenderer 37 of 50 EE(C)

(inclusive between attorney and client), charges and expenses in condition therewith and / or incidental thereto.

2.4 In case any commodities (supplied by the BSNL) is lost or damaged by the contractor, the cost of the same shall be paid by the contractor together with such additional sums as necessary to liquidate the personal or property damages resulting there from, as decided by the Engineer-in-Charge.

#### 3.0 ACCEPTANCE TESTING (AT)

The completed work shall be inspected for approval for "Acceptance Testing". It shall be the responsibility of the contractor to offer the completed work for inspection and approval of the A/T as per the directions of the Engineer-in-charge and nothing extra shall be payable on this account. If the completed work is not found satisfactory as per the prescribed specifications, corrective measures ordered by the Engineer-in-charge shall be carried out immediately by the contractor without any additional expenditure liability to the BSNL.

- 4.0 The rate for every item of work to be done under this contract shall be for all heights, depths, lengths and widths of the structure (except where specially mentioned in the item) and nothing extra will be paid on this account. The rate for all items of work, where in cement is used, is inclusive of charges of curing.
- 5.0 The contractor shall maintain in good condition all work during execution till completion of entire work allotted to him.
- 6.0 The site of work should be seen by the tenderer before quoting his rates with respect to approaches to the site and conditions of the same. If any approach road from main road is required at the site or existing approach is to be improved and maintained, for cartage of materials by the contractor, the same shall be provided, improved and maintained by the contractor at his own cost.
- 7.0 If as per municipal rules the huts for laborers are not to be erected at the site of work by the contractor, the contractors are required to provide such accommodation as is acceptable to local bodies and nothing extra shall be paid on this account.
- 8.0 The contractor shall take all precautions to avoid all accidents by exhibiting necessary caution boards such as day and night boards, speed limit boards and flags, red lights and providing barriers etc. He shall be responsible for all damages and accidents caused due to negligence on his part. No hindrance shall be caused to traffic during the execution of work. Nothing extra shall be paid on this account. Any damage done by the contractor to any existing work during the course of execution of the work awarded to him shall be made good by him at his own cost.
  - 9.0.The contractor will work in close liaison, during the works, with other contractors of water supply, sanitary, drainage arrangements, electrical installation and any other works and adjust his work plan accordingly at no extra cost to the department.

# **BID SECURITY DECLARATION FORM**

To

Executive Engineer (Civil)
BSNL Civil Division
Jaipur

I/We, The undersigned, declare that:

I/We understand that, according to your conditions, bids must be supported by a Bid Security Declaration.

I/We accept that I/We may be disqualified from bidding for any contract with you for a period of one year from the date of notification if I am /We are in a breach of any obligation under the bid conditions, because I/We

- a) have withdrawn/modified/amended, impairs or derogates from the tender, my/our Bid during the period of bid validity specified in the form of Bid; or
- b) having been notified of the acceptance of our Bid by the purchaser during the period of bid validity (i) fail or reuse to execute the contract, if required, or (ii) fail or refuse to furnish the Performance Security, in accordance with the Instructions to Bidders.

I/We understand this Bid Security Declaration shall cease to be valid if I am/we are not the successful Bidder, upon the earlier of (i) the receipt of your notification of the name of the successful Bidder; or (ii) thirty days after the expiration of the validity of my/our Bid.

Yours faithfully,	
(TENDERER)	(Tenderer's signature along with seal)
	NAME:

Note: In case of a partnership firm this Certificate is to be signed by all Partners / directors of the company

# **LIST OF PREFERRED BRANDS TO BE USED**

SN	Items	Brand Name
1	TMT Bars manufactured by Primary	TATA TISCON, SAIL, RINL
	producers	
2	Synthetic enamel paint/All paint/	Nerolac, Berger, Asian
	distempers	
3	Aluminium Sections	Jindal. Hindalco
4	Flush Door shutters	ISI marked as approved by the Engineer
		in Charge.
5	Ceramic Tiles	Kazaria, NITCO, SOMANY
6	G.I Pipes	Jindal, Tata
7	Block Board/Commercial Ply	Century, Dura, Green
8	Sanitary fittings	Hindware, CERA, Paryware
9	C.P fittings	Jaquar, Ess Ess or equivalent
10	Water Storage Tank	Sintex, Diplast
11	Aluminium fittings	Classic, Everite
12	Float Glass	Saint Gobain, Modi

I/We hereby undertake that I/we/my authorized representative have received the copy of the stated list (along with the tender documents) of brand names of various items to be used for the above work and I/we shall quote my rates of various items accordingly.

(Signature of the Contractor or his authorized representative authorized to receive the tender

**Executive Engineer (C),** 

# UNDERTAKING FOR NO NEAR RELATIVE IN BSNL, RAJASTHAN (TO BE GIVEN BY EVERY TENDERER)

	Ve							of
in		jurisdictic	on of BSN	y certify that no IL Telecom Circ	•		•	
I)	Husband Father Mother Son(s) Son's wif Daughter Daughter Brother Brother's Sister(s) Sister's H	/ wife e (Daught (s). 's husban wife. usband (E	er-in-law d (Son-in Brother-in	-law).				
Sig	nature of	Tenderer						
No	te:							
In	case of a p	artnershi	ip firm th	is Certificate is t	o be signed by	/ all Partners / d	lirectors of the	e company.

	SCHEDULE OF of the work : Provision of aluminiumn work for making			nference hall	at lst floor,	
Admin. S.No.	Building at Jhalana Doongri, Jaipur.  Description of Item	Quantity	Unit	Rate (Rs)	Amount in figure (in Rs)	Amount in figure (in Rs)
1	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III)derived from natural sources : 3 graded stone aggregate 20 mm nominal sizederived from natural sources).	0.25	One Cubic Metre		ngure (m Ks)	ngure (m ris)
2	Centering and shuttering including strutting, propping etc. and removal of form for :	4.00				
2.01	Lintels, beams, plinth beams, girders, bressumers and cantilevers	4.00	One Square Metre			
3	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level.					
3.01	Thermo-Mechanically Treated bars of grade Fe-500D or more.	100.00	One Kilogram			
4	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level.					
4.01	Cement mortar 1:4 (1 cement :4 coarse sand)	70.00	One Square Metre			
5	Extra for providing and placing in position 2 Nos 6mm dia. M.S. bars at every third course of half brick masonry.ird course of half brick masonry.	70.00	One Square Metre			
6	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approvedmake, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of stepsand dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	15.00	One Square Metre			
7	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels.					
7.01	Granite of any colour and shade Area of slab over 0.50 sqm	3.00	One Square Metre			

S.No.	Description of Item	Quantity	Unit	Rate (Rs)	Amount in figure (in Rs)	Amount in figure (in Rs)
8	Providing and laying kota stone 25mm thick proper edge cutting for using slab / shelevs as per direction of engineer-in-charge.	5.00	One Square Metre			
9	Providing and fixing aluminium die cast body tubular type universal hydraulic door closer (having brand logo with ISI, IS: 3564, embossed on the body, door weight upto 35 kg and door width upto 700 mm), with necessary accessories and screws etc. complete.	4.00	Each			
10	Providing and fixing aluminium sliding door bolts ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade with nuts and screws etc. complete :					
10.01	300x16 mm	9.00	Each			
11	Providing and fixing aluminium tower bolts ISI marked anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws etc. complete:					
11.01	300x10 mm	9.00	Each			
12	Providing and fixing aluminium handles ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade with necessary screws etc. complete :					
12.01	125 mm	18.00	Each			
13	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete.					
13.01	Twin rubber stopper	7.00	Each			
14	Providing & Fixing decorative high pressure laminated sheet of plain / wood grain in gloss / matt / suede finish with high density protective surface layer and reverse side of adhesive bonding quality conforming to IS: 2046 Type S, including cost of adhesive of approved quality.					
14.01	1.0 mm thick.	4.00	One Square Metre			
15	Providing and fixing bright finished brass handles with screws etc. complete:					
15.01	100 mm	10.00	Each			
16	Providing and fixing bright finished brass 100 mm mortice latch and lock with 6 lever without pair of handles with necessary screws etc. complete (best make of approved quality) as per direction of engineer-in-charge.	9.00	Each			
17	Providing and fixing and fixing wooden boards in shelves, counters, drawers, wall panelling etc with nail, screws, adhessive, lipping as directedby Engineer in charge etc where ever required but excluding labour cost.					
17.01	18 mm thick block board (BWP type ISI marked) including lipping and beading on exposed face.	4.00	One Square Metre			

S.No.	Description of Item	Quantity	Unit	Rate (Rs)	Amount in figure (in Rs)	Amount in figure (in Rs)
18	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement: 4 coarse sand) jointing with grey cement slurry @ 3.3kg/sqm including grouting the joints with white cement and matching pigments etc., complete.				ngare (mree)	iguio (iii rio)
18.01	Size of Tile 600x600 mm	8.00	One Square Metre			
19	Providing and laying Ceramic glazed floor tiles of size 300x300 mm(thickness to be specified by the manufacturer), of 1st quality conforming to IS: 15622, of approved make, in all colours, shades, except White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick bed of cement mortar1:4 (1 Cement: 4 Coarse sand), jointing with grey cement slurry @3.3kg/sqm including pointing the joints with white cement and matching pigments etc., complete.	4.00	One Square Metre			
20	Providing and laying PVC flooring and skirting in approved pattern in approved colour and shade on a smooth and damp proof base using rubber based adhesive of approved quality and manufacture like Dunlop S-758, Fevicol SR-998 or equivalent including rolling with light mallet weighing about 4Kg all complete as per direction of engineer in charge.  2.00 mm thick	35.00	One Square Metre			
21	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion,					
21.01	Single socketed pipes. 110 mm diameter	10.00	metre			
22	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A including jointing with seal ring conforming to IS:5382 leaving 10 mm gap for thermal expansion.					
22.01	Single tee with door 110x110x110 mm	2.00	Each			
22.02	Bend 87.5° 110 mm bend	2.00	Each			
23	Providing and fixing unplasticised -PVC pipe clips of approved design to unplasticised - PVC rain water pipes by means of 50x50x50 mm hardwood plugs, screwed with M.S. screws of required length including cutting brick work and fixing in cement mortar 1:4 (1 cement: 4 coarse sand) and making good the wall etc. complete.					
23.01	110 mm	4.00	Each			

S.No.	Description of Item	Quantity	Unit	Rate (Rs)	Amount in figure (in Rs)	Amount in figure (in Rs)
24	12 mm cement plaster of mix :					
24.01	1:6 (1 cement: 6 coarse sand)	80.00	One Square Metre			
25	15 mm cement plaster on rough side of single or half brick wall of mix:					
25.01	1:6 (1 cement: 6 coarse sand)	80.00	One Square Metre			
26	Distempering with 1st quality acrylic distemper (ready mixed) having VOC content less than 50 gms/litre, of approved manufacturer, of required shade and colour complete, as per manufacturer's specification.					
26.01	Two or more coats on new work.	27.00	One Square Metre			
27	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	162.00	One Square Metre			
28	Wall painting with acrylic emulsion paint of approved brand and manufacture to give an even shade:					
28.01	Two or more coats on new work.	220.00	One Square Metre			
29	Providing and fixing chromium plated brass butt hinges with necessary chromium plated brass screws etc. complete.					
29.01	75x40x2.5 mm (ordinary type) .	16.00	Each			
30	Repair to plaster of thickness 12mm to 20 mm in patches of area 2.5 sqm and under, including cutting the patch in proper shape, raking out joints and preparing plastering the wall surface with white cement based polymer modified self curing mortar, including disposal of rubbish, all complete as per the direction of Engineer-In- Charge.	5.00	One Square Metre			
31	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead.					
31.01	For thickness of tiles 10 mm to 25 mm	10.00	One Square Metre			
32	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge					
32.01	In cement mortar	0.50	One Cubic Metre			
33	Providing and fixing wash basin on counter top Jaquar make or eq. C.I. brackets, 15 mm 32mm C.P. brass waste of standard pattern, including fittings, brackets and frame cutting and making good the walls wherever require:					
33.01	White Vitreous China Flat back wash basin size 525x 415 mm	1.00	Each			

S.No.	Description of Item	Quantity	Unit	Rate (Rs)	Amount in figure (in Rs)	Amount in figure (in Rs)
34	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.					
34.01	Semi rigid pipe 32 mm dia	2.00	Each			
35	Providing and fixing CP Brass 32mm size Bottle Trap of approved quality & make and as per the direction of Engineer-in-charge.	1.00	Each			
36	Providing and fixing 600x120x5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete.	1.00	Each			
37	Providing and fixing 8 mm dia C.P. / S.S. Jet with flexible tube upto 1 metre long with S.S. triangular plate to Eureopean type W.C. of quality and make as approved by Engineer - in - charge.	1.00	Each			
38	Providing and fixing Stainless Steel A ISI 304 (18/8) kitchen sink as per IS:13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required:					
38.01	Kitchen sink 510x1040 mm bowl depth 225 mm.	1.00	Each			
39	Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete.	1.00	Each			
40	Providing and fixing Stainless steel towel ring round shape 200 mm wide with a minimum distances of 37 mm from wall face with concealed fittings arrangement of approved quality and colour, weighing not less than 88 gms.	1.00	Each			
41	Providing and fixing Two way Bib Cock of approved quality make "JAQUAR" - SOL 6041 all complete as per manufacturer specification and as per direction of Engineer in charge.	1.00	Each			
42	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. : Internal work - Exposed on wall					
42.01	20 mm nominal outer dia. Pipes.	15.00	metre			
42.02	25 mm nominal outer dia .Pipes.  Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931 :	15.00	metre			
43.01	15mm nominal bore	1.00	Each			
44	Providing and fixing uplasticised PVC connection pipe with brass unions :		_			
44.01	45 cm length 15 mm nominal bore	2.00	Each			

S.No.	Description of Item	Quantity	Unit	Rate (Rs)	Amount in figure (in Rs)	Amount in figure (in Rs)
45	Cutting holes up to 30x30 cm in walls including making good the same:					
45.01	With common burnt clay F.P.S. (non modular) bricks.	3.00	Each			
46	Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing tee, including cutting and threading the pipe etc. complete:					
46.01	25 to 40 mm nominal bore	1.00	Each			
47	Providing and fixing brass bib cock of approved quality:					
47.01	15 mm nominal bore	3.00	Each			
48	Providing and fixing brass stop cock of approved quality:					
48.01	15 mm nominal bore	1.00	Each			
49	Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end):					
49.01	20 mm nominal bore	1.00	Each			
49.02	25 mm nominal bore	1.00	Each			
50	Providing and fixing PTMT soap Dish Holder having length of 138 mm, breadth 102 mm, height of 75 mm with concealed fitting arrangements. Weighing not less than 106 gms.	2.00	Each			
51	Providing and fixing C.P. brass 600 mm long towel rail make "JAQUAR" (AHS - 1507) complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality all complete as per manufacturer specification.	1.00	Each			
52	Providing and fixing white vitreous china wall mounting water closet ENGIMA 92024 of HINDWARE make including providing & fixing CONCEALED CISTERN CONCEALO NEO cistern including seat cover , and cistern fittings, nuts, bolts and gasket etc. all complete as per direction of engineer-in-charge.	1.00	Each			
53	Providing and fixing Two way Bib Cock of approved quality make "JAQUAR" - SOL 6041 all complete as per manufacturer specification and as per direction of Engineer in charge.	1.00	Each			
54	Providing and fixing continental central hole 2 knob wash basin mixer make of " JAQUAR" all complete as per manufacturer specification and as per direction of Engineer in charge.	1.00	Each			
55	Providing and fixing sink with regular swinging spout wall mounted with connecting legs & wall flange make of " JAQUAR" all complete as per manufacturer specification and as per direction of Engineer in charge.	1.00	Each			
56	Providing and fixing C.p. brass grating of approved quality and colour.					
56.01	Circular type. 100 mm nominal dia.	6.00	Each			
57	Providing and fixing CPVC union in cpvc pipe including fixing the union in cpvc pipe etc.all complete as per direction of EIC.( NEW WORK)					
57.01	20 mm nominal bore	3.00	Each			
57.02	25 mm nominal bore	2.00	Each			

S.No.	Description of Item	Quantity	Unit	Rate (Rs)	Amount in figure (in Rs)	Amount in figure (in Rs)
58	Providing and fixing FBT with solvent, cutting in proper shape and joint tasted as per				, ,	
58.01	direction of engineer in charge.  20 mm nominal outer dia. Pipes.	10.00	Each			
59	Providing and fixing square-mouth S.W. gully	10.00	Edui			
	trap class SP-1 complete with C.I. grating					
	brick masonry chamber with water tight C.I.					
	cover with frame of 300x300 mm size (inside)					
	the weight of cover to be not less than 4.50 kg					
	and frame to be not less than 2.70 kg as per standard design:					
59.01	150 x 100 mm size P type	1.00	Each			
	With common burnt clay F.P.S. (non modular)					
60	bricks of class designation 7.5  Making connection of drain or sewer line with					
00	existing manhole including breaking into and					
	making good the walls, floors with cement					
	concrete 1:2:4 mix (1 cement : 2 coarse sand :					
	4 graded stone aggregate 20 mm nominal					
	size) cement plastered on both sides with					
	cement mortar 1:3 (1 cement : 3 coarse sand) finished with a floating coat of neat cement					
	and making necessary channels for the drain					
	etc. complete :					
60.01	For pipes 100 to 250 mm diameter	1.00	Each			
61	Providing and fixing aluminium work for doors,					
	windows, ventilators and partitions with extruded built up standard tubular					
	sections/appropriate Z sections and other					
	sections of approved make conforming to IS:					
	733 and IS: 1285, fixing with dash fasteners of					
	required dia and size, including necessary					
	filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM					
	rubber/neoprene gasket etc. Aluminium					
	sections shall be smooth, rust free, straight,					
	mitred and jointed mechanically wherever					
	required including cleat angle, Aluminium snap					
	beading for glazing / paneling, C.P. brass/					
	stainless steel screws, all complete as per architectural drawings and the directions of					
	Engineer-in-charge. (Glazing, paneling and					
	dash fasteners to be paid for separately):					
61.01	For fixed portion	230.00	One			
	Powder coated aluminium (minimum thickness of powder coating 50 microp)		Kilogram			
61.02	of powder coating 50 micron) For shutters of doors, windows & ventilators	120.00	One			
01.02	including providing and fixing hinges/ pivots	120.00	Kilogram			
	and making provision for fixing of fittings					
	wherever required including the cost of EPDM					
	rubber / neoprene gasket required (Fittings					
	shall be paid for separately). Powder coated aluminium (minimum thickness					
	of powder coating 50 micron)					
62	Providing and fixing 12mm thick prelaminated					
	particle board flat pressed three layer or					
	graded wood particle board conforming to					
	IS:12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and					
	partition frames with C.P. brass / stainless					
	steel screws etc. complete as per architectural					
	drawings and directions of engineer-in-charge.					
			1			

S.No.	Description of Item	Quantity	Unit	Rate (Rs)	Amount in figure (in Rs)	Amount in figure (in Rs)
62.01	Pre-laminated particle board with decorative lamination on both sides.	21.00	One Square Metre		J ( , ,	
63	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item):					
63.01	With float glass panes of 5 mm thickness (weight not less than 12.50 kg/sqm)	25.00	One Square Metre			
64	Providing and fixing 12 mm thick frameless toughened glass door shutter of approved brand and manufacture, including providing and fixing top & bottom pivot & spring type fixing arrangement and making necessary holes etc. for fixing required door fittings, all complete as per direction of Engineer-incharge (Door handle, lock and stopper etc. to be paid separately).	32.00	One Square Metre			
65	Providing and fixing double action hydraulic floor spring of approved brand and manufacture conforming to IS: 6315, having brand logo embossed on the body / plate with double spring mechanism and door weight upto 125 kg., for doors, including cost of cutting floors, embedding in floors as required and making good the same matching to the existing floor finishing and cover plates with brass pivot and single piece M.S. sheet outer box with slide plate etc. complete as per the direction of Engineer-in-charge.					
65.01	With stainless steel cover plate minimum 1.25 mm thickness.	2.00	Each			
66	Extra for providing rubbing on glass as per requirement and direction of EIC.	25.00	One Square Metre			
67	Providing and fixing S.S. Handles of size 600mm as approved of EIC.	2.00	Each			
68	Providing and fixing S.S. pivot and floor spring and other door fittings etc all approved of EIC.	1.00	Each			
69	Dismanteling and refixing of the available aluminium partition as required in buildings by cutting and jointing the existing members, making arrangement for door with cutting floor and repairing by cement mortar the floor after fixing floor spring fixing with rawl plug of required dia and size, cutting the board, glass panes of required size to adjust the panel size in the width of room, Aluminium sections shall be jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass/ stainless steel screws including lifting charges of dismantled material from second Ground Floor to third Floor etc. all complete as per the directions of Engineerin-charge.	15.00	One Square Metre			

approved material of size 595x595 mm in tru horizontal level, suspended on inter lockin metal grid of hot dipped galvanized ster sections (galvanized @ 120 grams/ sqm, bot side inclusive) consisting of main "T" runne with suitably spaced joints to get require length and of size 15x32 mm made from 0.3 mm thick (minimum) sheet, spaced at 120 mm center to center and cross "T" of siz 15x32 mm made of 0.30 mm thick (minimum sheet, 1200 mm long spaced between mai "T" at 600 mm center to center to form a grid of 1200x600 mm and size 15x32 mm made of 0.30 mm thick (minimum) sheet to be interlocked at middle of the 1200x600 mm panel to form grids of 600x600 mm and waangle of size 19x19x0.3 mm and laying fals ceiling tiles of approved texture in the grincluding, required cutting/making, opening for services like diffusers, grills, light fitting fixtures, smoke detectors etc. Main "Trunners to be suspended from ceiling using the Colin with J wire assembly fixed to ceiling with galvanised butterfly level clips of size 85 x 3 x 0.8 mm spaced at 1200 mm center to center along main T, bottom exposed width of 1 mm, all T-sections shall be pre-painted with polyester paint, all complete for all heights a per specifications, drawings and as directed by Engineer-in-charge.  Tiles of size 595x595mm of Armstrong Optr (Micro look) or equivalent, minimum 15mm thick manufactured from high density glas wool having NRC (Noise reduction coefficiel) 0.95. Tiles should withstand a permanent ambient RH upto 95% without sagging	Quantity	Description of Item	Unit	Rate (Rs)	Amount in figure (in Rs)	Amount in figure (in Rs)
70.01 Tiles of size 595x595mm of Armstrong Optr (Micro look) or equivalent, minimum 15mm thick manufactured from high density glas wool having NRC (Noise reduction coefficien) 0.95. Tiles should withstand a permanent ambient RH upto 95% without sagging		runners to be suspended from ceiling using GI Anchor fastener M6 with hole for hangers,3 mm GI adjustable rods with galvanized hook clip with J wire assembly fixed to ceiling with galvanised butterfly level clips of size 85 x 30 x 0.8 mm spaced at 1200 mm center to center along main T, bottom exposed width of 15 mm, all T-sections shall be pre-painted with polyester paint, all complete for all heights as per specifications, drawings and as directed				
light reflectance should be 88% all complet as per direction of Engineer in Charge.		riles of size 595x595mm of Armstrong Optra Micro look) or equivalent, minimum 15mm hick manufactured from high density glass wool having NRC ( Noise reduction coefficient 0.95. Tiles should withstand a permanenet ambient RH upto 95% without sagging, hermal conductivity 0.052-0.057 W/mk and ight reflectance should be 88% all complete	One Square Metre			

**Executive Engineer (C)**