

OFF LINE TENDER DOCUMENT

NIT No. 25/EE(C)/BSNL-CIVIL/JDR/2024-2025

NAME OF WORK: -	:- Repairing and A/R & M/O wo	rk of T.E. Building at Chandha	an, Distt. Jaisalmer
Name of Contractor: _			
Estimated Cost : Rs	1,91,115/-		
Earnest Money: Rs. 3	822/-		
Time allowed: 45(For	ty five) days		

Offline Tender Published by

"Nodal officer (Tender)"

O/o Sr. Chief Engineer (Civil), BSNL Civil RAJ. Zone,

TRANSMISSION BHAWAN, PGMTD CAMPUS, ASHOK MARG,

C-SCHEME JAIPUR (RAJ.) 302001

Tender Invited by

Office of the
Executive Engineer (C),BSNL Civil Division,
GMTD Camps, Admn. Buildng, Ground floor,
Subhash Nagar,Jodhpur -342008

Tenderer 1 of 49 EE(C)

.All Tenderers To Note The Following Salient Points Before Quoting For The Work

- Please note that the offers, which do not comply the following, will not be considered and will be totally rejected:
- 1. (a) The rates quoted by the agency shall be inclusive of all types of taxes / levies / duty by the Govt. including Cess/including 100% GST and nothing extra shall be payable on such account. (b) The rates quoted by the agency shall be inclusive of 1 % (one percent) BOCW cess on the work done and shall be recovered from running / final bill as applicable on the building and other Construction workers welfare Cess Act, 1996 due to introduction of "The Building and other Construction Works Regulation of Employment and Conditions of Service Act 1996".
 - (b) The rates quoted by the agency shall be inclusive of 1 % (one percent) BOCW cess on the work done and shall be recovered from running / final bill as applicable on the building and other Construction workers welfare Cess Act, 1996 due to introduction of "The Building and other Construction Works Regulation of Employment and Conditions of Service Act 1996".
 - (c) Successful contractor shall comply with the conditions of relevant EPF Act including maintaining, producing and submitting various documents when demanded showing details of employees / labours engaged, duration of their engagement, amount of wages paid to such labours / employees for the relevant period, amount of EPF contribution (both employees / labours' contribution) for the duration of engagement and proof of payment of the same to concerned EPF authority. Contractor will have to obtain EPF clearance from the concerned EPF authority before payment of final bill.
- 2. In the event of no rate has been quoted for any item (s) then the rate for such item(s) will be considered as Zero and work will be required to be executed accordingly. It will be presumed that the contractor has included the cost of this/these item(s) in other item(s).
- 3. No octroi exemption certificate shall be issued by the department nor the octroi duty paid by the tenderer will be reimbursed. Hence octroi charges shall be included in the offer.
- 4. No force measure clause of firms stipulated shall be accepted. The extension of time for completion of the works is governed by clause 5 of the tender documents.
- 5. No advance payments can be made. The payment is governed by the normal department practice and stipulations like levy of interest if payment is not made in a specified time are not acceptable.
- 6. Any unworkable conditions such as short validity period of acceptance of the tenders will not be accepted.
- 7. The firm should deposit EMD before submission of their offer.
- 8. The tender papers shall neither be issued nor accepted by post.
- 9. It may be noted that conditional tenders or tenders with conditional rebates shall be summarily rejected.

Executive Engineer (C)

BSNL Civil Division

Jodhpur.

Tenderer 2 of 49 EE(C)

INDEX

S.No.	Descriptions	Page No.			
1	Important instructions to tenderers who have downloaded	4			
	tender document from web.				
2	Declaration (to be given by tenderers who have	5			
	downloaded tender document from web)				
3	Important notes for tenderers	6			
4	Notice Inviting Tender & BSNL W-6	7-14			
5	BSNL W-8	15-16			
6	Performa of Schedules	17-20			
7	Performa for Agreement	21-27			
8	General Instructions	28			
9	Certificate as per Para 14 of BSNL-6	29			
10	Declaration for compliance of E.P.F. & MP Act.	30			
11	To GCC for civil works -2006, Correction slips up to No.4 & 5	31			
	issued by BSNL time to time but not incorporated in GCC				
	book (incorporated by this correction slip in to GCC Book)				
12	Additional conditions and Specifications				
13	Additional Specifications	36-40			
14	Correction Slip No.4 ANNEXURE-A	41			
15	List of preferred brands to be used	42			
10		40			
16	CS_05_ANNEXURE-A	43			
17	CS_06_ANNEXURE-A	44			
18	Correction slip No.6	45			
19	Schedule of quantities for civil work	46-49			

The NIT Contains pages 49

Executive Engineer (C)
BSNL Civil Division
Jodhpur.

Tenderer 3 of 49 EE(C)

IMPORTANT INSTRUCTIONS TO TENDERERS

WHO HAVE DOWNLOADED TENDER DOCUMENT FROM WEB

All the tenderers (who have down loaded the tenders from the web) should read and understand the following important instructions carefully before actually quoting the rates and submitting the tenders for the work:-

- 1. The tenderers should see carefully & ensure that the complete tender document including schedule of quantity as per index given on page '3' has been down loaded & there are total 49(Forty nine) pages in all in the tender document.
- 2. The printout of tender document should be taken on 12" paper & the printer settings etc are such that document is printed as appearing in the web & there is no change in formatting, number of pages etc.
- 3. The tenderers should ensure that no page in the down loaded tender document is missing.
- 4. The tenderers should ensure that all pages in the down loaded tender document are legible & clear & are printed on a good quality paper.
- 5. The tenderers should ensure that every page of the down-loaded tender document is signed by tenderer. 6. The tenderers should ensure that the down loaded tender document is properly bound and sealed before submitting the same. The loose / spiral bound tenders not properly sealed shall be rejected out-rightly.
- 7. In case of any correction / addition / alteration / omission in the tender document, it shall be treated as non-responsive and shall be rejected.
- 8. The tenderers shall furnish a declaration to this effect that no addition / deletion / correction has been made in the tender document submitted and it is identical to the tender document appearing on the website. The tenderers should read carefully & sign the declaration given on the next page before submitting the tender.
- 9. The "Tender" and the "EMD, Cost of Tender & Application (on prescribed format along with all enclosures)" should be submitted as detailed in para '9.1' of the Notice Inviting Tender (BSNL W-6).
- 10. The tenders downloaded from the web-site but not submitted in above manner shall be summarily rejected.
- 11. In case of any doubt in the down loaded tender, the same should be got clarified from the o/o EXECUTIVE ENGINEER, Jodhpur before submitting the tender.

Dated	(CONTRACTOR)

Tenderer 4 of 49 EE(C)

DECLARATION (TO BE GIVEN BY TENDERER WHO HAVE DOWNLOADED TENDER DOCUMENT FROM WEB)

It is to certify that

- 1) I / We have submitted the tender document as downloaded directly from the website & there is no change in formatting, number of pages etc.
- 2) I / We have submitted tender document which is same / identical as available in the website.
- 3) I / We have not made any modifications / corrections / additions etc in the tender document downloaded from web by me / us.
- 4) I / We have checked that no page is missing and all pages as per the index are available & that all pages of tender document submitted by us are clear & legible.
- 5) I / We have signed all the pages of the tender document before submitting the same.
- 6) I / We have sealed the tender document properly before submitting the same.
- 7) I / We have read carefully & understood the important instructions to tenderers who have down loaded the tenders from the web.
- 8) In case at any stage later, it is found that there is any discrepancy / difference in the tender document submitted by me / us from the original, the original tender document available in the division office shall be considered to be correct and I / we shall have no claim of any sort on this account.
- 9) In case at any stage later, it is found that there is any discrepancy / difference in the tender document submitted by me / us from the original, the BSNL shall have the absolute right to take any action as deemed fit without any prior intimation to me / us.
- 10) In case at any stage later, it is found that there is any discrepancy / difference in the tender document submitted by me / us from the original, the tender / work will be cancelled and Earnest Money / Performance Guarantee / Security Deposit will be forfeited at any stage whenever it is so noticed. The department will not pay any damages to me / us on this account.
- 11) In case at any stage later, it is found that there is any discrepancy / difference in the tender document submitted by me / us from the original, I / We may also be debarred for further participation in the tender in the concerned BSNL Civil Zone & would also render me / us liable to be removed from the approved list of contractors of the BSNL.

Tenderer 5 of 49 EE(C)

IMPORTANT NOTES FOR TENDERERS

1. TAX AND DUTIES:

The quoted rates for all items shall be inclusive of all taxes, levies, cess and duties as on date, including GST for which condition given below in subsequent clauses will be applicable. Insurance, loading, unloading, transportation etc shall be included in the rates. The rate shall be firm and final. Nothing extra shall be payable in this regard.

2. EPF provision:

The Contractor shall include in his quoted rates for all expenses to meet his obligations for making contribution towards employee provident fund.

3. **GST**:

- (a) The rates quoted by the agency shall be inclusive of all types of taxes / levies / duty by the Govt. including Cess/including 100% GST and nothing extra shall be payable on such account.
- (b) The rates quoted by the agency shall be inclusive of 1 % (one percent) BOCW cess on the work done and shall be recovered from running / final bill as applicable on the building and other Construction workers welfare Cess Act, 1996 due to introduction of "The Building and other Construction Works Regulation of Employment and Conditions of Service Act 1996".

The tenderers may note that they are liable for payment of GST as per Govt. of India rules. The rates quoted by the agency shall be inclusive of all taxes, levies and cess except GST, as service provider in work contracts as per the GST rules. The contractor as service provider shall be fully responsible for any default in payment of this tax. The contractor shall be solely responsible for any default of GST regulations and timely payment of the GST to the GST authorities as per Govt. of India rules. Penalty/Interest for late submission etc. shall be the sole responsibility of the contractor and BSNL shall not be liable for the same.

4.

The intending tenderers shall submit along with the application attested copy of enlistment / registration certificate, list of works of requisite magnitude completed along with copies of certificates / testimonials of their satisfactory completion from the department concerned obtained from an officer not below the rank of Executive Engineer of the work.

5 BOCW Cess:-

The rates quoted by the agency shall be inclusive of 1 % (one percent) BOCW cess on the work done and shall be recovered from running / final bill as applicable on the building and other Construction workers welfare Cess Act, 1996 due to introduction of "The Building and other Construction Works Regulation of Employment and Conditions of Service Act 1996".

Dated	(CONTRACTOR)

Tenderer 6 of 49 EE(C)

Tender Notification

BHARAT SANCHAR NIGAM LIMITED

(A GOVERNMENT OF INDIA ENTERPRISE)

<u>Important Instructions for Bidder</u>

Item rate **tenders** are invited on behalf of **BHARAT SANCHAR NIGAM LIMITED** from approved and Enlisted eligible contractors in appropriate class as per usual terms and conditions applicable to them from time to time or the eligible contractors from the approved class of BSNL (Civil Wing), DOT (Civil Wing), DOP (Civil Wing), CPWD, MES, Railways, Rajasthan state PWD (B&R) and central / State Government undertakings which are eligible for tendering in appropriate class as per usual terms and conditions applicable to them from time to time.

1.	NIT No.	25 /EE(C)/BSNL-CIVIL/JDR/2024-2025
2.	Name of Work	Repairing and A/R & M/O work of T.E. Building at Chandhan, Distt. Jaisalmer.
3.	Estimated Cost	Rs191115/-(Rs One lakh ninety one thousand one hundred fifteen only)
4.	Earnest Money	Rs. 3822.00
5.	Tender Cost	Rs. 590/- (500+18.0% GST) (in favor of AO(Cash), O/o GMTD, BSNL, Jodhpur)
6.	Period of Completion	45(Forty five) days
7.	Last date & Time for receipt of application	17.09.2024 upto 17.30 Hours
8.	Last date & Time for issue of tender forms	18.09.2024 up to 17:30 Hours.
9.	Last date & Time to received tender forms	19.09.2024up to 15.00 Hours
10	Date & Time for opening of tender forms	19.09.2024 up to 5.30 Hours
11		Eligibility conditions for issue of tenders to contractors shall be as below
11.a	For BSNL enlisted contractors	NIL NIL
11.b	For Non BSNL enlisted contractors	NIL
11.c	Specialized Agencies	Not Applicable

The tender document can be purchased from the office of the Executive Engineer(C) between 11:00 Hrs to 16:00 Hrs. on all working days upon application along with the following:-

- a) Attested copy of contractor's Registration certificate, EPF/GSTIN registration certificate
- . b) Requisite tender fee as indicated above per set (non refundable) in cash / D.D./ Pay order of Scheduled Bank drawn in favor of AO(Cash), O/o GMTD, BSNL, Jodhpur.
- 3. Earnest Money of requisite amount in form of Demand drafts/ Pay Order of a Scheduled Bank drawn in favor of AO(Cash), O/o GMTD, BSNL, Jodhpur shall be deposited along with tender in sealed envelope.
- 4. If there happens to be a holiday on the above mentioned dates the transaction shall be made on the next working day at the same time
- 5. The tender documents shall neither be accepted nor be issued by post.
- 6. The complete tender document can also be downloaded from the web site www. rajasthan.bsnl.co.in./ https://eprocure.gov.in/epublish/app In case the tender document is downloaded from the website, the contractor shall submit the downloaded tender documents in the manner detailed in the Tender Documents (BSNL W 6).
- 7. The "General Conditions of Contract" with up to date correction slips i/c No.4 & 5, appendix XV & Annexure A containing the general rules and direction, Conditions of contract, clauses of contract, safety code, Model rules, Labour regulations and Performa of Agreement, Bank Guarantee, Registers, Additional conditions, Additional and Particular specifications etc can be seen in the office of EE(C), which is also a part of tender document.
- 8. Tender in which any of the prescribed conditions(s) is not fulfilled or any condition including that of conditional rebate is put forth by the tenderer, the tender shall be summarily rejected. However, the tenders with unconditional rebates will be acceptable.
- 9. Competent authority on behalf of BSNL does not bind himself to accept the lowest or any other tender and reserve to himself the right to reject any or all the tenders without assigning of any reasons.
- 10. Near relative of BSNL employees are prohibited from participation in tenders.
- 11. The intending tenderer(s) shall invariably sign the Undertaking provided with the tender documents. Any failure to do so may result in rejection of the tenders
- 12 (a) The rates quoted by the agency shall be inclusive of all types of taxes / levies / duty by the Govt. including Cess/including 100% GST and nothing extra shall be payable on such account.
- (b) The rates quoted by the agency shall be inclusive of 1 % (one percent) BOCW cess on the work done and shall be recovered from running / final bill as applicable on the building and other Construction workers welfare Cess Act, 1996 due to introduction of "The Building and other Construction Works Regulation of Employment and Conditions of Service Act 1996".

Executive Engineer (C)

BSNL Civil Division

Jodhpur.

Tenderer 8 of 49 EE(C)

List of Documents to be submitted with the bid:

- Demand draft/Pay order or Banker's Cheque/Deposit at Call Receipt/FDR/ Bank Transaction
 Details with UTR Number against EMD.
- 2. Demand draft/Pay order or Banker's Cheque / Bank Transaction Details with UTR Number of any Scheduled Bank towards cost of Bid document.
- 3. Valid Enlistment order.
- 4. Certificates of Work Experience (If applicable for B S N L & Non B S N L registered contractor).
- 5. GSTIN Registration certificate issued by the competent authority, Employee Provident Fund Registration No./ Undertaking for obtaining EPF registration number from EPFauthority.
- 6. Near relative certificate as stipulated in Notice Inviting Tender.
- 7. Any other documents as specified in the press notice
- 8. Partnership deed if any.
- 9. Affidavit in compliance with Para 1.3.7 (If required).

BHARAT SANCHAR NIGAM LIMITED (A GOVERNMENT OF INDIA ENTERPRISE)

NOTICE INVITING TENDER

- Item rate tenders on single bid system are invited on behalf of BHARAT SANCHAR NIGAM LIMITED from 1.1 approved and Enlisted eligible contractors in appropriate class as per usual terms and conditions applicable to them from time to time or the eligible contractors from the approved class of BSNL (Civil wing), DOT (Civil Wing), DOP (Civil Wing), CPWD, MES, Rajasthan state PWD (B&R) and central / State Government undertakings which are eligible for tendering in appropriate class as per usual terms and conditions applicable to them from time to time for the work of " Repairing and A/R & M/O work of T.E. Building at Chandhan, Distt. Jaisalmer.
- 1.2 The work is estimated to Cost Rs. 191115.00
- 1.3 Tenders/Bidders will be founds eligible bidders if they will provided the off line following documents (as Technical bid) as well as on line submitted to their valid enlistment, GSTIN registration & EPF registration, Tender cost, Earnest money, undertaking for No Near relative working in BSNL, Certificates of experience / List of similar works as per Para no.1.3.7 of this NIT(If applicable), with the appropriate authorities subject to the following relaxations:-
 - In case "Any of the contractor is not already having registration with EPF authority, then after opening of financial bid such contractor/ agency shall apply for EPF registration number to EPF registration authority but he will given an undertaking along with these documents.
 - 1.3.2 A self attested copy of such application shall be submitted by him/ them within 15 days of issue of acceptance of
 - 1.3.3 In case of failure on part of agency to furnish the proof of submission of application for obtaining EPF registration number within 15 days of date of issue of acceptance letter, the full amount of EMD submitted by him/them along with the tender shall stand forfeited in favour of BSNL and no claim whatsoever shall be entertained in the matter.
 - 1.3.4 Ist R.A. Bill shall be made only after submission of EPF registration certificate.
 - 1.3.5 Any financial & legal consequences arising due to non-submission of proof of application or detail of registration certificate with EPF authorities at appropriate time mentioned above, shall be borne by the agency and no claim whatsoever shall rest with BSNL. An undertaking shall be submitted by the intending tenderer/bidder in this regard as a token & acceptance of conditions mentioned above regarding EPF registration.
 - 1.3.6 Criteria of eligibility for submission of tender documents for Non-BSNL registered contractors of Public Works Organizations like CPWD, State PWD (B&R), DOP, MES & Railways.
 - Criteria of eligibility for issue of tender documents for non BSNL registered contractors For works unto Rs 7 Lakhs- Nil
 - For works above Rs 7 Lakhs & upto Rs 5 Cr and all specialized works irrespective its cost. The applicant should have completed similar works as per details below during the last seven years ending last day of the month previous to the one in which the tenders are invited:-
 - (a) Three similar works* each of value not less than (40%) OR
 - (b) Two similar works* each of value not less than (50%) OR

 - (c) One similar work* of value not less than (80%)
 (d) For the purpose of this clause 'Similar work' means "Building with RCC foundation or RCC works or towers with foundation, with or without erection, Addition/alteration to buildings, construct of Compound wall, executed for central / state Govt. / Public sector undertakings". Experience certificate shall be issued by an officer not below the rank of Engineer(C) .
 - 2.0 Agreement shall be drawn with the successful bidder on prescribed Form No. BSNL W-8, which is available as a BSNL Publication / BSNL Web site; http://civil.ntr.bsnl.co.in Bidders shall quote the item rate on standard schedule rates as per various terms and the said from, which will form part of the agreement.
 - 3.0 The time allowed for carrying out the work will be 45(Forty five) days which will be reckoned from next day after the date of issue of letter of award of work, or, from the day of handing over of the site, whichever is later, in accordance with phasing, if any, indicated in the bid document.
- 4.0 The site for the work is **available**.
- 5.0 The last date of receipt of applications for issue of tender forms (in prescribed format/can also be down loaded from BSNL website www rajasthan .bsnl.co.in) and date of issue of tender forms will be as follows:
 - (i) Last date of receipt of application 17.09.2024 up to 17:30 Hours.

10 of 49 Tenderer EE(C)

- (ii) Last date of issue of tender forms 18.09.2024 up to 17.30 Hours.
- (iii) In case the tender document is down loaded from the website, the applicant will submit his credentials required to establish his eligibility and work experience conditions to the Executive Engineer(C) along with tender documents consisting of plans, specifications, the schedule of quantities of the various classes of work to be done and the set of terms and conditions of the contract to be complied with by the Contractor whose tender may be accepted and other necessary documents, can either be downloaded from the BSNL website www.rajasthan.bsnl.co.in/nttps://eprocure.gov.in/epublish/app or be seen in the office of the Executive Engineer(C), BSNL Civil Division, Jodhpur between 11.00 hours. & 16.00 hours from 09.09.2024 to 18.09.2024 every day except on Sundays and Public Holidays.
- 6.0 Tender documents, excluding standard form, will be issued from this office, during the hours specified above on payment of the following:-
 - (i) Rs. 590/- (500+18.0% GST) in cash) as cost of tender (Non refundable) in cash or Demand Draft/ Pay Orders of a Scheduled Bank drawn in favor of AO(Cash), O/o GMTD, BSNL, Jodhpur.
- Tenders, which should always be placed in sealed envelope, in the manner detailed at para 9 below, will be received by the Executive Engineer (C), BSNL CIVIL Division, Jodhpur up to 15.00 Hrs. on 19.09.2024 and will be opened by him or his authorized representative in his office on the same day at 15.30 Hrs. The tender shall be accompanied by Earnest money Rs. 3822.00 in form of banker cheque / deposit at call receipt of a scheduled bank/ fixed deposit receipt of a scheduled bank/ demand draft of a scheduled bank issued in favour of Accounts Officer (Cash), O/o GMTD, BSNL, Jodhpur. When amount of earnest money is more than Rs. 5 lakhs, part of the earnest money is acceptable in the form of bank guarantee also. In such case, minimum 50% of earnest money (but not less than 5 lakhs) or Rs. 25 lakhs, whichever is less, will have to be deposited in the shape prescribed above and balance in shape of Bank guarantee of any scheduled bank will also be acceptable.

Note: Money due to contractor in any other work or earnest money of the previous call of the same work shall not be adjusted towards earnest money. The 'Cost of tender' and 'Earnest money' should be submitted through separate instruments.

8.0 The description of the work is as follows: -

"Repairing and A/R & M/O work of T.E. Building at Chandhan, Distt. Jaisalmer".

- 9.0 Sub mission of :-Tender shall be submitted in following manner:
- 9.1 In case the tender document is down loaded form BSNL website
- 9.1.1 "Cost of Tender and eligibility credentials" shall be placed in sealed envelope-1. Marked "Tender and eligibility credentials".
- 9.1.2 The "Tender" shall be placed in sealed envelope-2 and will be superscripted as "Tender"
- 9.1.3 The sealed envelope no. 1 & 2 as above containing "Cost of Tender, Eligibility Credentials" and the "Tender" shall be placed in another sealed envelope -3.
- 9.1.4 All the three envelopes shall be superscripted with following data on it.
 - (i) Name of work
 - (ii) Name of tenderer
 - (iii) Last date of receipt of tender
- 9.2 In case the tender document is purchased from **Office**
- 9.2.1 Proof of paying the Cost of Tender documents, proof of payment of EMD and copies of documents showing eligibility credentials" shall be placed in sealed envelope no. 1
- 9.2.2 The envelope no. '2' will be as per para '9.1.2'.
- 9.2.3 The sealed envelopes 1 & 2 shall be placed in another sealed envelope no. 3
- 9.2.4 Same as 9.1.4
 - Note: In case the eligibility credentials are not found in order at any stage i.e. before award of work or during execution of the work or after completion of the work, the contractor will be debarred from tendering in BSNL for **three** years including any other action under the contract or existing law.
- 9.3 The tender in which rates/percentage are to be quoted should be properly bound and sealed (wax sealed/ adhesive tape sealed). Loose/ spiral bound submission (in case the tender is down loaded from website) shall be rejected out rightly. In case of any correction/ addition/ alteration/ omission in tender document vis-à-vis tender document available on website shall be treated as non-responsive and shall be summarily rejected.

Tenderer 11 of 49 EE(C)

9.0 Opening of tender:-

After opening the main envelope 3, the envelope 1 containing the Earnest Money along with the cost of the tender as applicable and eligibility credentials shall be opened first. The envelope 2 containing tender shall be opened only for those tenderers whose Earnest Money, cost of tender and eligibility is found in order. The unopened tenders shall be returned to the tenderer after the final decision *on the tender is reached*.

11.0

- (a) The rates quoted by the agency shall be inclusive of all types of taxes / levies / duty and GST as applicable by the Govt. including labour Cess and nothing extra shall be payable on such account. The Contractor, as service provider, shall be fully responsible for any default in payment of this tax.
- (b) The rates quoted by the agency shall be inclusive of 1 % (one percent) BOCW cess on the work done and shall be recovered from running / final bill as applicable on the building and other Construction workers welfare Cess Act, 1996 due to introduction of "The Building and other Construction Works Regulation of Employment and Conditions of Service Act 1996".
- (c) Successful contractor shall comply with the conditions of relevant EPF Act including maintaining, producing and submitting various documents when demanded showing details of employees / labours engaged, duration of their engagement, amount of wages paid to such labours / employees for the relevant period, amount of EPF contribution (both employees / labours' contribution) for the duration of engagement and proof of payment of the same to concerned EPF authority. Contractor will have to obtain EPF clearance from the concerned EPF authority before payment of final bill.
 - Insurance, loading, unloading, transportation etc. should be included on works contact basis. The rate shall be firm and final.
- Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general, shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials tools & plants, water, electricity, access facilities for workers and on all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of tender by a tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the BSNL and local conditions and other factors having a bearing on the execution of the work. Copies of other drawings and documents pertaining to the work will be open for inspection by the tenderer at the office of the above-mentioned officer.
- 13.0 The competent authority on behalf of Bharat Sanchar Nigam Limited does not bind himself to accept the lowest or any other tender and reserves to himself the authority to reject any or all of the tenders received without the assignment of a reason. All tenders, in which any of the prescribed conditions is not fulfilled or any condition including that of conditional rebate is put forth by the renderer, shall be summarily rejected.
- 14.0 Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.
- 15.0 The competent authority on behalf of the Bharat Sanchar Nigam Limited reserves with himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- The company or firm or any other person shall not be permitted to tender for works in BSNL Civil Zone in which his near relative (s) (directly recruited or on deputation in BSNL) is/are posted in any capacity either non-executive or executive employee. Near relative (s) for this purpose is/are defined as:
 - (i). Member of Hindu Undivided family (UHF).
 - (ii). They are Husband and Wife.
 - (iii). The one is related to other in the manner as father, mother, son(s) & Son's wife (Daughter-in-law), Daughter(s), Daughter's Husband (Son-in-law), brother(s) wife, sister(s), sister's husband (Brother-in-law).
- 17.0 The contractor shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relative to any executive employee / gazetted officer in the BSNL or Department of

Tenderer 12 of 49 EE(C

Telecom or in the Ministry of Communications.

All the intending tenderers will have to give a certificate that none of his/her such near relative (s) as defined above is/are working in the concerned BSNL Civil Zone where he is going to apply for tender/work. The format of the certificate is as under:-

Any breach of these conditions by the Company or Firm or any other person, the tender/work will be cancelled and Earnest Money/ Security Deposit will be forfeited at any stage, whenever it is so noticed. BSNL will not pay any damages to the company or Firm or the concerned person but damages arising on account of such cancellation to be borne by the contractor. The Company or Firm or the person will also be debarred for further participation in the tender in the concerned BSNL Civil Zone. Further, any breach of this condition by the tenderer would also render him liable to be removed from the approved list of contractors or BSNL. If however the contractor is registered in any other Department he shall also be debarred from tendering in BSNL for any breach of this condition.

- No Engineer of Gazetted rank or other Gazetted Officer employed in engineering or administrative duties in an Engineering Department of the Government of India/ State Government or PSU's is allowed to work as a contractor for a period of two years after his retirement from Govt. service, without previous permission of the Govt. of India or BSNL in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Govt. of India/ State Government or PSU's as aforesaid before submission of the tender or engagement in the contractor's service.
- 19.0 The tender for the work shall remain open for acceptance for a period of **30 (Thirty) days** from the date of opening of the tenders. If any tenderer withdraws his tender before the said period or issue of letter of acceptance/intent, whichever is earlier, or, makes any modifications in the terms and conditions of the tender which are not acceptable to the BSNL, then the BSNL shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid.
- In case of works having estimated cost below Rs.15,00,000/-, the successful tenderer shall be required to execute an agreement with the Engineer-in-charge in the Performa annexed to the tender document, within 15 days of the issue of letter of award by the BSNL. In the event of failure on the part of the successful tenderer to sign the agreement, the earnest money will be forfeited and tender cancelled. In case of works of estimated to cost Rs 15,00,000/- and above, the successful tenderer shall, upon issue of letter of acceptance of Tender, shall be required to furnish performance Guarantee @ 5% of the tendered value in the form of irrevocable bank Guarantee of requisite amount to the Engineer-in-charge in the Performa annexed to the tender document, within 15 days of the issue of letter of acceptance of Tender by the BSNL. In the event of failure on the part of the successful tenderer to furnish the Bank Guarantee within 15 days, the earnest money will be forfeited and tender cancelled.
- 21.0 This Notice Inviting Tender (BSNL W-6) shall form a part of the Contract Document. In accordance with clause 1 of the contract, the letter of acceptance shall be issued first in favour of the successful Tenderer/Contractor. After submission of the performance guarantee, the letter of award shall be issued. The contract shall be deemed to have come into effect on issue of letter of acceptance of the tender. On issue of letter of award, the successful Tenderer/Contractor shall, within 15 days from such date, formally sign the agreement consisting of:
 - a) The Notice Inviting Tender, all the documents including additional conditions, specifications and drawings, if any, forming part of the tender, and, as issued at the time of invitation of tender and acceptance thereof together with any correspondence leading thereto.
 - b) Standard BSNL W-7/8 as on website: www.rajasthan.bsnl.co.in https://eprocure.gov.in/epublish/app with up to date correction slips.
 - Agreement signed on non-judicial stamp paper as per Performa annexed to the tender document.
- 21.0 Payment to the contractors shall be made through e-payment system like ECS & EFT as detailed below:
 - a). In cities/areas where ECS/EFT facility is provided by Banks, the tenderer must have Account in such ECS/EFT facility providing Banks and that Bank A/c No shall be quoted in the tender by the tenderer.
 - b). The cost of ECS/EFT will be borne by BSNL in all cases where the payment to contractor is made in a local Branch i.e. tenderer is having bank account in the same place from where the payment is made by BSNL unit.
 - c). In case payment is made to outside branch i.e. tenderer is having back account not in the same place form where the payment is made by BSNL unit, the crediting cost will have to be borne by the tenderer only.

- d). The payments to contractors will compulsorily be made through ECS/EFT in respect of all contracts.
- 22.0 First running account bill shall be paid only after
 - a). Signing of the Agreement/Contract by both the parties, and
 - b). Progress chart has been prepared as required under Clause 5 and approved by the competent authority.
- 23.0 If a contractor after purchasing the tender does not quote consecutively on three occasions, the contractor may be debarred for further purchase of tenders for a period of six months.
- 24.0 General conditions of contract for works in BHARAT SANCHAR NIGAM LIMITED are available on website www.rajasthan.bsnl.co.in https://eprocure.gov.in/epublish/app with up to date correction slips as well as in the Divisional Office.
- 25.0 The tenderer shall furnish a declaration to this effect (In case of downloaded tender) that no addition/deletion/correction have been made in the tender document submitted and it is identical to the tender document appearing on website. Every page of down loaded tender shall be signed by the tenderer with stamp (seal) of his firm/ organization.
- 26.0 There is clause 46 for insurance which is to be complied by the Contractor.
- 27.0 Agency has to observe all the labour rules & regulation in force.
- Agency will comply the provisions of EPF & Misc. Provisions Act 1952, Employees Provident Fund Schemes 1952 and the ESI Act, 1948 in respect of labourers/employees engaged by them for performing the work.

 Moreover, during the submission of the bill for payment, the firm shall submit the
 - a. List showing the details of labourers / employees engaged.
 - b. Duration of their engagement.
 - c. The amount of wages paid to such labourers / employees for the duration in question.
 - d. Amount of EPF contributions (both employer's & employee's contribution) for the duration of engagement in question, paid to EPF Authorities.
 - e. Copies of authenticated documents of payments of such contribution to EPF Authorities.
 - f. A declaration regarding compliance of the conditions of EPF Act 1952 & ESI Act 1948.
- 29.0 Firm shall be fully responsible for any violation observed at any time

List of Documents to be submitted with the Bid

- Demand draft/Pay order or Banker"s Cheque/Deposit at Call Receipt/FDR against EMD.
- 2. Demand draft/Pay order or Banker"s Cheque of any Scheduled Bank towards cost of Bid document.
- 3. Valid Enlistment order.
- Certificates of Work Experience(If applicable for non registered contractor).
- 5. GSTIN Registration certificate issued by the competent authority, Employee Provident Fund Registration No./ Undertaking for obtaining EPF registration number from EPF authority.
- 6. Near relative certificate as stipulated under clause 14 of Notice Inviting Tender.
- 7. Power of Attorney, if applicable.
- 8. Any other documents as specified in the press notice
- 9. Partner deed if any..

Signature and Name of Divisional Officer

(Executive Engineer (C)
BSNL Civil Division, Jodhpur.

Tenderer 14 of 49 EE(C

cancelled

BHARAT SANCHAR NIGAM LIMITED

(A GOVERNMENT OF INDIA ENTERPRISE)

STATE: Rajasthan CIRCLE: BSNL CIVIL CIRCLE, Jodhpur ZONE: North Zone, Jaipur DIVISION: BSNL CIVIL DIVISION, Jodhpur

Item Rate Tender & Contract for works 25 /EE(C)/BSNL-CIVIL/JDR/2024-2025 NIT No

Tender for the work Repairing and A/R & M/O work of T.E. Building at Chandhan, Distt. Jaisalmer." to be opened in presence of tenderer who may be present at 15.30 hours On 19.09.2024 in the office of the Executive Engineer(C), BSNL Civil Division, Jodhpur.

Issued to:
(Contractor)
Signature of officer issuing the documents
Designation: Executive Engineer(C) , BSNL Civil Division, Jodhpur.
Date of Issue
<u>TENDER</u>
I/We have read and examined notice inviting tender, schedule, A, B, C, D, E & F. specifications applicable, Drawings & Design, General Rules and Directions, Conditions of Contract, Clauses of Contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the Conditions of Contract and all other contents in the tender document for the work.
I/We hereby tender for the execution of the work specified by the Bharat Sanchar Nigam Limited for BBNL within the time specified in schedule "F", viz., schedule of quantities and in accordance in all respects with the specifications, designs, drawings and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of the contract and with such materials as are provided for, by and in respect in accordance with, such conditions so far as applicable.
I/We agree to keep the tender open for 30 days from the due date of submission thereof and not to make any modifications in its terms and conditions If I/We withdraw my/our tender before the said period or issue of letter of acceptance/intent, whichever is earlier, or, makes any modifications in the terms and conditions of the tender which are not acceptable to the BSNL, then the BSNL shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid.
A sum of Rs. 3822.00 ihas been deposited in prescribed manner as earnest money. If I/We fail to commence the work specified I/We agree that the said Bharat Sanchar Nigam Limited shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely otherwise the said earnest money shall be retained by competent authority on behalf of the Bharat Sanchar Nigam Limited towards Security Deposit to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to therein and carry out such deviations as may be ordered, up to maximum of the percentage mentioned in Schedule F ^a and those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and

12.3 of the tender form. I/we agree that this contract is subject to jurisdiction of court at Jodhpur only.(Where the NIT/Tender has been issued).I/We agree that, in case of works of estimated cost exceeding Rs.15,00,000/-, to deposit an amount equal to 5% of Tendered value of the work as performance guarantee in the form of bond of any Scheduled Bank of India in accordance with the Performa prescribed or in the form of Fixed Deposit Receipt etc., within 15 days of the issue of letter of acceptance of Tender by the BSNL. I/We am/are aware that in the event of failure on my/our part to furnish the Bank Guarantee within 15 days, the earnest money will be forfeited and tender

Tenderer 15 of 49 Internet Downloaded Copy

No......where the ECS/ NEFT facility of e-payment is available.

I/We hereby declare that I/We shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information derived there-from to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

I/We agree that should I/We fail to commence the work specified in the above memorandum, an amount equal to the amount of the earnest money mentioned in the form of invitation of tender shall be absolutely forfeited to the Bharat Sanchar Nigam Limited and the same may at the option of the competent authority on behalf of the Bharat Sanchar Nigam Limited be recovered without prejudice to any right or remedy available in law out of the deposit in so far as the same may extend in terms of the said bond and in the event of deficiency out of any other money due to me/us under this contract or otherwise.

The information in respect of works in hand is as per Performa enclosed.

"I/We agree that this contract is subject to jurisdiction of court at Jodhpur only." (Where the NIT/ Tender has been issued)

The evaluation and comparison of responsive bids shall be done on the basis of rates quoted to BSNL on the prices offered inclusive of Goods & Service taxes (GST) and all other taxes as applicable.

Dated	
(Signature of Contractor
Witness:	Postal Address:-
Address: Occupation:	
ACCEPTANCE	
me for and on behalf Rs(Rupees	·
	orm part of this contract Agreement
(a)	
(b) Signature	
Name and Designation	
Dated	For & on behalf of the BHARAT SANCHAR NIGAM LIMITED

Tenderer 16 of 49 EE(C)

		PROFOR	RMA OF	SCHEDULES		
SCHEE						
	Sched	ule of Quantities- Sch	nedule of Qu	antities Attached.		
SCHED	OULE "B"					
Sched	ule of Materials to	be issued to the conti	ractor			
. No	Description of Item	Quantity		Rates in figures & words materials will be charge contractor		Place of issue
1	2	3		4		5
Jil						L
SCHED	OULE "C"					
Tools	and Plants to be h	red to the contractor				
S. No.	Descrip	otion of Item	Hire charge	s per day	Place of iss	ue
1	2		3		4	
ELE.	ΓED					
SCHEE		fic requirements/docu				
Gener SCHED		ditional Conditions, Ac	dditional Spe	cifications are enclosed.		
		of Materials, Labour 6	etc for Escala	tion		
CLAU	USE 10 C.	NOT	APPLICA	BLE		
-	onent of Material of Work	s expressed as percen	t of Total	"X"	<mark>75%</mark>	
-	onent of Labour of Work	expressed as percent	of Total	"Y"	25%	
Compo of Wo	·	ressed as percent of ⁻	Total value	"Z"	0%	
	OULE "F"				•	
		al Conditions of Co				
Name	of Work			pairing and A/R & M/ Chandhan, Distt. Jais		Г.E. Building
Estim	Estimated cost of Work Rs. 191115 /-					
Earne	est Money		Rs 3822/-			
the fo	rm of Bank Guara	e (5% of Tendered va	ank in	pees		
	ct of works with e ding Rs. 15.00 Lakh	stimated cost put to t ns)	Lenuer (_only)

Tenderer 17 of 49 EE(C)

with est	Deposit (10% of tendered value for works imated cost put to tender up to Rs. 15.00 5% of tendered value in respect of works imated cost put to tender exceeding Rs. khs)	(Rupe	es	only)		
GENER	AL RULES AND DIRECTIONS					
Officers	inviting tender			Executive Engineer (C), BSNL CIVIL DIVISION, Jodhpur		
beyond	m percentage for quantity of items of work to which rates are to be determined in acc 2.2 & 12.3			50% (Fifty percent)		
Definit	ions			See below		
2(v)	Engineer-in charge			Executive Engineer (C), BSNL CIVIL DIVISION, Jodhpur		
2(viii)	Accepting Authority			Executive Engineer (C), BSNL CIVIL DIVISION, Jodhpur		
2(x)	Percentage on cost of materials and Labo overheads and profit	our to co	over all	10 % (Ten Percent)		
2(xi)	Standard Schedule of Rates			CPWD DSR-2021 as amended from time to time and further applied with reduction factor @ 110/115 on DSR-2021 schedule items.		
2(xii)	Department			BHARAT SANCHAR NIGAM LIMITED (BSNL Civil Division, JODHPUR)		
9(ii) Standard BSNL Contract Form				BSNL W-8 as modified and corrected with up to date correction slips (1 to 5) as on the date of opening of tenders.		
Clause 2						
Authori	ty for fixing compensation under Clause 2			Executive Engineer (C), BSNL CIVIL DIVISION, Jodhpur		
Whethe	er Clause 2A shall be applicable			NO		
Clause3	A					
Whether Clause 3A shall be applicable				NO		
Clause 5						
i) Time allowed for execution of work. 45(Fort			(Forty	/ five) days		
ii) Authority to give fair and reasonable extension of time for completion of work.			ecutive Engineer (C), BSNL CIVIL DIVISION, Jodhpur			
Clause 6A						
Whether Clause 6A shall be applicable				NO		
Clause 7	Clause 7					

Tenderer 18 of 49 EE(C)

-		st .		
		1 st & final bill		
payment /adjustment of advances for materials				
	any, since the last such payment for			
being eligible	to interim payment.			
Clause 10				
Reinforceme	nt steel to be used in the work shall	TMT bars Manufactured by Primary producers e.g. SAIL,		
have to be pr	ocured from:	VIZAG,TISCO, RINL etc.		
Clause 11				
Specification	to be followed for execution of work.	CPWD Specifications 2009 Volume I to II with up to date		
Speemeation	to be followed for execution of works	correction slips shall be followed.		
Clause 12				
12.1.2(iii)	Schedule of rates for determining	DELETED		
	the rates for additional, altered or			
	substituted items that cannot be			
	determined under 12.1.2(i) and (ii)			
12.1.2(iv)	Plus/ minus (+ / -) the % over the	DELETED		
, ,	rate entered in the schedule of			
	rates.			
Clause 16		<u> </u>		
Competent authority for deciding reduced rates.		Superintending Engineer (C), BSNL Civil Circle,		
, ,		Jodhpur (5), 2512 514 5141,		
Clause 25		1		
Competent authority for conciliation		DELETED		

Cla	Clause 36(i)							
Ger	General guideline for fixing requirement of technical staff and rate of recovery in case of non-compliance, for a work, shall be as per the following table:-							
S. N O.	Minimum qualificati on of	Disci pline	Designation (Principal Technical/Techn	Minim um Exper	Num ber	Rate at which recovery shall be made from the contractor in the event of not fulfilling provision of clause 36 (i)		
	Technical Represent ative		ical representative)	ience		Figures	Words	
1	Graduate Engineer	Civil	Principle Technical Representative	NIL	NIL	Rs. 10,000.00 per month	Rupees Ten thousand per month	
2	Diploma Engineer	Civil	OR Principle Technical Representative	NIL	NIL	Rs. 10,000.00 per month	Rupees Ten thousand per month	
The work is of maintenance nature and costing below 10 Lakhs, hence not required.								
	CLAUASE NO. Clause -37 (i) The rates quoted by the agency shall be inclusive of all types of taxes / levies / duty and GST including Labour Cess as applicable by the Govt., Goods and services tax as applicable on purchase of goods/services to be used in the work and other contractual workers welfare cess or any other tax or cess in respect of the contract shall be payable by the contractor.							

Clause 42				
i)	_	•	of cement & bitumen on the basis of Delhi	
	of tenders.	D with up to date	correction slips as on the date of opening	
ii)	Variation permissible on theoretical quar	ntities		
a)	Cement for works with estimated costs p	out to tender		
	i) not more than Rs. 5 lakhs		3 % minus	
	ii) more than Rs. 5 lakhs		2 % minus	
b)	Steel reinforcement and structural stee	I sections for each	2 % minus	
	diameter, section and category.			
Clause 46	The contractor shall at his own cost ar	range ,secure and	a)Contractors all risk insurance .	
Insurance	maintain insurance in the joint names of the BSNL and		b) Workman compensation & Employers.	
	contractor with any of the subsidiary of the General		c)Third part insurance.	
	insurance corporation of india			
Star Prices	to be considered for Escalation and Reco	veries.		
SI. No	Material	Star Price		
		(Rate in Figures and Words)		
1	For Cement			
2(a)	For Mild Steel	Nil		
2(b)	For Reinforcement Steel TMT bars			
	conforming to IS.			

Executive Engineer (C)

BSNL CIVIL DIVISION, JODHPUR

PERFORMA FOR AGREEMENT (ON NONJUDICIALSTAMP PAPER OF APPROPRIATE VALUE)

CONTRACT	AGREEMENT	FOR	THE	WORK	OF	
					DATED_	
permitted ass	which term shall u igns) of the one pa	nless excludert and the	ded by oi Bharat Sai	nchar Nigan	Limited here	Hereinafter called the ect or context include its successors and reinafter called the BSNL (which term shalls and assigns) of the other part.
WHEREAS						
enumerated of Conditions of	r referred to in the	tender incl cifications, D	uding Pres Prawings, I	ss Notice Inv Plans, Time	iting Tender, (Schedule of c	should be executed as mentioned, General Conditions of the Contract, Special completion of jobs, Schedule of Quantities
himself by ca grounds, the availability of and water the complete info connection th hindrances or has examined generally all m	refully examination form and nature of labour and material ereto and the accordance to the later with, and has interferences to or land considered at	n before subof the site als necessary mmodation e matters a considered with the exall other manereto and a	omitting hand local y for the e he may rend things the naturates, coruncillary the	conditions to execution of equire and has referred to re and externed completion	to the natural he quantities work, the meas made local or implied ant of all the things and part of things and part of things and part of the work the	In the tender documents and has satisfied are of the surface, strata, soil, subsoil and s, nature and magnitude of the work the eans of access to site, the supply of power al and independent enquiries and obtained in the tender documents or having any probable and possible situations, delays, rk to be carried out under the contract, and probable and possible contingencies, and attion and completion of the work and which
Conditions of for completion which are her	Contract, Schedule n of work. Letter of	of Quantitie Acceptance	es and rate of tender	es, General c and any sta	obligations, Sp tement of agr	r, General conditions of contract, Special pecifications, Drawings, plan, time schedule reed variations with its enclosures copies of therein and are included in the expression
AND WHEREA	S					
						Contractor) for the construction of
dateda		the Schedu	ıle of quar	ntities for th	e work and ac	ccepted by the BSNL (hereinafter called the
NOW THIS AGR	EEMENT WITNESSTH	I & IT IS HERE	BY AGREE	D AND DECLA	RED AS FOLLO	ws.

In consideration of the payment to be made to the contract for the work to be executed by him, the contractor

hereby convenient with the BSNL that the contractor shall and will duly provide, execute, complete and maintain the said work and shall do and perform all other acts and things in the contract mentioned or described or which are to be implied

Tenderer 21 of 49 EE(C

and there from or may be reasonably necessary for the completion of the said works and at the said times and in the manner and subject to the terms and conditions or stipulations mentioned in the contract, AND

- 2. In consideration of the due provisions execution, completion and maintenance of the said work, the BSNL does hereby agree with the contractor that the BSNL will pay to contractor the respective amounts for the work actually done by him and approved by the BSNL at the Schedule or Rates and such other sum payable to the contractor under provision of the contract, such payment to be made at such time in such manner as prescribed for in the contract.
- 3. It is specifically and distinctly understood and agreed between the BSNL and the contractor that the contractor shall have no right, title or interest in the site made available by the BSNL for execution of the works or in the building, structures or works executed on the said site by the contractor or in the goods, articles, materials, etc. brought on the said site (unless the same specifically belongs to the contractor) and the contractor shall not have or deemed to have any lien whatsoever charge for unpaid bills will not be entitled to assume or retain possession or control of the site or structures and the BSNL shall have an absolute and unfettered right to take full possession of site and to remove the contractor, their servants, agents and materials belonging to the contractor and lying on the site.
- 4. "The contract is subject to the jurisdiction of Court at JODHPUR (Rajasthan) only," (Where the NIT/Tender has been issued)

In Witness whereof the parties here to have hereinto set their respective hands and seals in the day and the year first above written.

Signed and delivered for and on behalf of BSNL	Signature and delivered for and on Behalf of the contractor
(BHARAT SANCHAR NIGAM LIMITED)	(Contractor)
OFFICIAL ADDRESS	
Date	Date
Place	Place
IN PRESENCE OF TWO WITNESSES	
SIGNATURE	SIGNATURE
NAME	NAME
SIGNATURE	SIGNATURE
NAME	NAME
For Proprietary Concern	
Shrir/or/or/or/or/or/or/or/or/or/or/or/or/o	said Contractor which expression shall unless the context requires

Tenderer 22 of 49 EE(C

Executive Engineer (C)

BSNL CIVIL DIVISION, JODHPUR

For Partnership Concern

AND SANITARY INSTALLATIONS day of_____two thousand and_____between___ The this____ agreement made (hereinafter called the GUARANTOR of the one part) and the BHARAT SANCHAR NIGAM LIMITED (of hereinafter called the BSNL of the other part). WHEREAS THIS agreement is supplementary to the contract. (Herein after called the Contract) dated_______and made between the GUARANTOR OF THE ONE PART AND the BSNL of the other part, whereby the contractor interalia, undertook to render the work in the said contract recited structurally stable workmanship and use of sound materials. AND WHEREAS THE GUARANTOR agreed to give a guarantee to the effect that the said work will remain structurally stable and guarantee against faulty workmanship, finishing, manufacturing defects of materials and leakages etc. NOW THE GUARANTOR hereby guarantee that work executed by him will remain structurally stable, after the expiry of maintenance period prescribed in the contract for the minimum life of ten years, to be reckoned from the date after the expiry of maintenance period prescribed in the contract. The decision of the Engineer in charge with regard to nature and cause of defects shall be final. During the period of guarantee the guarantor shall make good all defects to the satisfaction of the Engineer in charge calling upon him to rectify the defects, failing which the work shall be got done by the BSNL by some other contractor at the guarantor's cost and risk. The decision of the Engineer in charge as to the cost payable by the Guarantor shall be final and binding. That if the guarantor fails to make good all the defects, commits breach there-under then the guarantor will indemnify the Principal and his successor against all loss, damage cost expense or otherwise which may be incurred by him by reason of any default on the part of the GUARANTOR in performance and observance of this supplementary agreement. As to the amount of loss and/or damage and/or cost incurred by the BSNL the decision of the Engineer in charge will be final and binding on the parties. IN WITNESS WHEREOF those presents have been executed by the obligator_____ and_____ by for and on behalf of the BHARAT SANCHAR NIGAM LIMITED on the day, month and year first above written. Signed sealed and delivery by OBLIGATOR in presence of: SIGNED FOR AND ON BEHALF OF THE BHARAT SANCHAR NIGAM LIMITED BY _____in the presence of:

GUARANTEE TO BE EXECUTED BY THE CONTRACTOR FOR REMOVAL OF DEFECTS AFTER COMPLETION IN RESPECT OF WATER SUPPLY

Tenderer 24 of 49 EE(C)

		TO BE EXI	ECUTED BY TH	IE CONTRACTOR	FOR WATE	R PROOFING	TREATMENT	FOR BA	SEMENT
TERRA The	agreement	made	this		day of		two	thousand	d and
	_			 ′o					
and th				einafter called th					o pa
			•	contract. (Herei		• •			
	_		•	ARANTOR OF TH				r part, who	ereby the
contra	ctor interalia,	undertook	to render the	structures in the	said contra	ctor of the w	ork in the sa	aid contrac	ct recited
compl	etely water and	l leak proof.							
THE G	UARANTOR he	reby guaran	tee that the wa	ater proofing trea	atment given	by him will re	ender the Str	uctures co	ompletely
leak p	roof and the m	inimum life	of such water p	proofing treatme	nt shall be te	n years to be	reckoned fror	n the date	after the
expiry	of maintenand	ce period p	rescribed in the	e contract. Provi	ded that the	guarantor wil	II not be resp	onsible fo	r leakage
caused	d by earthquak	e or structu	ral defects. The	e decision of the	Engineer in o	charge with re	gard to cause	of leakag	e shall be
final.									
During	the period of	guarantee t	he guarantor sl	nall make good a	II defects and	d in case of an	y defects beir	ng found re	ender the
structi	ure water prod	of to the sa	atisfaction of th	ne Engineer in c	harge at his	cost and sha	II commence	the work	for such
rectific	cation within so	even days fr	rom the date o	f issue of notice	from the Eng	gineer in charg	ge calling upo	n him to r	ectify the
	_		_	by the BSNL thro	_		_	intor's cost	t and risk
The de	ecision of the E	ngineer in ch	narge as to the o	cost payable by th	ne Guarantor	shall be final a	and binding.		
That if	the guarantor	fails to exe	cute the water	proofing, or com	mits breach	there-under t	hen the guara	antor will i	ndemnify
the Pr	incipal and his	successor a	against all loss,	damage, cost of	expenses o	r otherwise w	hich may be	incurred b	y him by
reasor	n of any of ar	y default d	on the part of	the GUARANTO	R in perforn	nance and ob	servance of	this suppl	ementary
agreer									
		oss and/ or	cost incurred b	y the BSNL on th	e decision of	the Engineer i	in charge will	be final an	d binding
	parties.								
		-		en executed by th				b	y for and
on bel	nalf of the BHAI			TED on the day, n	•		written.		
		Signed se	ealed and delive	ered by OBLIGATO	R in presenc	e of:			
1.				2.					
			THE BHARAT SA	ANCHAR NIGAM L	.IMITED	•			
BY									
In pres	sence of:1.		2.						

Tenderer 25 of 49 EE(C)

BANK GUARANTEE BOND

1. In consideration of the BHARAT SANCHAR NIGAM LIMITED (hereinafter called "the BSNL") having agreed under the terms and
conditions of agreement No Dated made between and
(hereinafter called "the said contractor(s)") for thework (hereinafter called "the said agreement") for
compliance of his obligation in accordance with the terms and conditions in the said agreement.
We (indicate the name of the Bank) (hereinafter referred to as "as Bank) hereby undertake
to pay to the BSNL and amount not exceeding Rs(Rupeesonly) on demand by the BSNL.
2. We(Indicate the name of the Bank) do hereby undertake to pay the amount due and
payable under this Guarantee without any demure, merely on a demand from the BSNL stating that the amount claimed is required to
meet the recoveries due or likely to be due from the said contractor(s). Any such demand made on the Bank shall be conclusive as regards
the amount due and payable by the bank under this Guarantee. However, our liability under this guarantee shall be restricted to an
amount not exceeding Rs(Rupeesonly).
3. We undertake to pay to the BSNL any money so demanded notwithstanding any dispute or disputes raised by the contractor (s) in any
suit or proceeding pending before any court or Tribunal relating thereto our liability under this present being absolute and unequivocal.
The payment made by us under this bond shall be valid discharge of our liability for payment to there-under and the contractor(s) shall
have no claim against us making such payment.
4. We(Indicate the name of Bank) further agree that the guarantee herein contained shall remain in full
force and effect during the period that would be taken for the performance of the said agreement and that it shall continue to be
enforceable till all the dues of the BSNL under or by virtue of the said agreement have been fully paid and it is claims satisfied or
discharged or till Engineer-in-charge on behalf of the BSNL certifies that the terms and conditions of the said Agreement have been fully
and properly carried out be the said contractor(s) accordingly discharges this guarantee.
5. We(indicate the name of Bank) further agree with the BSNL that the BSNL shall have the fullest liberty
without our consent and without affecting any manner our obligations hereunder to vary any of the terms and conditions of the said
agreement or to extend time of performance by the said contractor(s) from time to time or to postpone for any time to time any of the
powers exercisable by the BSNL against the said contractor(s) and to forebear or enforce any of the terms and conditions relating to the
said agreement shall not be relieved from our liability by reasons of any such variation or extension being granted to the said
contractor(s) or for any forbearance act of omission on that part of the BSNL or any indulgence by the BSNL to the said contractor(s) or by
any such matter or thing whatsoever which under the law relating to sureties would, but for this provision, have effected or so relieving
us.
6. The guarantee will not be discharged due to the change in the constitution of the Bank or the contractor(s).
7. We(indicate the name of Bank) lastly undertake not to revoke this guarantee except
with the previous consent of the BSNL in writing.
8. This guarantee shall be valid up to unless extended on demand by BSNL. Notwithstanding any thing mentioned
above our liability against this Guarantee is restricted to Rs (Rs only) and unless a claim in
writing is lodged with us within Six Monthss of the date of expiry or the extended date of expiry of this guarantee, all our liabilities under
the Guarantee shall stand discharged.
Date the date of for
(Indicate the name of Bank)

Tenderer 26 of 49 EE(C)

AFFIDAVIT

I/We have submitted a bank guarantee f	for the work	
	(Name of Work), Agreement No	Dated: from
	(Name of the Division) with a view	
performance guarantee in cash. This Bar	nk Guarantee expires on	
	the bank guarantee intact by getting it ext months after the	
I/We also indemnify the Bharat Sanch guarantee if any.	ar Nigam Limited against any losses arisi	ng out of non- encashment of the bank
(Deponent)		
Signature of Contractor		
Note: The affidavit is to l	be given by the Executants k	pefore a first class Magistrate.

GENERAL INSTRUCTIONS

- 1. The entire work shall in general conform to the **C.P.W.D. Specifications for Works 2009 (Volume I to Volume II)** with all correction slips issued up to date as on the date of opening of tenders and description in the Schedule of Quantities, additional conditions, special conditions, additional specifications, latest relevant Bureau of Indian Standard codes and the drawings.
- 2. All the above quoted documents shall be considered complementary to each other. However in case of conflict among the various provisions, the following order of precedence shall be followed.
 - a) Provision in nomenclature of item in schedule of quantities, including drawings, if any mentioned therein.
 - b) Special Conditions.
 - c) Additional Conditions.
 - d) Additional Specifications.
 - e) C.P.W.D. Specifications.
 - f) Latest relevant B.I.S. codes
 - g) Drawings of the work not specifically mentioned in the nomenclature of the item.
 - h) The decision of the Engineer-in charge given in writing based on sound engineering practice and local usage shall be final and binding on the contractor
- 3. Where ever "C.P.W.D. Specification" is referred to in the tender documents, it shall mean "C.P.W.D. Specifications for Works 2009 (Volume II) with all up to date correction slips as on the date of opening of tenders".
- 4. Wherever any reference to any Indian Standard Specifications (B.I.S.) occurs in the documents relating to this contract, the same shall be inclusive of all upto date amendments or revisions.
- 5. Where ever "D.S.R." is referred to in the tender documents, it shall mean "C.P.W.D. Delhi Schedule of Rates 2021 with all up to date correction slips as on the date of opening of tenders".
- 6. The work shall be executed and measured as per Metric Dimensions given in the schedule of quantities, drawings etc. (F.P.S. units wherever indicated are for guidance only).
- 7. Other Taxes and Royalties.
- 7.1 Income Tax and surcharges over Income Tax etc. at the rates fixed by the Ministry of finance, Government of India, shall be deducted from all the running and final bills of the contractor. Should there be any increase in rate of Income Tax and surcharge during execution of the contract, if any, and the contractor thereupon necessarily and properly pays such taxes / levies, the contractor shall be reimbursed the amount so paid, provided such payments, if any, is not, in the opinion of the Superintending Engineer (whose decision shall be final and binding on the contractor) attributable to delay in execution of work within the control of the contractor.
- 7.2 The rates quoted by the agency shall be inclusive of all types of taxes /levies / duty by the Govt. including Labour Cess including 100 % GST and GST cess on Goods and Services. The GST as applicable on works contract shall be paid by the contractor as per notification issued by GOI from time to time. The labour, welfare cess and TDS as per the Govt. regulations will be recovered from the contractor.
- 7.3 Royalty shall have to be paid by the contractor on all materials such as stone, bricks, boulders, metal, shingle, bajri, stone aggregate, coarse sand and fine sand etc. or any other materials used for the execution of the work direct to the Revenue Authority of the District/State Govt. concerned. The contractor shall obtain "No Demand" certificate from the District/State Govt. authority concerned before the final bill is paid, failing which necessary recovery will be effected at the applicable rates in the final bill.

Executive Engineer(C)
BSNL CIVIL DIVISION
JODHPUR

Tenderer 28 of 49 EE(C)

CERTIFICATES AS PER PARA 14 OF BSNL 6

1. I,	Son of	resident of
		hereby certify that
none of my/our rela	itive(s) as defined in para	a 14 of BSNL-6 is/are employed in BSNL Rajasthan Civil
Zone. In case at an	y stage, it is found that in	nformation given by me/us is falls/incorrect, BSNL shall have
the absolute right to	take any decision as de	eemed fit without prior intimation to me/us.
		Yours faithfully,
		(TENDERER)
		(Tenderer's signature along with seal)
		NAME:
Note:		
In case of a partne	rship firm this Certifica	ate is to be signed by all
Partners / directors	s of the company	

Tenderer 29 of 49 EE(C)

DECLARATION FOR COMPLIANCE	E OF EPF & MP ACT & GST RULES.
I/Wedo her	eby solemnly declare that I shall abide by all the rules/
conditions/ provision of EPF and Miscellane	ous Provision Act. 1952 and also Govt. of India GST Rules as
applicable. I shall pay the GST as applicable	e as per rules. In case of default by the undersigned , the sole
responsibility shall be mine/ us.	
	Yours faithfully,
	(TENDERER)
	(Tenderer's signature along with seal)
	NAME:
Note: In case of a partnership firm this Cer Partners / directors of the company	rtificate is to be signed by all
i armers / unectors or the combany	

Tenderer 30 of 49 EE(C)

Correction Slip

To GCC for civil works -2006, Correction slips issued by BSNL time to time but not incorporated in GCC book (incorporated by this correction slip in to GCC Book)

Correction Slips of BSNL W-6 in Item No. 16 & 17 at page 5 GCC

- 16. The tender for the work shall remain open for acceptance for a period of 30 days from the date of opening of the tenders. If any tender withdraws his tender before the said period or issue of letter of acceptance /intent, which is earlier, or makes any modifications of the tender which are not acceptable to the BSNL, then the BSNL shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid.
- 17.In case of works having estimated cost below Rs. 15,00,000/- the successful tenderer shall be required to execute an agreement with the Engineer-in-Charge in the Performa annexed to the tender document, within 15 days of the issue of letter of award by the BSNL. In the event of failure on the part of the successful tenderer to sign the agreement, the earnest money shall be forfeited and tender cancelled.

In case of works of estimated to cost Rs. 15,00,000/ and above , the successful tenderer hall, upon issue of letter of acceptance of Tender , shall be required to furnish Performance Guarantee @ 5% of the tendered value in the form irrevocable Ban Guarantee of requisite amount to the Engineer-in-Charge in the Performa annexed to the tender document, within 15 days of the issue of letter of acceptance of Tender by the BSNL In the event of failure on the part of the successful tenderer to furnish the Bank Guarantee within 15 days to earnest money will be forfeited and tender cancelled.

SI.No	Clause or Para	Inserted/ Addition / Deletions
1	BSNL-W-6 para 6.0 (ii)	In line no.1 inserted "Banker's cheque /"
		before at call receipt
2	BSNL.W-7/8 para A at page No. 7 paragraph 2 line1	Read as Rs. 15,00,000/- instead Rs.6,00,000/-
3	General rules & directions Page 8 Para 4A line 7	Read as envelop instead of tender
4	General rules & directions Page 10 Para 13 paragraph 1 & 3 line 1&1.	Read as (Rs. 15,00,000/- Rupees Fifteen lacs) instead Rs. 6,00,000/-Rs. Six lakhs
5	Clause of contract Clause 17 line 6 page 38	Insert "and below except road work". After Rs. fifteen lakhs
6	Performa of Schedules "F" line11,15 & 20 page 93	Read as Rs. 15,00,000/- instead Rs.6,00,000/-
7	Page no.7 para 6 line 1 & page 97 para 4 jurisdiction of court.	Shall be at Jodhpur only

Tenderer 31 of 49 EE(C)

ADDITIONAL CONDITIONS & SPECIFICATIONS

GENERAL

The quoted rates for various items in the tenders shall be inclusive of all additional conditions and particular specifications and for adherence to all these conditions and specifications, no extra payment shall be made to the contractor. Any infringement and/or breach of these specification(s) and condition(s) etc. shall render the contractor liable to action(s) under various clauses of the contract and such action stipulated in conditions therein.

"A" ADDITIONAL CONDITIONS

- 1. The contractor shall maintain safe custody of materials bought to the site. The Contractor shall also employ necessary watch and ward establishment for the work and other purposes as required at his own cost.
- 2. For Cement and Steel and other materials, as prescribed, the quantities brought at site shall be entered in the respective material at site accounts and shall be treated as issued for maintenance of daily consumption.
- 3. The procurement of Cement and Reinforcement Steel, and their issue and consumption shall be governed as per conditions laid down hereunder.

3.1. Cement

- 3.1.1 The contractor shall procure 43 grade (Conforming to IS: 8112) Ordinary Portland cement, as required in the work, from reputed manufactures of cement, having a production-capacity of one million tonnes per annum or more, such as A.C.C., L&T, Vikram, Shri Cement and cement Corporation of India, etc. as approved by Ministry of Industry. Government of India, and holding license to use ISI certification mark for their product whose name shall be got approved from Engineer-in-Charge. Supply of cement shall be taken in 50 kg. Bags bearing manufacture's name and ISI marking. Sample of cement arranged by the contractor shall be taken by the Engineer-in-Charge and got tested in accordance with provisions of the relevant BIS codes. In case test results indicate that the cement arranged by the contractor does not conform to the relevant BIS codes, the same shall stand rejected and shall be removed from the site by the contractor at his own cost within a week's time of written order from the Engineer-in Charge to do so.
- 3.1.2. The Cement shall be brought at site in bulk supply of approximately 50 tonnes or as decided by the Engineer-incharge.
- 3.1.3 The Cement godown of the capacity to store about 2000 bags of cement or as decide by the Engineer-in-charge shall be constructed by the contractor at site of work for which no extra payment shall be made. Double lock provision shall be made to the door of the cement godown. The keys of one lock shall remain with the Engineer-in –charge or his authorized representative and the key of other lock shall remain with the contractor. The contractor shall facilitate the inspection of the cement godown by the Engineer-in-charge at any time.
- 3.1.4. The contractor shall supply free of charge the cement required for testing .The cost of tests shall be borne by the contractor/Department in the manner indicated below:
 - i. By the contractor, if the results show that cement does not conform to relevant BIS codes.
 - ii. By the Department, if the results show that the cement conforms to relevant BIS codes.

3.2. STEEL

- 3.2.1. The contractor shall procure steel reinforcement bars conforming to relevant BIS codes from main producers as approved by the Ministry of steel or from secondary producers and re-rollers having BIS License to produce CTD bars as specified in Schedule –F subject to following stipulations:
 - (i) If it is provided in the agreement that steel is to be procured from primary producers and procurement of steel from secondary producers is allowed then a deduction based on the difference in market rate of steel from primary producers and secondary producers shall be made in the running/ final bills.
 - (ii) However, if the stipulation is for procurement of steel from secondary procures then if the contractor uses steel from primary producers the same shall be allowed but nothing extra shall be payable on this account.

The procurement of TMT Bars conforming to relevant BIS codes shall be made from main producers as approved by the Ministry of steel or from secondary producers having BIS License to produce TMT bars as specified in Schedule–F subject to following stipulations:

- (i) If it is provided in the agreement that steel is to be procured from primary producers and procurement of steel from secondary producers is allowed by Engineer –in- charge then a deduction based on the difference in market rate of steel from primary producers and secondary producers shall be made in the running/ final bills.
- (ii) However, if the stipulation is for procurement of steel from secondary procures then if the contractor uses steel from primary producers the same shall be allowed but nothing extra shall be payable on this account.

The contractor shall have to obtain and furnish test certificate to the Engineer –in- charge in respect of all supplies of steel brought by him to the site of work. Samples shall also be taken and got tested by the Engineer –in- charge as per the provisions in this regard in the relevant BIS codes. Incase the test result indicate that the steel arranged by the contractor does not conform to BIS codes, the same shall stand rejected and shall be removed from the site of work within; a weeks' time from written order from the Engineer –in- charge to do so.

*Deduction item made on account of use of steel from secondary producers instead of primary producers shall not be treated as sub standard work.

- 3.2.2. The steel reinforcement shall be brought to the site in quantity of lots as approved by the Engineer-in-charge.
- 3.2.3. The steel reinforcement shall be stored by the contractor at site of work in such a way as to prevent distortion and corrosion and nothing extra shall be paid on this account. Bars of different sizes (diameters) and lengths shall be stored separately to facilitate easy counting and checking.
- 3.2.4. For steel procured from main producers or secondary producer, for checking nominal mass, tensile strength, bend test, etc. specimen of sufficient length shall be cut from each diameter of the bar at random at frequency not less than that specified below. In case of works costing more than Rs. 2 Crores and when the steel is procured from other than main producers, additional tests such as, retest, re-bend test, elongation test, proof stress may also be conducted.

Size(Diameter) of	For consignment			
bar	Below 100 tonnes	Over 100 tonnes		
Under 10m dia.	One sample for each 25 tonnes	One sample for each 40 tonnes		
	or part thereof	or part thereof		
10mm to 16mm	One sample for each 35 tonnes	One sample for each 45 tonnes		
dia.	or part thereof	or part thereof		
Over 16mm dia.	One sample for each 45 tonnes	One sample for each 50 tonnes		
	or part thereof	or part thereof		

3.2.5. The contractor shall supply free of charge the steel bars required for testing. The cost of tests shall be borne by the contractor/ Department in the manner indicated below:

Tenderer 33 of 49 EE(C

- i. By the contractor, if the results show that the steel does not conform to relevant BIS codes.
- ii. By the Department, if the results show that the steel conforms to relevant BIS codes.
- 3.2 Coefficient of weight i.e. the weight per unit length of the steel procured by the contractor shall be ascertained at site before using it and certified by the Engineer-in-charge. In case weight per unit length is beyond the rolling margin as laid down in the BIS: 1786, the steel will be rejected and shall be removed from the site of work within; a week's time from written order from the Engineer-in Charge to do so. In case weight per unit length is more than the standard coefficient of weight for the diameter, but is within the rolling margin , then the payment shall be made as per the standard weight per unit length, and, where the weight per unit length is lesser than the standard coefficient of weight for the diameter, but is within the rolling margin ,the payment shall be restricted with respect to the actual weight per unit length of the diameter.
- 3.3 The standard sectional weights referred to in standard table under para 5.3.3, page 75 of the revised CPWD specifications 2002 for cement mortar, cement Concrete and RCC works, are to be considered for conversion of length of various sizes of Steel Reinforcement bars into weight and are reproduced below ready reference.

SIZE (mm)	WEIGHT (Kg/M	SIZE(mm)	WEIGTH (Kg/M)
6	0.222	20	2.470
8	0.395	22	2.980
10	0.617	25	3.850
12	0.888	28	4.830
16	1.580	32	6.310
18	2.000	36	7.990

- 3.4 The actual issue and consumption of steel and Cement on the work shall be regulated and proper accounts maintained as provided in clause 10 of the contract. The theoretical consumption of steel shall be worked out as per procedure prescribed in clause 42 of the contract and shall be governed by conditions laid therein.
- 3.5 Steel and Cement brought to site and remaining unused shall not be removed from site without written permission of the Engineer-in-charge.
- 3.6. Cement used in ready mix concrete shall be evaluated based on the certification by the in-charge of the RMC plant in accordance with design approved by the Engineer in-charge.
- 4. No payment shall be made to the contractor for any damage caused during the execution of work because of cause(s) not covered under clause 43 of the contract. The damage to work will be made good by the contractor at his own cost, and no claim on this account shall be entertained.
- 5. Some restrictions may be imposed by the security staff etc. on the working and/or movement of labour, materials etc. and the contractor, shall be bound to follow all such restrictions / instructions and nothing shall be payable on this account.
- 6. The contractor shall comply with proper legal orders and directions of the local or public authority or municipality and abide by their rules and regulations and pay all fees and charges which he may be liable and nothing extra shall be payable on this account. The work shall be carried out without infringing on any of the local municipal bye-laws.
- 7. The contractors shall given a performance test of the entire installations as per standard specifications before the work is finally accepted and nothing extra what so ever shall be payable to the contractor for the tests.
- 8. The contractor shall engage licensed plumber for sanitary, water supply, drainage work and also get all the materials and system (including the materials supplied if any, by the department) tested by the municipal authority, whenever required, at his own cost including testing fees, transport etc. According to Municipal by Laws. The contractor shall produce necessary certificate from Municipal Authorities after completion of work. Nothing extra will be paid on this account. The contractor shall execute the guarantee for removal of defects after completion in respect of water supply and sanitary installation.
- 9. The water supply sanitary installation and drainage work shall be carried out in a manner complying in all respects with the requirement of relevant by laws of the local municipal authority of the place at no extra cost of department.
- 10. The rate for every item of work to be done under this contract shall be for all heights, depth, lengths, and width of the structure (except where specially mentioned in the item) and nothing extra will be paid on this account.

- 11. The contractor shall take all precautions to avoid all accidents by exhibiting necessary caution boards such as day and night boards, speed limit boards and flags, red lights and providing barriers etc. He shall be responsible for all damages and accidents caused due to negligence on his part. no hindrance shall be caused to traffic during execution of work .nothing extra shall be paid on this account.
- 12. The contactor will work in close liaison, during the works, with other contractor of water supply, sanitary, drainage arrangements, electrical installation and any other works and adjust his work plan accordingly.

13. Other Taxes and Royalties

- 13.1. Income Tax and surcharges over Income Tax etc. at the rates fixed by the Ministry of finance, Government of India, shall be deducted from all the running and final bills of the contractor. Should there be any increase in rate of Income Tax and surcharge during execution of the contract, if any, and the contractor thereupon necessarily and properly pays such taxes / levies, the contractor shall be reimbursed the amount so paid, provided such payments, if any, is not, in the opinion of the Superintending Engineer (whose decision shall be final and binding on the contractor) attributable to delay in execution of work within the control of the contractor.
- 13.2. The rates quoted by the agency shall be inclusive of all types of taxes / levies / duty and GST as applicable by the Govt. including Labour Cess and nothing extra shall be payable on such account.
- 13.3. Royalty shall have to be paid by the contractor on all materials such as stone, bricks, boulders, metal, shingle, bajri, stone aggregate, coarse sand and fine sand etc. or any other materials used for the execution of the work direct to the Revenue Authority of the District/State Govt. concerned. The contractor shall obtain "No Demand" certificate from the District/State Govt. authority concerned before the final bill is paid, failing which necessary recovery will be effected at the applicable rates in the final bill

14. Secured Advance:

- 14.1. Secured advance on bricks, stone, stone aggregate brought at site for use in the work shall be paid only after receipt of satisfactory test results from the laboratory and provisions under rules.
- 14.2. Secured advance on steel doors, steel windows, etc. shall be paid only after the Engineer-in-Charge has personally verified that the materials brought at site of work, for use in work, conforms to the sample approved by him.
- 14.3. Secured advance whenever admissible on water supply, sanitary installation materials and fittings shall be allowed only after the Engineer-in-Charge has verified that materials brought at site have been checked by him personally and are in conformity with the samples approved by him.
- 14.4. Secured advance for terrazzo tiles Sha11 be paid only after satisfactory results are received from the laboratory.

Tenderer 35 of 49 EE(C)

"B" ADDITIONAL SPECIFICATIONS

1. GENERAL

1.1. The Work shall, in general, conform to the CPWD' Specifications. The CPWD specifications shall mean "C.P.W.D. Specifications - 2009 (Volume I) with all up to date correction slips as on the date of opening of tenders".

Should there be any difference between the specifications mentioned above and the specifications given in the schedule of quantities, the later shall prevail.

- 1.1.2. If the specifications for any item are not available in the CPWD Specifications cited above, relevant BIS Specifications should be followed.
- 1.1.3 In case BIS Specifications are also not available, the decision of Engineer-in- Charge given in writing based on acceptable sound engineering practice and local usage shall be final and binding on the contractor.
- 1.2 The work will be carried out in accordance with the architectural drawings and structural drawings to be issued by the Engineer-in-Charge the structural and architectural drawings shall have to be properly correlated before executing the work.
- 1.2.1. In case of any difference noticed between Architectural and Structural drawings, the contractor shall obtain final decision in writing of the Engineer-in-charge.
- 1.2.2 In case of any discrepancy in the item given in the schedule of quantities appended with the tender and architectural drawings relating to the relevant item, former shall prevail unless otherwise given in writing by the Engineer-in-Charge.
- 1.3 For items where so desired, samples shall be prepared before starting the particular items of work for prior approval of the Engineer-in-Charge and nothing extra shall be payable on this account.
- 1.4 Materials brought at site of work shall not be used in the work before getting satisfactory Mandatory test results. For details, relevant provisions in the CPWD specification shall be referred to.
- 1.4.1. Wherever it is desired to procure factory-made materials, such factory-made materials shall be procured from reputed and approved manufacturers or through their authorized dealers. The contractor shall obtain the approval from the Engineer-in-Charge of such firms prior to procurement of such factory -made materials. The Engineer-in-charge may, at any stage, inspect such factories/ manufacturing units. The contractor shall have no claim if the factory made materials brought to the site are rejected by the Engineer-in-charge in part or in full due to bad workmanship/ quality etc. even after the inspection of the manufacturing units.
- 1.4.2 The manufactured materials brought at site of work shall, in general, conform to the relevant specifications. The source for supply of the manufactured materials shall be approved by the Engineer-in-charge. The contractor shall have no claim if the manufactured materials brought to the site are rejected by the Engineer-in-charge in part or in full due to bad Workmanship/ Quality etc.
- 1.4.3 The preference amongst the various alternative materials available shall be as follows:
 - (a) The materials shall be as per the Brand specified to be used in the work.
 - (b) If the Brand specified material is not available then the material shall be ISI marked.
 - (c) If ISI marked item is not available then it should be from ISO certified company.
 - (d) If the ISI marked or ISO certified items are not available then the best available items in the market to be procured.
- 1.4.4. Equivalents for the various materials and the materials of approved make shall be got approved from the Engineer-in-Charge of work in writing before using them on the work.

Tenderer 36 of 49 EE(C

2. The following modifications to the above specifications shall, however, apply.

2.1. Earth Work

- 2.1.1. During excavation and trenching work etc., the contractors shall ensure compliance to the guidelines in such matters laid down by the local body / bodies to ensure that there is minimum hazard to the operating personnel's and users, minimum inconvenience to the users, minimized damage to the underground plant/services of other utilities in a coordinated way, in the interest of public convenience and overall safety.
- 2.1.2. Any trenching and digging for laying sewer lines/ water line/ cables etc. shall be commenced by the contractor only when all men, machinery's and materials have been arranged and closing of the trench(s) thereafter shall be ensured within the least possible time.
- 2.1.3 Surplus excavated earth which is beyond the requirement or the B.S.N.L. shall have to be disposed of by the contractor at his own cost beyond the municipal limits or at places identified by the local bodies or as directed by the Engineer-in-Charge after obtaining written permission of the Engineer-in-Charge and no payment will be made by the Department for such disposal or this surplus excavated earth.
- 2.1.4 The contractor shall, at his own expense and without extra charges, make provision for all shoring, pumping, dredging or bailing out water, if necessary, irrespective of the source of water. The foundation trenches shall be kept free from water while all the works below Ground Level are in progress, without any extra payment.

2.2. Reinforced Cement Concrete Work & Plain Cement Concrete- General

- 2.2.1 Stone Aggregate. Stone aggregate to be used in work shall be of hard broken stone to be obtained from source approved by Engineer-in-Charge and shall conform to the relevant provisions in the CPWD Specifications.
- 2.2.2. Fine Sand / Coarse Sand: Fine sand/ Coarse sand to be used in the work shall be obtained from sources approved by Engineer-in-Charge and shall conform to the relevant provisions in the CPWD Specifications.
- 2.2.2.1 Where only one variety of sand is available, the sand will be sieved for use in finishing work to achieve the required particle size distribution as per CPWD Specifications in order to obtain smooth surface and nothing extra shall be paid to the contractor on this account
- **2.2.3.** Water: It shall conform to requirements laid down in IS 456-2000 and CPWD Specification.
- 2.3. **R. C. C. work (Design Mix Concrete)** Wherever the RCC work is specified to be done with Design Mix Concrete, the particular specifications, as applicable, shall apply.
- 2.4. **R.C.C. Work (Nominal mix concrete)-** Water-Cement Ratio: For RCC Works, wherever nominal mix of concrete is stipulated In the items for work, for maintaining proper quality and durability requirements of the structure, maximum water-cement ratio shall be restricted to 0.55 If in normal course of work, the required workability is not achieved; suitable plasticizers/ admixtures may he used for improving the workability of concrete With the approval of Engineer-in-Charge for which nothing extra shall be paid.
- 2.5. **Non-destructive Testing for Concrete/RC.C Work:** The Engineer-in-charge shall, at his discretion, get the non-destructive testing (Such as Ultrasonic Pulse Velocity Test etc.) done and the Contractor shall make all necessary arrangements for getting such tests done and make good the same after the test, for which nothing extra shall be paid. The results of such tests shall be binding on the Contractor. In case of non-conformity of the test to the standards, the contractor shall be liable to re-do the concrete work at his cost including the cost of test, subject however to the acceptability of the work as laid down in the mandatory test

Tenderer 37 of 49 EE(C)

- defined in the relevant CPWD specifications.
- 2.6. Cement slurry, if any, added over base surface (or) for continuation of concreting for better bond is deemed to have been in built in the items (Unless other wise explicitly stated) and nothing extra shall be payable (or) extra cement considered in consumption on this account.
- 2.7. Centering and Shuttering For R.C.C Work: The concrete surface shall be free from honey combing, offsets, superfluous, mortar, cement slurry and foreign matter. The formwork shall be assembled in such a way 'as to facilitate removal of their parts in proper sequence without any damage to the exposed cement concrete surfaces and corners etc. The contractor shall keep skilled staff for special care and supervision to check the formwork and concreting so that every member is made true to its size, shape, level and alignment so that it does not result in any deformation, snug, buldges etc. The contractor shall also take suitable precautionary measure to prevent breaking and chipping of corners and edges' of completed work until the building is handed over. The size of shuttering plates for slabs shall not be less than 0.6m x 0.9m in general. However, contractor has to provide tape or wooden fillets or rubber gaskets to seal the joint properly to get smooth surface. Further shuttering shall be of such quality that there are no undulations and surfaces will be fairly even and no extra thick ceiling plaster shall be permitted to make the surface even. Any honeycombed: or poorly formed concrete shall be repaired with polymer concrete of any suitable design by the Contractor at his own cost, in accordance with, the specifications laid down in hand book of Repairs and Rehabilitation of RCC buildings by CPWD.
- 2.8. **BRICK WORK:** Bricks used in the work shall be F.P.S. to be obtained from kilns approved by Engineer-In-Charge. In all other respects they shall conform to the provisions in CPWD specifications.
- 2.9. **STONE WORK:** Stone used for stone masonry work shall be hard granite/ basalt/ quartz stone/sand stone to be obtained from quarries approved by Engineer-In-Charge and shall conform to the relevant provision in the CPWD specifications.
- 2.10 . All above materials like stone aggregates, coarse, fine sand, bricks, surkhi stone etc. confirming to the CPWD specifications to be brought from the sources approved by Engineer-In-Charge. In case, at any stage during execution of work, the material from the approved source being not available or otherwise, and, is required to be arranged from other sources conforming to relevant CPWD specifications and duly approved of Engineer-in-charge, involving extra lead etc. nothing extra shall be paid on this account.
- 2.11 **WOOD WORK:** Timber required for manufacture of chowkhats and shutters for doors, windows, ventilators, and partitions etc. in the work shall be kiln seasoned and preservative treated. The Timber shall be kiln seasoned before applying preservative treatment. The rate quoted for various Items shall be inclusive of kiln -seasoning and preservative treatment of wood. The wood used in the work shall conform to the provisions in the CPWD Specifications for works.
- 2.12 **FACTORY MADE SHUTTERS** etc.:- The shutters for doors, windows & ventilators, and, chowkhats etc. shall be factory made and obtained from suppliers approved by the Engineer-in-Charge.
- 2.13 **STEEL WORK**: All steel doors, steel windows, steel ventilators, wire gauge, steel glazing, and steel grill shall be according to the Architect's detailed drawings and factory made and obtained from approved suppliers.
- 2.13.1. In the case of composite steel windows the rates shall include the cost of coupling mullion and transom etc. Where windows with inside openable shutters are fixed along-with windows with shutters openable outside, such inside openable windows shall be fitted with suitable friction hinges and openable outside with box type hinges. lever handles or otherwise as approved by the Engineer-in-Charge of the work. For such windows, cement concrete blocks of size 15cmx 10cmx 10cm shall be provided. Nothing extra shall be paid on this account.
- 2.13.2. In the case of steel windows and doors, steel glazing, wire gauge steel ventilators, rolling shutters, grills etc. an approved quality-priming coat of zinc chromate shall be applied over and above shop coat of primer. Nothing extra shall be payable for providing Shop-coat primer.

2.14. Sanitary and Water supply installations

The contractor shall engage licensed plumber for sanitary, water supply, drainage work and shall be carried out in manner complying in all respects with the requirement of relevant by laws of the local municipal authority. The Contractor shall give a guarantee to the effect that the, work shall remain structurally stable and shall guarantee against faulty workmanship, finishing, manufacturing defects of materials and leakages etc. The Contractor shall furnish a Guarantee Bond, as per prescribed format. The Guarantee Period shall be for 10 (Ten) years.

- 2.15. Approval of sample work of repetitive/ typical nature prior to general execution of work shall be as enumerated hereafter.
- 2.15.1. Samples of typical portion of the works of repetitive nature such as typical room, toilet room, or any other work shall be prepared by the contractor under the directions and to the satisfaction of Engineer-in-Charge and got approved from him in writing before the commencement of these items for the entire work.
- 2.15.2 The work shall be so arranged to be carried out that the requirement for preparation of samples are observed and fulfilled without any detriment to the general progress of work. In other words, this will not allows having any effect on the general progress of work or on any of the terms and conditions of the contract. No claims of any kind whatsoever including the claim of extension of time will be entertained due to the incorporation of this requirement.
- 2.16. **FLOOR TEST FOR TELEPHONE EXCHANGE BUILDINGS** The floor of Technical rooms in the T.E. buildings shall be laid in such a way that the limits in floor levels would not be exceeded as follows.
- (i) The levels at any places when checked over a distance of one metre in any direction would not show variation in floor levels in excess of 3mm.
- (ii) The levels if checked over a distance of 4 metre in any direction shall not to exceed 5mm.
- (iii) The maximum permissible variation in the levels at any two points more than 4 meters away in any direction in the same room shall not be more than 8mm.
- (iv) Floor levels shall be taken at every metre and recorded in a "Level chart" for flooring in all technical room This shall be checked, prepared and Certified by the Assistant Engineer-in-Charge of the work and contractor, this level chart shall be checked by the Engineer-in-Charge of work to satisfy himself that levels in the floors of 'technical rooms are with in the variation limits laid down at i) to iii) above.
- 2.16.1 No. payment of flooring in Technical room shall be allowed till "Level Chart" is prepared and meets the requirements of levels mentioned above.

2.17 TEST RESULTS & RELATED ASPECTS

- 2.17.1 Normally, part-rate payment shall be allowed in the running account bills only if the materials conforming to the CPWD specifications for works as mentioned in the work are tested and test results are found to be satisfactory by the Engineer –in- charge.
- 2.17.2 The Engineer –in- charge of work shall check the test results and satisfy himself before allowing any payment in the running / final bill.

2.18. WATER PROOFING: -

- 2.18.1. Treatment for roof surfaces: The treatment of Roof Surfaces, wherever done with integral cement based compound (Brick-coba), the particular specifications shall be applicable
- 2.18.2. The Contractor shall associate him self with the specialized firm, to be approved by the Engineer'-in-charge, for execution of water proofing treatment. The contractor shall furnish a Guarantee Bond, as per prescribed format, from the specialized firm and duly counter-signed by the contractor as a token of overall responsibility. **The Guarantee Period shall be for 10(Ten) Years.**
- 2. 18.3. Ten percent of the cost of items of water proofing treatment for sunken floors and on roofs would be retained as guarantee to watch the performance of the work done. However half of the amount withheld would be released after (5) live years. if the performance of the work done IS satisfactory. If any defect

Tenderer 39 of 49 EE(C)

is noticed during the guarantee period, it Should be rectified by the contractor within seven days, and if not attend to, the same will be got done from another agency at the risk and cost of the contractor. However this security deposit can be released in full, if bank guarantee of equivalent amount for 10(ten) years after completion of maintenance period is produced and deposited with the BSNL.

"C" PARTICULAR SPECIFICATIONS

1.1. Treatment for roof surfaces: -

For treatment of Roof Surfaces with integral cement based compound (Brick-coba), following specifications shall be applicable. This item shall be got executed from specialized agency to be got approved from Engineer-in-charge: -

- 1.1.1. The bricks bats shall be from over burnt bricks. The proprietary water-proofing compound shall bear I.S.I. mark and shall conform to IS: 2645. Before execution of work water proofing compound has to be brought to and a certificate of its conforming to IS code Should be produced. The proprietary water-proofing compound shall be added at the rate recommended by the specialist firm but not exceeding 3 percent by weight of cement. The Engineer in charge reserve the right to collect the random sample from material brought at site and get it tested from laboratory of his choice. The material which does not conform to the specification shall have to be removed forthwith by the contractor.
- 1.1.2 The finished surface after water proofing treatment shall have minimum slope of 1 in 80. At no point shall the thickness of water proofing treatment be less than 65mm.
- 1.1.3 While treatment of roof surface is done, it shall be ensured that the outlet drain-pipes have been fixed and mouths at the entrance have been eased and round off properly for easy flow of water.
- 1.1.4 The surface 'where the water proofing is to be done shall be thoroughly cleaned with wire brushes. All loose scales mortar splashes etc. shall be removed and dusted off. The surface shall be treated with neat cement slurry admixed with proprietary water proof compound to penetrate into crevices and fill up all the pores in the surface. The cement slurry shall be applied at the junction of parapet and terrace slab including the vertical face of the parapet.
- 1.1.5 After the slurry coat is laid, layer of over burnt brick bats shall be laid in cement mortar of mix as specified by specialist firm but not leaner than 1:5(1 cement: 5coarse sand) admixed with proprietary water proofing compound to required gradient and joints filled to half the depth. The bricks bat layer shall be rounded at the junctions with the parapet and tapered towards top for a height of 300mm curing of this layer be done for 2 days.
- 1.1.6 After curing the surfaces shall be applied with a coat of cement slurry admixed with proprietary water proofing compound.
- 1.1.7 Joints of bricks bat layer shall be filled fully with cement mortar of mix as specified by the specialist firm but not leaner than 1:5 (1cement: 5 coarse sand)admixed with proprietary water proofing compound and finally top finished with average 20mm thick layers of cement mortar: 1:4 (1 cement:4 coarse sand) and finished smooth with cement slurry mixed with proprietary water proofing compound. The finished surface shall have marking of 300x300mm false squares to give the appearance of tiles.
- 1.1.8 Curing of water proofing treatment shall be done for a minimum period of weeks by flooding the water by making kiaries etc.
- MEASUREMENTS: The measurement shall be taken for plan area of terrace only, Length and breadth shall be measured correct to 1 cm. And area shall be worked out to nearest 0.01 sqm, No deduction in measurement shall be made for either opening or recesses for chimney, stacks roof lights and the like of area upto 0.01sqrn not anything extra shall be paid for forming such openings. For similar areas exceeding 0.10 Sqm, deduction will be made in measurements for full openings and nothing extra shall be paid for making such opening.
- 1.3 Rates: The rates shall include the cost of all labour and materials involved all the taxes including GST and GST Cess.
- 2. **CHECK LIST FOR QUALITY ASSURANCE:** For works with estimated cost Rs.10 Lakhs and above, quality Assurance Check list for Back Filling, Plain Cement Concrete, Shuttering, Reinforced Cement Concrete and Structural Steel fabrication as available in BSNL W-8 shall form a part of the Tender Document. Compliance of this Quality Assurance Check List shall be before release of the payment.

Tenderer 40 of 49 EE(C)

Amendments in instructions for filling up "The Contract Conditions of Contractor" Correction Slip No.4 (To GCC for Civil works – 2006)

Clause /	Existing Provisions	Modifications proposed			
Para					
Clause 3A	Does not exists	It shall be applicable to all BSNL InternaL Works but for			
of Schedule-F		turn key / External Projects this clause will not be applicable to keep the contractor engaged and to safe guard the BSNL interest. Respective NIT approving authority shall provisioned this clause accordingly.			
Clause 6A	Does not exists	For operation of 6A regarding Computerized			
of Schedule-F		Measurement Books, the NIT approving authority shall initially implement this clause for all works costing more than Rs. 1.00 Crore (Rs. One Crore) and after six months with effect from issue of this Correction Slip (C.S.No.4) the same may be reviewed for lesser value of works depending on the preparedness of the contractors and BSNL executives in that Civil Zone for all works as per Section 7.12 of CPWD Works Manual 2014			
Clause 12.1.2.(ii) &	Enter reference to	Deleted			
12.1.2.(iii)of Schedule-F	Schedule of Rates& Enter % of above / below				
Clause 25 of	Enter the designation of	Deleted			
Schedule-F	Conciliatory authority. In respect of the adjoining zone.				
Clause 36 of	(iii) Enter the number of	To be filled up by NIT approving authority as per latest			
Schedule-F	years NIT issuing authority	provision of Appendix-18 of CPWD Works Manual.			

LIST OF PREFERRED BRANDS TO BE USED

SN	Items	Brand Name		
1	TMT Bars manufactured by Primary	TATA TISCON, SAIL, RINL		
	producers			
2	Synthetic enamel paint/All paint/	Nerolac, Berger, Asian		
	distempers			
3	Aluminium Sections	Jindal. Hindalco		
4	Flush Door shutters	ISI marked as approved by the Engineer		
		in Charge.		
5	Ceramic Tiles	Kazaria, NITCO, SOMANY		
6	G.I Pipes	Jindal, Tata		
7	Block Board/Commercial Ply	Century, Dura, Green		
8	Sanitary fittings	Hindware, CERA, Paryware		
9	C.P fittings	Jaquar, Ess Ess or equivalent		
10	Water Storage Tank	Sintex, Diplast		
11	Aluminium fittings	Classic, Everite		
12	Float Glass	Saint Gobain, Modi		

I/We hereby undertake that I/we/my authorized representative have received the copy of the stated list(along with the tender documents) of brand names of various items to be used for the above work and I/we shall quote my rates of various items accordingly.

(Signature of the Contractor or his authorized representative authorized to receive the tender

Executive Engineer(C),

UNDERTAKING FOR NO NEAR RELATIVE IN BSNL, RAJASTHAN (TO BE GIVEN BY EVERY TENDERER)

tha	it none of my near r	S/o Shelative (s) as under is / are en Non-Executive or Executive (Resident ofmployed in territorial jurisdiction of BSNL employee.	hereby certify . Telecom Circle, Rajasthan in
b) c) d) e) f) g) h) i) j) k) l)		r-in-law) I (Son-in-law). rother-in-law)	ation given by me is false/incorrect, BSN imation to me.	L shall have the absolute righ
Sig	nature of Tenderer			
No				
In o	case of a partnership	firm this Certificate is to be s	igned by all Partners / directors of the co	mpany.

Tenderer 43 of 49 EE(C)

Correction Slip No. 5 (To GCC for Civil Works-2006)

Tenderer 44 of 49 EE(C)

Correction Slip No. 6 (To GCC for Civil Works-2006)

Clause No.	Present Provision	Modified Provision
Clause 7	No payment shall be made for work,rates as decided by Engineer-in-charge.	No change
	The amount admissible will as for as possible be paid by 10 th working day after the date of presentation of the bill by the contractor to the Engineer-incharge or his Asstt. Engineer together with the account of the material issued by the BSNL, or dismantled materials, if any. In the case of works outside the Headquarter of the Engineer-in-charge; the period of ten working days will be extended to fifteen working days.	The amount admissible will as far as possible be presentation of the bill by the contractor to the Engineer-in-charge or his Asstt. Engineer together with the account of the material issued by the BSNL, or dismantled materials, if any. In the case of works outside the headquarter of the Engineer-in-charge, the period of thirty working days will be extended to forty five working days.
	All such interim payment detailed measurement thereof.	No change

SCHEDULE OF QUANTITY

Name Of Work :- Repairing and A/R & M/O work of T.E. Building at Chandhan, Distt. Jaisalmer.

	Of Work :- Repairing and A/R & M/O work of 1.			, I	1
S.NO.	DESCRIPTION OF ITEM	QTY	UNIT	RATE	AMOUNT
1	Providing and fixing aluminium hanging floor door stopper ISI marked anodised (anodic coating not less than grade AC 10 as per IS: 1868)transparent or dyed to required colour and shade with necessary				
	screws etc. complete.				
1.a	Twin rubber stopper	5.00	No.		
2	Distempering with 1st quality acrylic distemper, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour.				
2.a	Two coats.	200.00	Sqm		
3	White washing with lime to give an even shade :				
3.a	Old work (two or more coats)	200.00	Sqm		
			•		
4	Painting (one or more coats) on rain water, soil, waste and vent pipes and fittings with synthetic enamel paint of approved brand and manufacture and required colour on old work:				
4.a	75 mm diameter pipes .	10.00	Metre		
4.b	100 mm diameter pipes .	14.00	Metre		
1.0	Too min diameter pipes :	14.00	Wictio		
4.c	150 mm diameter pipes .	30.00	Metre		
5	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade:				
5.a	One or more coats on old work.	150.00	Sqm		
6	Finishing walls with Acrylic Smooth exterior paint of required shade :				
6.a	Old work (Two or more coat applied @ 1.67 ltr/ 10 sqm) on existing cement paint surface).	1100.00	Sqm		
7	Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq. meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete as per directions of Engineer-In-Charge.				

Tenderer 46 of 49 EE(C)

8 Renewing glass panes, with putty and nails wherever necessary including racking out the old putty: 8.a Float glass panes of thickness 3.70 mm. 9 Renewal of old putty of glass panes (length). 10 Cleaning of terrace/loft water storage tank (inside surface area) upto 2000 litre capacity at all heights with cocorub trushes, duster etc., emoval of sit, rubbish from the tank and cleaning the tank with fresh water disinfecting with bleaching powder @ 0.5gm per litre capacity of tank, including marking the date of cleaning on the side of tank body with the help of stencil and paint and disposing of mable, all complete as per direction of Engineer-in-Charge. (The old date already written on tank should be removed with paint remover or black paint and if date is not written with the stencil or old date is not removed deduction will be made @ Rs. 0.10 per litre if during cleaning any Gl fittings or ball cock is damaged that is to be repaired by contractor at his own cost and nothing extra will be paid on this account) 11 Cleaning of under ground sump, Over Head R.C.C. Tank (independent staging) including disposal of sit and rubbish, all as per direction of Engineer-in-Charge. The cleaning shall consist following operations: (ii) Tank shall be emptied of water by pumping & bottom shall be cleaned of slit and other deposits. (iii) Entire surface area of the sump shall then scrubbed thoroughly with wire brush etc. and pressure washed withwater. (iii) Chlorination of RCC internal surface by liquid chlorine. (iv) The treated surface shall be dried using air jetting and all loose particles shall be treated with ultraviolet radiation etc. as per direction of Engineer-in-Charge. 12 Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.	7.a	With cement mortar 1:4 (1cement: 4 coarse sand).	10.00	sqm	
9 Renewal of old putty of glass panes (length) . 40.00 Metre 10 Cleaning of terrace/loft water storage tank (inside surface area) upto 2000 litre capacity at all helgits with coconut brushes, duster etc., removal of slit, rubbish from the tank and cleaning the tank with fresh water disinfecting with bleaching powder @ 0.5gm per litre capacity of tank, including marking the date of cleaning on the side of tank body with the help of stencil and paint and disposing of malba, all complete as per direction of Engineer-in-Charge. (The old date already written on tank should be removed with paint remover or black paint and if date is not written with the stencil or old date is not removed deduction will be made @ Rs. 0.10 per litre if during cleaning any Gl fittings or ball cock is damaged that is to be repaired by contractor at his own cost and nothing extra will be paid on this account) 11 Cleaning of under ground sump, Over Head R.C.C. Tank (independent staging) including disposal of slit and rubbish, all as per direction of Engineer-in-Charge. (i) Tank shall be emptied of water by pumping & bottom shall be cleaned of slit and other deposits. (ii) Entire surface area of the sump shall then scrubbed thoroughly with wire brush etc. and pressure washed withwater. (iii) Chlorination of RCC internal surface by liquid chlorine. (iv) The treated surface shall be dried using air jetting and all loose particles shall be removal from the surface. (v) Finally the surface shall be treated with ultraviolet radiation etc. as per direction of Engineer-in-Charge. - very revolding and fixing P.V.C. waste fittings complete.	8	wherever necessary including racking out the old			
Cleaning of terrace/loft water storage tank (inside surface area) upto 2000 litre capacity at all heights with coconut brushes, duster etc., removal of slit, rubbish from the tank and cleaning the tank with fresh water disinfecting with bleaching powder @ 0.5gm per litre capacity of tank, including marking the date of cleaning on the side of tank body with the help of stencil and paint and disposing of malba, all complete as per direction of Engineer-in-Charge. (The old date already written on tank should be removed with paint remover or black paint and if date is not written with the stencil or old date is not removed deduction will be made @ Rs. 0.10 per litre if during cleaning any Gl fittings or ball cook is damaged that is to be repaired by contractor at his own cost and nothing extra will be paid on this account) 11 Cleaning of under ground sump, Over Head R.C.C. Tank (independent staging) including disposal of slit and rubbish, all as per direction of Engineer-in-Charge. The cleaning shall consist following operations: (i) Tank shall be emptied of water by pumping & bottom shall be cleaned of slit and other deposits. (ii) Entire surface area of the sump shall then scrubbed thoroughly with wire brush etc. and pressure washed withwater. (iii) Chlorination of RCC internal surface by liquid chlorine. (iv) The treated surface shall be dried using air jetting and all loose particles shall be removal from the surface. (v) Finally the surface shall be treated with ultraviolet radiation etc. as per direction of Engineer-in-Charge. 12 Providing and fixing P.V.C. waste fittings complete.	8.a	Float glass panes of thickness 3.70 mm.	5.00	Sqm	
surface area) upto 2000 litre capacity at all heights with occonut brushes, duster etc., removal of silt, rubbish from the tank and cleaning the tank with fresh water disinfecting with bleaching powder @ 0.5gm per litre capacity of tank, including marking the date of cleaning on the side of tank body with the help of stencil and paint and disposing of malba, all complete as per direction of Engineer-in-Charge. (The old date already written on tank should be removed with paint remover or black paint and if date is not written with the stencil or old date is not removed deduction will be made @ Rs 0.10 per litre if during cleaning any GI fittings or ball cock is damaged that is to be repaired by contractor at his own cost and nothing extra will be paid on this account) 11 Cleaning of under ground sump, Over Head R.C.C. Tank (independent staging) including disposal of slit and rubbish, all as per direction of Engineer-in-Charge. The cleaning shall consist following operations:- (i) Tank shall be emptied of water by pumping & bottom shall be cleaned of slit and other deposits. (ii) Entire surface area of the sump shall then scrubbed thoroughly with wire brush etc. and pressure washed withwater. (iii) Chlorination of RCC internal surface by liquid chlorine. (iv) The treated surface shall be dried using air jetting and all loose particles shall be treated with ultraviolet radiation etc. as per direction of Engineer-in-Charge. 12 Providing and fixing P.V.C. waste fittings complete.	9	Renewal of old putty of glass panes (length) .	40.00	Metre	
Tank (independent staging) including disposal of slit and rubbish, all as per direction of Engineer-in-Charge. The cleaning shall consist following operations:- (i) Tank shall be emptied of water by pumping & bottom shall be cleaned of slit and other deposits. (ii) Entire surface area of the sump shall then scrubbed thoroughly with wire brush etc. and pressure washed withwater. (iii) Chlorination of RCC internal surface by liquid chlorine. (iv) The treated surface shall be dried using air jetting and all loose particles shall be removal from the surface. (v) Finally the surface shall be treated with ultraviolet radiation etc. as per direction of Engineerin-Charge.	10	surface area) upto 2000 litre capacity at all heights with coconut brushes, duster etc., removal of silt, rubbish from the tank and cleaning the tank with fresh water disinfecting with bleaching powder @ 0.5gm per litre capacity of tank, including marking the date of cleaning on the side of tank body with the help of stencil and paint and disposing of malba, all complete as per direction of Engineer-in-Charge. (The old date already written on tank should be removed with paint remover or black paint and if date is not written with the stencil or old date is not removed deduction will be made @ Rs. 0.10 per litre if during cleaning any GI fittings or ball cock is damaged that is to be repaired by contractor at his own cost and nothing extra will be paid on this	1000.00	Litre	
bottom shall be cleaned of slit and other deposits. (ii) Entire surface area of the sump shall then scrubbed thoroughly with wire brush etc. and pressure washed withwater. (iii) Chlorination of RCC internal surface by liquid chlorine. (iv) The treated surface shall be dried using air jetting and all loose particles shall be removal from the surface. (v) Finally the surface shall be treated with ultraviolet radiation etc. as per direction of Engineerin-in-Charge. 12 Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.	11	Tank (independent staging) including disposal of slit and rubbish, all as per direction of Engineer-in- Charge. The cleaning shall consist following			
scrubbed thoroughly with wire brush etc. and pressure washed withwater. (iii) Chlorination of RCC internal surface by liquid chlorine. (iv) The treated surface shall be dried using air jetting and all loose particles shall be removal from the surface. (v) Finally the surface shall be treated with ultraviolet radiation etc. as per direction of Engineerin-charge. 12 Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. 12.a Semi rigid pipe					
chlorine. (iv) The treated surface shall be dried using air jetting and all loose particles shall be removal from the surface. (v) Finally the surface shall be treated with ultraviolet radiation etc. as per direction of Engineerin-Charge. 2 Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. 12.a Semi rigid pipe		scrubbed thoroughly with wire brush etc. and			
jetting and all loose particles shall be removal from the surface. (v) Finally the surface shall be treated with ultraviolet radiation etc. as per direction of Engineerin-Charge. 2 Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. 12.a Semi rigid pipe		, · ·			
ultraviolet radiation etc. as per direction of Engineer- in-Charge. 12 Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. 12.a Semi rigid pipe		jetting and all loose particles shall be removal from			
wash basin including P.V.C. waste fittings complete. 12.a Semi rigid pipe		ultraviolet radiation etc. as per direction of Engineer-	30.00	Sqm.	
12.a Semi rigid pipe	12				
12.a.i 32 mm dia 2.00 Each	12.a	Semi rigid pipe			
	12.a.i	32 mm dia	2.00	Each	

13	Providing and fixing brass bib cock of approved quality:			
13.a	15 mm nominal bore	2.00	Each	
14	Providing and fixing brass stop cock of approved quality:			
14.a	15 mm nominal bore	2.00	Each	
15	Providing and fixing PTMT Ball cock of approved quality, colour and make complete with Epoxy coated aluminium rod with L.P./ H.P.H.D. plastic ball.			
15.a	15 mm nominal bore, 105 mm long. Weighing not less than 138 gms.	1.00	Each	
16	Providing and fixing unplasticised P.V.C. connection pipe with PTMT Nuts, collar and bush of approved quality and colour.			
16.a	15 mm nominal bore with 45 cm length	2.00	Each	
17	Chipping of unsound/weak concrete material from slabs, beams, columns etc. with manual Chisel and/ or by standard power driven percussion type or of approved make including tapering of all edges, making square shoulders of cavities including cleaning the exposed concrete surface and reinforcement with wire brushes etc. and disposal of debris for all lead and lifts all complete as per direction of Engineer-In-Charge.			
17.1	(a) 50 mm average thickness.	5.00	sqm	
18	Providing, mixing and applying SBR polymer (of approved make) modified Cement mortar in proportion of 1:4 (1 cement: 4 graded coarse sand with polymer minimum 2% by wt. of cement used) as per specifications and directions of Engineer-incharge. (Note: Measurement and payment: The premeasurement of thickness shall be done just after the surface preparation is completed and Payment under this item shall be made only after proper wet curing has been done and surface has been satisfactorily evaluated by sounding / tapping with a blunt metal instrument and/or the 75mm size cube crushing strength at the end of 28 days to be not less than 30 N/ mm2)		oqiii	
18.1	50 mm average thickness in 3 layers.	5.00	sqm	
	_			

19	Repairing of wooden doors, steel windows or all other steel items as per site requirement and as per directed by Engineer-in-charge at site by welding of hinges or parts as required	4.00	Job	
	-			
20	Repair of bib cock, stop cock & pillar cock by washer and required material at site as per direction of engineer in charge.	4.00	Each	
	-			
21	Providing and fixing Brass half turn valve (Port Ball valve) Guide or Equivalent			
21.a	20mm dia. nominal bore.	2.00	Each	
21.b	25mm dia. nominal bore.	2.00	Each	
22	Repairing of low level PVC cistern with replacement of internal fitting kit i/c lever and handle etc of approved make as per direction of engineer-incharge.	1.00	Each	
23	Repairing of Aluminium doors and windows size upto 3 sqm at site by dismembering the members and refixing members with cleats etc. as required for smooth functioning etc as directed by Engineer-incharge. Any material required for repairing such as cleats and screws and pivots shall be arranged by agency.	1.00	each	
24	CREDIT of materials / items obtained from dismanteling being unserviceable.			
24.a	Credit of all type of brass items i.e. bib cock,stop cock,ballcock,pillar cock ,angle valve, wheel valve, handle valve etc	2.00	Per kilogram	
24.b	P.V.C. Cistern up to 10.00 Litre capacity.	1.00	Each	
	<u>TOTAL</u>			

Executive Engineer(C)
BSNL Civil Division ,Jodhpur