

BHARAT SANCHAR NIGAM LIMITED (A GOVERNMENT OF INDIA ENTERPRISE)

(CIVIL WING)

E-TENDER DOCUMENT

FOR THE WORK OF

Miscellaneous civil maintenance and repair works of BSNL buildings & Staff quarters at Udaipur city Area. (For 07 months FY 2024-25).

NIT No. : - 08/EE/C/BSNL/UPR/2024-25 Dated: 11.09.2024

To be submitted only online on web portal up to 1800 hrs on 27.09.2024 https://etenders.gov.in or www.eprocure.gov.in

O/o the Executive Engineer (Civil) BSNL Civil Division 3rd Floor, Block-C, GMTD BSNL Door Sanchar Bhawan, Sector-4, Hiran Magri, Udaipur-313002

Email- eeudaipur@gmail.com

Phone No.: 0294-2462900

Online bid will be opened by "Nodal officer (Tender)"

O/O Sr. Chief Engineer (Civil) BSNL RAJ. Civil Zone,
TRANSMISSION BHAWAN, PGMTD CAMPUS, ASHOK MARG,
C-SCHEME JAIPUR (RAJ.) 302001

NAME OF TENDERER		RER:
• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	

Certified that this document contains 64 (Sixty Four) pages.

INDEX OF TENDER DOCUMENT

S. No.	Item Description	From	To
1	Cover Page	1	1
2	Index of Tender Documents	2	2
3	Information & Instructions For Contractors/ Bidders For E- Tendering	3	4
4	Declaration Certificate	5	5
5	Important Instructions to all Tenders	6	6
6	Declaration regarding EPF/ESIC	7	7
7	Undertaking for submission of original bank payment instrument	8	8
8	BSNL W – 6	9	14
9	BSNL W –8 (Abridged form)	15	16
10	MODIFICATIONS IN BSNL-W8	17	17
11	Proforma of Schedules A to F	18	21
12	Performa for Agreement	22	24
13	Guarantee to be executed by the contractor for Water Supply/ Sanitary	25	25
14	Guarantee to be executed by the contractor for Water Proofing Treatment	26	26
15	Additional conditions of contract	27	35
16	Additional and particular specification	36	39
17	Additional specification and particular specifications	40	49
18	Specific conditions & specifications	50	51
19	Bid security Declarations form	52	52
20	Undertaking for no relatives in BSNL Rajasthan	53	53
21	Form for performance security Bank Guarantee Bond & Affidavit	54	54
22	Affidavit	55	55
23	Notice for Appointment Arbitrator	56	56
24	List of Preferred Makes for Civil Works	57	58
25	Schedule of Quantities	59	64

INFORMATION AND INSTRUCTIONS FOR CONTRACTORS/ BIDDERS FOR E-TENDERING FORMING PART OF BID DOCUMENT

1. Executive Engineer, BSNL Civil Division, Udaipur on behalf of Bharat Sanchar Nigam Limited (A Govt. of India Enterprise) invites online item rate bids from approved and eligible contractors of BSNL and registered contractors of other organizations like D.O.T., CPWD, D.O.P., M.E.S, Rajasthan State PWD (B&R), Central / State Government undertakings which are eligible for tendering in appropriate class as per usual terms and conditions applicable to them from time to time for the work of "Miscellaneous civil maintenance and repair works of BSNL buildings & Staff quarters at Udaipur city Area. (For 07 months FY 2024-25)."

SN	NIT	Name of Work & Location	Estim	Earn	Period	Last	Date and time of	Time &
0.	No.		ated	est	of	Date &	submission of	Date of
			Cost	mon	Comp	Time of	Originals of bank	Openin
			put to	ey	letion	submiss	Instruments	g of on
			bid			ion of	towards Cost of	line
						on line	Bid/EMD (If not	Technic
						bid	submitted	al bid
							through e-	
							payment mode,)	
1	2	3	4	5	6	7	8	9
1	NIT No. : - 08/EE/C/BSNL/UPR/2024-25 Dated: 11.09.2024	Miscellancous civil maintenance and repair works of BSNL buildings & Staff quarters at Udaipur city Area. (For 07 months FY 2024-25)	3,76,715/-	7,534/	07(Seven) Month	27.09.2024 (Up to 1800 Hrs)	03.10.2024 (1500 Hrs)	03.10.2024 (1530 Hrs)

- 1. The intending bidder must read terms and conditions of BSNL W6 carefully. He should only submit his bid if he considers himself eligible and he is in possession of all the documents required.
- 2. Information and instructions for bidders posted on website shall form part of bid document.
- 3. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website
 https://www.etenders.gov.in/eprocure/app or www.tender.bsnl.co.in.
 The NIT No 08/EE/C/BSNL/UPR/2024-25 can also be seen on web site www.tender.bsnl.co.in
- 4. The bid can only be submitted after uploading the mandatory scanned document such as Demand draft or Pay order or Banker's cheque or Deposit at call Receipt or Fixed deposit Receipt and Bank guarantee of any scheduled Bank towards cost of bid document and EMD in favour of Accounts Officer (Cash), O/o GMTD, BSNL UDAIPUR and other documents as specified.

Tender fee and EMD, is required to be deposited by the bidder preferably through online payment modes as per bank details:

Beneficiary Name: - Account Officer (Cash), GMTD, BSNL, Udaipur, Address - Admn. Building, Hiran Magri, Udaipur-313002, Bank account No. 687801010050051 of Union Bank of India, IFSC code UBIN0568783, PAN of BSNL AABCB5576G, GSTIN No. 08AABCB5576GLZ1.

However, scanned copies of following documents (which ever applicable) are to be mandatorily uploaded by the bidder in their online technical bid part on e-tender portal:-

- i) Bank transaction details with UTR number towards the successful e-payment for tender fee / EMD.
- 5. If the bidder opted DD/ Banker's cheque/ FDR for EMD, then scanned copy of the payment instrument be submitted in their online technical bid part on e-tender portal and in that case original payment instrument must be deposited in the office of EE(C), BSNL Civil Division, Udaipur by due date mentioned in this NIT. The Demand Draft or Pay order or Banker's Cheque or Deposit at call Receipt or Fixed deposit receipts towards EMD should be in favour of Accounts Officer (Cash), O/o GMTD, BSNL UDAIPUR. Those contractors not registered on the website mentioned above are required to get registered beforehand. If needed they can be imparted training on online bidding process as per details available on the website.
- 6. The intending bidder must have valid class III **digital signature** to submit the bid.
- 7. On opening date the contractor can login and see the bid opening process. After opening of bids he will receive the competitor bid sheets.
- 8. Contractor can upload documents in the form of JPG format/ PDF format.
- 9. Contractor must ensure to quote rate of each item. If any cell is left blank and no rate is quoted by the bidder, rate of such item shall be treated as "0" Zero.
- 10. The Financial bids shall be opened for the bidders whose bids qualify for the same based on the mandatory documents (Technical Bids) uploaded online during e-bidding process and Originals of cost of tender document and EMD submitted physically in the office of EE(C), BSNL Civil Division, Udaipur on or before the due date as per the terms and conditions of the NIT and the decision of the Tender opening authority shall be final and binding.
- 11. Conditional tender shall be rejected.
- 12. The department reserves the right to reject any prospective application without assigning any reason and to restrict the list of qualified contractors to any number deemed suitable by it, if too many bids are received satisfying the laid down criteria.

List of Documents to be scanned and uploaded within the period of bid submission:

- Copy of Demand draft/Pay order or Bankers Cheque/Deposit at Call Receipt /FDR against EMD and in case of online payment, scanned copy of bank transaction detail with UTR Number towards the successful epayment for EMD
- Copy of Demand draft/Pay order or Bankers Cheque against Tender cost and in case of online payment, scanned copy of bank transaction detail with UTR Number towards the successful e-payment for Tender cost.
- 3. Enlistment order of the contractor.
- 4. Certificates of Work Experience.
- 5. GSTIN Registration certificate issued by the competent authority,
- 6. Employee Provident Fund Registration No./ Undertaking for obtaining EPF registration number from EPF authority.
- 7. Undertaking of no near relative in BSNL as stipulated in Notice Inviting Tender.
- 8. List of works in hand.
- 9. Partnership deed if any.

EXECUTIVE ENGINEER (C) BSNL CIVIL DIVISION, UDAIPUR

DECLARATION CERTIFICATE TO BE SUBMITTED WITH TENDER

Certified that:-

- 1. Architectural Drawings have been seen.
- 2. Site of construction inspected.
- 3. Earnest money in prescribed form Submitted/ deposited.
- 4. The certificate regarding near relatives as mentioned in relevant para of BSNL W-6 Submitted.

Signature of Contractor/Tenderer

IMPORTANT INSTRUCTIONS TO ALL TENDERERS

All tenderers should read the following important instructions carefully before actually submitting their online bids:

- 1. The tenderers should <u>read carefully and understand</u> Tender form BSNLW 8, Bharat Sanchar Nigam Limited "General Conditions of Contract for Civil Works with up to date correction Slips and Schedule of quantity, Architectural and structural drawings etc., before quoting for the work.
- 2. The tenderers should read the important instructions, all conditions, terms and declarations carefully before submitting the tenders.
- 3. Copies of other drawing and documents pertaining to work will be open for inspection by the tenderer at the **office of the Executive Engineer (Civil), BSNL Civil Division, Udaipur** during office hours on all working days.
- 4. On completion of the work the successful bidder shall have to provide Guarantee/ Warranty for the product/ items as specified by respective manufacturers along with requisite warranty cards & copy of invoices etc. Defects liability period shall be as per Clause 17 or as per warranty of manufacturers whichever is more after declaring the work completed by Engineer-in-charge

CONTRACTOR

EXECUTIVE ENGINEER (C)

Annexure-II

DECLARATION REGARDING EPF/ESIC

"I / We	do hereby solemnly declare
that I shall abide by all the rules / condition / provision	ns of 'The Employees Provident Funds Act /
Scheme 1961' and ESIC Act. I/We shall obtain and s	submit EPF registration within one month of
award of work, if applicable as per prevailing Law. I	n case of any default, the sole responsibility
shall be mine / us. I shall also be liable for any pecuniar	ry liability arising on account of any violation
by me of the provisions of the said Acts".	
This declaration shall become part of the Agreement.	
	SIGNATURE OF CONTRACTOR

Annexure-III

Undertaking for submission of original bank payment instrument (Hard copy of EMD).

(TO BE GIVEN BY EVERY TENDERER)

If I/ We do not submit the original bank payment instrument as EMD within specified time as given in the NIT, consecutively three times after submission of online bids, it shall be treated as breach of condition and action shall be taken to withdraw my/ our enlistment/debar me/us from tendering in BSNL for Six months.

Signature of Tenderer

BHARAT SANCHAR NIGAM LIMITED

(A GOVERNMENT OF INDIA ENTERPRISE)

BSNL-6 FOR e-TENDERING

Dated: 11.09.2024

NIT No. 08/EE/C/BSNL/UPR/2024-25

- 1.1 Item rate E-tenders on single bid system are invited on behalf of BHARAT SANCHAR NIGAM LIMITED from approved and Enlisted eligible contractors in appropriate class as per usual terms and conditions applicable to them from time to time or the eligible contractors from the approved class of BSNL, DOT (Civil Wing), DOP (Civil Wing), CPWD, MES, Rajasthan state PWD (B&R), central / State Government undertakings which are eligible for tendering in appropriate class as per usual terms and conditions applicable to them from time to time for the work of "Miscellaneous civil maintenance and repair works of BSNL buildings & Staff quarters at Udaipur city Area. (For 07 months FY 2024-25)."
- 1.2 The work is estimated to Cost Rs. 3,76,715/- (Rs. Three lakhs Seventy Six thousand Sevan hundred fifteen Only)
- 1.3 e-Tenders/Bidders will be issued (online) to the eligible bidders if they will provided the off line following documents (as Technical bid) as well as on line submitted to their valid enlistment, GSTIN registration, EPF registration, Tender cost, Earnest money, undertaking for No Near relative working in BSNL, Certificates of experience / List of similar works as per Para no.1.3.6 of this NIT (If applicable, affidavit with the appropriate authorities) subject to the following relaxations:-
- 1.3.1 In case "Any of the contractor is not already having registration with EPF authority, then after opening of financial bid such contractor/ agency shall apply for EPF registration number to EPF registration authority but he will given an undertaking along with these documents.
- 1.3.2 A self attested copy of such application shall be submitted by him/ them within 15 days of issue of acceptance of Bid by BSNL.
- 1.3.3 In case of failure on part of agency to furnish the proof of submission of application for obtaining EPF registration number within 15 days of date of issue of acceptance letter, the full amount of EMD submitted by him/them along with the tender shall stand forfeited in favour of BSNL and no claim whatsoever shall be entertained in the matter.
- 1.3.4 Ist R.A. Bill shall be made only after submission of EPF registration certificate.
- 1.3.5 Any financial & legal consequences arising due to non-submission of proof of application or detail of registration certificate with EPF authorities at appropriate time mentioned above shall be borne by the agency and no claim whatsoever shall rest with BSNL. An undertaking shall be submitted by the intending tenderer/ bidder in this regard as a token & acceptance of conditions mentioned above regarding EPF registration.
- 1.3.6 Criteria of eligibility for submission of tender documents for Non-BSNL registered contractors of Public Works Organizations like CPWD, State PWD (B&R), DOP, MES and Railways.

For works upto Rs 7 Lakhs- Nil

All the intending Non BSNL registered contractors should have satisfactorily completed similar works during the last seven years ending last day of the month previous to the one in which the tenders are invited, either of following:-

- a) Three similar works* each of value not less than (40%) Rs. OR
- b) Two similar works* each of value not less than (50%) Rs. OR
- c) One similar work* of value not less than (80%) Rs.

For the purpose of this clause 'Similar work' means "Painting work, Addition / alteration to buildings, and civil repair works executed for central / State Govt / Public sector undertakings. The work done certificate issued by the department from a officer not below the rank of Executive Engineer/manager shall be considered."

2 Agreement shall be drawn with the successful bidder on prescribed Form No. BSNL W-8, which is

available as a BSNL Publication / BSNL Web site; http://civil.bsnl.co.in. Bidders shall quote the item rate on standard schedule rates as per various terms and the said from, which will form part of the agreement.

- The time allowed for carrying out the work will be **07 Months** which will be reckoned from Seventh day after the date of issue of letter of award of work.
- 4 The site for the work is available

Bid documents consisting of specifications, the schedule of quantities of the various classes of work to be done and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen on BSNL website: ; http://civil.bsnl.co.in./BSNL,www.rajasthan.bsnl.co.in and https://eprocure.gov.in.

- (i) The last date of submission of bid online will be 27.09.2024 up to 1800 Hrs.
- (ii) The last date of submission of offline documents i.e. Tender Cost, EMD and POA (if any) in the O/o Executive Engineer (Civil), BSNL Civil Division, Udaipur shall be on any date before or within 3 days of bid submission end date and opening of TECHNICAL BID / E-envelope-I will be on 03.10.2024 at 1530 Hrs.
 - (iii) The date and time for opening of FINANCIAL BID/ E-envelope-II (online) of eligible bidders will be intimated later.
- After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of bid as notified.
- While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of bid as notified.
- When bid are invited in three stage system and if it is desired to submit revised financial bid then it shall be mandatory to submit revised financial bid. If not submitted then the bid submitted earlier shall become invalid.
- 8 Intending bidder who wish to participate in the bid shall also make following payments:
- (i) Cost of Bid document: Rs. 500/- + 18% GST = Rs.590/- (Non-refundable) drawn in favour of Accounts Officer (Cash), O/o GMTD, BSNL UDAIPUR.
- (ii) EMD amounting to Rs. 7,534/- (Rupees Seven thousand Five hundred thirty Four only) drawn in favour of Accounts Officer (Cash), O/o GMTD, BSNL UDAIPUR.
- (iii) Tender Cost & EMD shall preferably be submitted through online payment mode in BSNL Current account (collection) as per following Account holder name Account Officer (Cash), GMTD, BSNL, Udaipur, Address Admn. Building, Hiran Magri, Udaipur-313002, Bank account No. 687801010050051 of Union Bank of India, IFSC code UBIN0568783, PAN of BSNL AABCB5576G, GSTIN No. 08AABCB5576GLZ1.
- (B) Original Tender Cost & EMD (If not submitted through e-payment mode), then are required to be submitted by bidder offline in Banker's cheque/deposit at call receipt of a scheduled bank/fixed deposit receipt of a scheduled bank/Demand draft of a Scheduled bank issued in favour of Accounts Officer (Cash), O/o GMTD, BSNL, Udaipur payable at Udaipur, in the O/o Executive Engineer (C), BSNL Civil Division, Udaipur, on any date before or within 5 days of bid submission end date failing which the tender bid (If already opened on basis of scanned copies uploaded in Electronic Envelope No-I i.e. Technical Envelope), shall be rejected.

9 MODE OF BID SUBMISSION:

(a) Earnest money, Cost of Tender, Certified copies of GST registration certificate, Enlistment Order along with relevant document in support of financial limit to tender and validity of enlistment as on the last date of submission of tender (if these are not evident from enlistment order), Near relative certificate (Annexure - I), Work experience certificate (if applicable), Certified copy of EPF & ESIC registration OR an undertaking as per Annexure – II, Undertaking from agency regarding submission of Physical documents as per Annexure –

- III & Power of Attorney, if applicable shall be scanned and uploaded to the e-tendering website within the period of tender submission.
- (b) Original financial payment instrument against Earnest money, Cost of Tender (or proof of online payment against EMD and Cost of Tender along with Bank details and UTR No) and all other eligibility documents as in above Para 9 (a) shall be submitted offline in the office of the Executive Engineer (Civil), BSNL Civil Division, Udaipur before or within 05 (Five) days of the period of bid submission end date as mentioned in NIT, failing which the tender bid (if already opened on the basis of scanned documents uploaded in 1st electronic envelope / technical bid) shall be rejected. The envelope shall be superscripted with name of work, name of tenderer, date and time of opening of bids.
- (c) If the bidder opts for other forms of payment of tender cost viz: Demand draft or Pay order or Banker's cheque he will submit the same with Executive Engineer (Civil) inviting the tender. Executive Engineer (Civil) receiving the tender cost will send the receipt to the "Nodal Officer (Tender)" through e-mail and telephonically in prescribed format of receipt of deposition of Tender cost given below:-

	Receipt of deposition of original "Tender cost"						
Recei	ipt No: Dated:						
PART-1	Point 1 to 5 below to be filled by Tender inviting authority at the time of issue of NIT						
1.	Name of work: Miscellaneous civil maintenance and repair works of BSNL buildings & Staff quarters at Udaipur city Area. (For 07 months FY 2024-25).						
2.	NIT No: 08/EE/C/BSNL/UPR/2024-25						
3.	Estimated cost: Rs 3,76,715 /-						
4.	Amount of Tender Cost: Rs. 590/-						
5.	Last date of submission of Tender / bid : 27.09.2024						
	PART- 2 – Point 1 to 4 below to be filled by Executive Engineer (Civil) after receiving Tender Cost						
1.	Name of Contractor						
2.	Form of Tender Cost						
3.	Amount of Tender Cost Deposit Rs						
4.	Date of submission of Tender Cost						
	Signature, Name and Designation of Tender Cost receiving officer along with Office stamp						

(d) If the bidder opts for other forms of EMD payment viz: Demand draft or Pay order or Banker's cheque, FDR he will submit the same with Executive Engineer (Civil) inviting the tender. Executive Engineer (Civil) receiving the EMD will send the receipt to the "Nodal Officer (Tender)" through e-mail and telephonically in prescribed format of receipt of deposition of EMD given below:-

	Receipt of deposition of original "EMD"						
	Receipt No: Dated:						
PAI	RT-1 – Point 1 to 5 below to be filled by Tender inviting authority at the time of issue of NIT						
1.	Name of work: Miscellaneous civil maintenance and repair works of BSNL buildings & Staff quarters at Udaipur city Area. (For 07 months FY 2024-25).						
2.	NIT No: 08/EE/C/BSNL/UPR/2024-25						
3.	Estimated cost: Rs. 3,76,715/-						
4.	Amount of EMD Rs. 7,534/-						
5.	Last date of submission of Tender/bid: 27.09.2024						
	PART-2 – Point 1 to 4 below to be filled by Executive Engineer(Civil) after receiving EMD						
1.	Name of Contractor						
2.	Form of EMD						
3.	Amount of EMD DepositRs						
4.	Date of submission of EMD						
	Signature, Name and Designation of EMD receiving officer along with Office stamp						

11. (a) The rates quoted by the agency shall be inclusive of all types of taxes / levies / duty and GST as applicable by the Govt. including labour Cess and nothing extra shall be payable on such account. The Contractor, as service provider, shall be fully responsible for any default in payment of this tax.

(b) The rates quoted by the agency shall be inclusive of 1 % (one percent) BOCW cess on the work done and shall be recovered from running / final bill as applicable on the building and other Construction workers welfare Cess Act, 1996 due to introduction of "The Building and other Construction Works Regulation of Employment and Conditions of Service Act 1996".

- (c) Successful contractor shall comply with the conditions of relevant EPF Act including maintaining, producing and submitting various documents when demanded showing details of employees / labours engaged, duration of their engagement, amount of wages paid to such labours / employees for the relevant period, amount of EPF contribution (both employees / labours' contribution) for the duration of engagement and proof of payment of the same to concerned EPF authority. Contractor will have to obtain EPF clearance from the concerned EPF authority before payment of final bill
- 12. Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general, shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials tools & plants, water, electricity, access facilities for workers and on all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of tender by a tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the BSNL and local conditions and other factors having a bearing on the execution of the work.
- 13. The competent authority on behalf of Bharat Sanchar Nigam Limited does not bind himself to accept the lowest or any other tender, and reserves to himself the authority to reject any or all of the tenders received without the assignment of a reason. All tenders, in which any of the prescribed conditions is not fulfilled or any condition including that of conditional rebate is put forth by the renderer, shall be summarily rejected.

14. Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.

15. The competent authority on behalf of the Bharat Sanchar Nigam Limited reserves with himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.

- 16. The company or firm or any other person shall not be permitted to tender for works in BSNL Civil Zone in which his near relative (s) (directly recruited or on deputation in BSNL) is/are posted in any capacity either non-executive or executive employee. Near relative (s) for this purpose is/are defined as:
 - (i) Member of Hindu Undivided family (UHF).

(ii). They are Husband and Wife.

- (iii). The one is related to other in the manner as father, mother, son(s) & Son's wife (Daughter-in-law), Daughter(s), Daughter's Husband (Son-in-law), brother(s) wife, sister(s), sister's husband (Brother-in-law).
- 17. The contractor shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relative to any executive employee / gazetted officer in the BSNL or Department of Telecom or in the Ministry of Communications.

18. All the intending tenderers will have to give a certificate that none of his/her such near relative (s) as defined above is/are working in the concerned BSNL Civil Zone where he is going to apply for tender/work. The format of the certificate is as under:-

Any breach of these conditions by the Company or Firm or any other person, the tender/work will be cancelled and Earnest Money/ Security Deposit will be forfeited at any stage, whenever it is so noticed. BSNL will not pay any damages to the company or Firm or the concerned person but damages arising on account of such cancellation to be borne by the contractor. The Company or Firm or the person will also be debarred for further participation in the tender in the concerned BSNL Civil Zone. Further, any breach of this condition by the tenderer would also render him liable to be removed from the approved list of contractors or BSNL. If however the contractor is registered in any other Department he shall also be debarred from tendering in BSNL for any breach of this condition.

- 19. No Engineer of Gazetted rank or other Gazetted Officer employed in engineering or administrative duties in an Engineering Department of the Government of India/State Government or PSU"s is allowed to work as a contractor for a period of two years after his retirement from Govt. service, without previous permission of the Govt. of India or BSNL in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Govt. of India/State Government or PSU"s as aforesaid before submission of the tender or engagement in the contractor's service.
- 20. The tender for the work shall remain open for acceptance for a period of 75 days from the date of opening of the tenders. If any tenderer withdraws his tender before the said period or issue of letter of acceptance/ intent, whichever is earlier or makes any modifications in the terms and conditions of the tender which are not acceptable to the BSNL, then the BSNL shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid.
- 21. In case of works having estimated cost below Rs.15,00,000/-, the successful tenderer shall be required to execute an agreement with the Engineer-in-charge in the Performa annexed to the tender document, within 6 Months of the issue of letter of award by the BSNL. In the event of failure on the part of the successful tenderer to sign the agreement, the earnest money will be forfeited and tender cancelled.
- 22. This Notice Inviting Bid (BSNL W6) shall form a part of the Contract Document. In accordance with clause 1 of the contract, the letter of acceptance shall be issued first in favour of the successful Tenderer/Contractor. After submission of the performance guarantee, the letter of award shall be issued. The contract shall be deemed to have come into effect on issue of letter of acceptance of the tender. On issue of letter of award, the successful Tenderer/Contractor shall, within 75 days from such date, formally sign the agreement consisting of: -

a) The Notice Inviting Tender, all the documents including additional conditions, specifications and drawings, if any, forming part of the tender, and, as issued at the time of invitation of tender and acceptance thereof together with any correspondence leading thereto.

b) Standard BSNL W-8 as on website: http://civil.bsnl.co.in with up to date correction slips.

c) Agreement signed on non-judicial stamp paper as per Performa annexed to the tender document.

- 23 Payment to the contractors shall be made through e-payment system like ECS & EFT as detailed below:
- a) In cities/areas where ECS/EFT facility is provided by Banks, the tenderer must have Account in such ECS/EFT facility providing Banks and that Bank A/c No shall be quoted in the tender by the tenderer.
- b) The cost of ECS/EFT will be borne by BSNL in all cases where the payment to contractor is made in a local Branch i.e. tenderer is having bank account in the same place from where the payment is made by BSNL unit.
- c) In case payment is made to outside branch i.e. tenderer is having back account not in the same place form where the payment is made by BSNL unit, the crediting cost will have to be borne by the tenderer only.
- d) The payments to contractors will compulsorily be made through ECS/EFT in respect of all contracts.
- 24. First running account bill shall be paid only after
 - a). Signing of the Agreement/Contract by both the parties, and
 - b). Progress chart has been prepared as required under Clause 5 and approved by the competent authority.
- 25 General conditions of contract for works in BHARAT SANCHAR NIGAM LIMITED are available on website http://civil.bsnl.co.in with up to date correction slips as well as in the Divisional Office.
- If any terms and conditions under General Rules and Directions are in contravention to terms and conditions as above, the terms and conditions as above shall prevail.
- 27 In the event of no rate has been quoted for any item (s) then the rate for such item(s) will be considered as Zero and work will be required to be executed accordingly. It will be presumed that the contractor has included the cost of this/these item(s) in other item(s).
- 28 Successful contractor shall comply with the conditions of relevant EPF Act including maintaining, producing and submitting various documents when demanded showing details of employees / labours engaged, duration of their engagement, amount of wages paid to such labours / employees for the relevant period, amount of EPF contribution (both employees / labours' contribution) for the duration of engagement and proof of payment of the same to concerned EPF authority. Contractor will have to obtain EPF clearance from the concerned EPF authority before payment of final bill.

List of Documents to be scanned and uploaded within the period of bid submission:

- 1. Copy of Demand draft/Pay order or Bankers Cheque/Deposit at Call Receipt /FDR against EMD and in case of online payment, scanned copy of bank transaction detail with UTR Number towards the successful e-payment for EMD
- Copy of Demand draft/Pay order or Bankers Cheque against Tender cost and in case of online payment, scanned copy of bank transaction detail with UTR Number towards the successful e-payment for Tender cost.
- **3.** Enlistment order of the contractor.
- **4.** Certificates of Work Experience.
- 5. GSTIN Registration certificate issued by the competent authority.
- **6.** Employee Provident Fund Registration No. / Undertaking for obtaining EPF registration number from EPF authority.
- 7. Undertaking of no near relative in BSNL as stipulated in Notice Inviting Tender.
- 8. List of works in hand.
- **9.** Partnership deed if any.

Signature and Name of Divisional Officer

Executive Engineer (Civil)
BSNL Civil Division, Udaipur
For & on behalf of Bharat Sanchar Nigam Limited

BHARAT SANCHAR NIGAM LIMITED

(A Government of India Enterprise)

STATE: Rajasthan Civil Zone, Jaipur CIRCLE: BSNL Civil Circle, Jodhpur DIVISION: BSNL Civil Division, Udaipur

SUB-DIVISION: BSNL Civil Sub Division, Udaipur

Item Rate E-Tender for the work of: - Miscellaneous civil maintenance and repair works of BSNL buildings & Staff quarters at Udaipur city Area. (For 07 months FY 2024-25).

- i. E-bids to be submitted online on the website: www.etenders.gov.in up to 27.09.2024 at 1800 hours
- ii. The date of submission of Originals of bank

Instruments towards Cost of Bid/EMD

03.10.2024 by 1500 Hrs

(If not submitted through e-payment mode, shall be submitted by the bidder on any date before above mentioned date in the office of Executive Engineer (C), BSNL Civil DIVISION, Udaipur)

- iii. The date of opening of technical bid will be 03.10.2024 At 1530 Hrs
- iv. The date of opening of financial bid will be displayed on e tender site after opening of technical bids

EXECUTIVE ENGINEER (C)
BSNL CIVIL DIVISION,
UDAIPUR

TENDER

I/We have read and examined Notice Inviting Tender, Schedules A, B, C, D, E & F, Specifications applicable, Drawings & Design, General Rules and Directions, Conditions of Contract, Special conditions, Schedule of Rate & other document & Rules referred to in the Conditions of contract and all other contents in the Tender Document for the work.

I / we hereby tender for the execution of work specified for the Bharat Sanchar Nigam Limited within the time specified in schedule 'F' viz., schedule of quantities and in accordance in all respects with the specifications, designs, drawings and instructions in writing referred to in Rule-1 of General Rules and Directions (Civil and Electrical) and in Clause 11 of the Conditions of the contract and with such materials as are provided for, by and in respect in accordance with, such conditions so far as applicable.

I/We agree to keep the tender open for 75 days from the due date of submission thereof and not to make any modifications in its terms and conditions. If I/we withdraw my/our tender before the said period or issue of letter of acceptance/intent, whichever is earlier, or, makes any modifications in the terms and conditions of the tender which are not acceptable to the BSNL, then the BSNL shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid.

A sum of Rs. 7,534/- (Rupees Seven Thousand Five Hundred Thirty Four only) has been deposited in prescribed manner as earnest money. If I/ We fail to commence the work specified I/ We agree that the said Bharat Sanchar Nigam Limited shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely otherwise the said earnest money shall be retained by competent authority on behalf of the Bharat Sanchar Nigam Limited towards Security Deposit to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to therein and carry out such deviations as may be ordered, upto maximum of the percentage mentioned in Schedule 'F' and those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.3 of the tender form.

I/We agree that, in case of works of estimated cost exceeding Rs.15, 00,000/-, to deposit an amount equal to 5% of Tendered value of the work as performance guarantee in the form of bond of any Scheduled Bank of India in accordance with the proforma prescribed or in the form of Fixed Deposit Receipt etc., within 10 days of the issue of letter of acceptance of Tender by the BSNL. I/We am/are aware that in the event of failure on my/our part to furnish the Bank Guarantee within 10 days, the earnest money will be forfeited and tender cancelled. Further, I / We agree that in case of forfeiture of earnest money or both Earnest Money &

Performance Guarathe work.	antee as aforesaid, I / We sh	nall be debarred	d for participation	in the re -bidding	process of
	and confirm that eligible sin	nilar work(e) h	as/have not been o	rot executed throu	ah another
	to back basis. Further that,	` '			_
	red for bidding in BSNL in f				
	date of start of work, the En				
	posit/Performance Guarante				
	ate that for receiving payme		an account in		Bank with
account No.		EFT/RTGS fac	ility of e-payment	is available.	
I/We hereby declar	re that I/we shall treat the to				
	confidential documents and				•
_	person to whom I/we am/ar		o communicate the	same or use the in	nformation
• •	udicial to the safety of the St			_	
	hould I / we fail to commer				
	nt of the earnest money mer				
	arat Sanchar Nigam Limited				
	rat Sanchar Nigam Limited tof the deposit in so far as the				
	f any other money due to me				i the event
•	n respect of works in hand is			VISC.	
	-				
I/ w e agree that th	is contract is subject to juris	alction of cour	t at Odaipur only.		
	Name and Dauticulaus		Position of	T	Dated
Name of Work	Name and Particulars	Value of		Remarks	Dated
Name of Work	of Division where work	Work	Work in	Kemarks	
1	is being executed 2	3	progress 4	5	-
1	2	3	4	3	Witnes
					s:
	•••••				
Address:			Signature of	of Contractor	
Occupation:					
Postal Address:					
			~		
		CEPTANO		.1 11 1	
	The above tender (as modified)				
	er) is accepted by me for and l of Signal, NFS, for a sum			0	
****				(Rupe	568
)	
The letters referred	to below shall form part of	this Contract A	greement:		
	r		-8		
(a)					
(b)		Signatur	e		
	Name	and	Designation_		
Dated	For & c	on behalf of B	harat Sanchar Ni	gam Limited	

MODIFICATIONS IN BSNL-W8

(The following modifications in BSNL-W8 as modified below shall form the part of NIT and the agreement.)

(i) <u>Modification in General Rules and Directions of BSNL-W 8</u>

The Para (15) shall be replaced with the following Para

15. GST or any other tax applicable in respect of inputs procured by the contractor for this contract shall be payable by the Contractor and BSNL will not entertain any claim whatsoever in respect of the same. However, component of GST at time of supply of service (as provided in CGST Act 2017) provided by the contract shall be varied if different from that applicable on the last date of receipt of tender including extension if any.

(ii) Modification of clauses of General conditions of contract for Civil works

The Clause 37(i) of General Conditions of Contract (BSNL-W8) shall be replaced with the following Para::

37(i): GST, Building and other Construction Workers Welfare Cess or any other tax, levy or Cess in respect of input for or output by this contract shall be payable by the contractor and BSNL shall not entertain any claim whatsoever in this respect except as provided under Clause 38.

The Clause 38(i) of General Conditions of Contract (BSNL-W8) shall be replaced with the following Para::

Clause 38 (i): All tendered rates shall be inclusive of any tax, levy or cess applicable on last stipulated date of receipt of tender including extension if any. No adjustment i.e. increases or decrease shall be made for any variation in the rate of GST, Building and other Construction Workers Welfare Cess or any tax, levy or cess applicable on inputs. However, effect of variation in rates of GST or Building and Other Construction Workers Welfare Cess or imposition or repeal of any other tax, levy or cess applicable on output of the works contract shall be adjusted on side, increase or decrease. Provided for Building and Other Construction Workers Welfare Cess or any tax (other than GST), levy or cess varied or imposed after the last date of receipt of tender including extension if any, any increase shall be reimbursed to the contractor only if the contractor necessarily and properly pays such increased amount of taxes/levies/cess. Provided further that such adjustment including GST shall not be made in the extended period of contract for which the contractor alone is responsible for delay as determined by authority for extension of time under Clause 5 in Schedule F.

		PI	ROFORMA	A OF SCHEDULES					
(Opera	tive Schedules to be			to each of the intendi	ng tei	nderer)			
<u></u>									
SCHEI	DULE "A"								
Schedu	le of Quantities (Enc	losed)							
L	DULE "B"								
	le of Materials to be					T			
S. No.	Description of	Quantit		es in figures & words		Place of issue			
	Item		which the materials will be						
1	2	3	charged from the contractor 4 5						
NIL									
SCHEDULE "C"									
5	nd Plants to be hired	to the co	ontractor						
S.	Description of Item			charges per day	Pla	ce of issue			
No.	r			g r,					
1	2		3		4				
	DELETE	D							
<u> </u>	OULE "D"								
				nents for the work if a		1 1			
General	Instructions, Additi	onai Cor	iaitions, Ac	Iditional Specification	is are	enclosed.			
SCHEI	OULE "E"								
į	le of component of N	Naterials	Labour etc	for escalation					
Schedu	ic of component of i	Tateriais	, Labour Cu	2. 101 escaration.					
CLAUS	SE 10 C		Not App	licable					
Compo	nent of Materials exp	ressed	"X"						
	ent of Total Value of								
	nent of Labour expre		"Y"						
ļ	of Total Value of W								
;	nent of POL express		"Z"						
<u> </u>	of Total Value of W		NT 4 4 10						
	SE 10 CA		Not Applic						
	SE 10 D		Not Applic	abie					
Ļ	OULE "F" nce to General Con	ditions o	f Contract	•					
Name o					and	repair works of BSNL			
T value o	1 WOIK	:				city Area. (For 07 months			
		1)24-25)	7	r \	(2 02 07 110 110 110			
Estimat	ed cost of Work		76,715/-						
Earnest	Money	Rs. 7,	534/-						
Perfor	nance Guarantee (:	5 % of th	ne tendered						
1	n the form of Bar			•					
1	led Bank in respe					NA			
	ed cost put to tende								
Lakhs)			=						
	y Deposit			10 % of work don	e sha	ll be withheld as security			
! `	f the tendered value			deposit					
estimate	ed cost put to tender	up to Rs	. 15						

works with	% of the tendered value in respect of estimated cost put to tender				
exceeding I	Rs. 15 Lakhs,)				
ļ	L RULES AND DIRECTIONS				
Officers inv	viting tender Executive En	gineer (C), BSNL Civil Division, Udaipur.			
work to be	percentage for quantity of items of executed beyond which rates are to be in accordance with Clause 12.2 &	50%.			
12.3					
Definitions	S	See below			
(i)	Nodal Officer (Tender)	Executive Engineer (P&A), O/o Sr. Chief Engineer (Civil), BSNL RAJ. Civil Zone, Jaipur			
(ii)	Engineer-in -Charge	Executive Engineer (C), BSNL Civil Division, Udaipur.			
(iii)	Accepting Authority	Executive Engineer (C), BSNL Civil Division, Udaipur.			
(iv)	Percentage on cost of materials and labour to cover all overheads and profit	10 %			
(v)	Standard Schedule of Rates	CPWD DSR-2023			
(vi)	Standard BSNL Contract Form	BSNL W-8 form as modified and correcte with up to date correction slips			
	Department	BHARAT SANCHAR NIGAM LIMITED			
Clause 2					
	Authority for fixing compensation under Clause 2	Executive Engineer (C), BSNL Civil Division, Udaipur.			
Clause 2 A					
	Whether Clause 2 A shall be applicable	No			
Clause 3 A					
	Whether Clause 3 A shall be applicable	No			
Clause 5					
i)	Time allowed for execution of work.	07 (Seven) Month			
ii)	Authority to give fair and reasonable extension of time for completion of work.	Executive Engineer (C), BSNL Civil Division, Udaipur.			
Clause 6 A					
	Whether Clause 6 A shall be applicable	Yes			
Clause 7	Gross value of work to be done together with net payment /adjustment of advances for materials collected, if any, since the last such payment for being eligible to interim Payment.	As per rule			
Clause 10	Reinforcement steel to be used in the Shall have to be procured as below: a) CTD barsNil b) TMT bars Manufactured by Primetc.	work hary producers e.g. SAIL, VIZAG, TISCO, RINL			

Clause	The charges and cost of testing shall initially be paid to the laboratory by the contractor.							
10A:		tisfy the requirements of the relevant specifications,						
	the testing charges shall be Reimburs	ed by BSNL to the Contractor.						
Clause 10CA:	Not Applicable							
Clause 10D	Not Applicable							
Clause 11								
	Specification to be followed for execution of work.	CPWD Specifications-2019 with up to date correction slips & as per manufacturer specifications and architectural drawings						
Clause 12								
Clause 12	.2 & 12.3:	50% (Fifty percent)						
12.2 & 12. for foundat	tion Limit beyond which clauses 3 shall apply for building Work and tion work (except items mentioned in sub head in DSR and related items)							
\$	ion Limit for items	100% (One hundred percent)						
Mentioned	in earth work sub head of DSR and	, , ,						
related item	ns.							
Clause 16								
Competent	t authority for deciding reduced	Superintending Engineer (Civil), BSNL Civil						
rates.		Circle, Jodhpur.						
Clause 25								
Competent	authority for conciliation	DELETED						

Clause 36(i)

General guideline for fixing requirement to technical staff and rate of recovery in case of non-compliance for a work shall be as per the as per provision of CPWD Works Manual- 2022.

and	se 37(i)	applicable GST) and n (b) Building and other Con Cess in respect of inpu	actor are inclusive of all taxes and levies (including nothing extra shall be payable on this account. Instruction Workers Welfare Cess or any other tax, levy or at for or output by this contract shall be payable by the shall not entertain any claim whatsoever in this respect.			
Clau	ise 42					
i)	Delhi S	statement for determining the Schedule of Rates 2023 Printed opening of tenders.				
ii)		on permissible on theoretical qua	intities			
a)		t for works with estimated costs				
	i) not 1	more than Rs. 5 lakhs	3 % minus			
	ii) mor	e than Rs. 5 lakhs	2 % minus			
b)		einforcement and structural stee and category.	el sections for each diameter,	2 % minus		
Star	Prices t	o be considered for Escalation	and Recoveries.			
Sl. N	[o]	Material	Star Price (Rate in Figures and Words)			
1	1 For Cement		NA			
2(a)]	For Mild Steel	NA			
2(b)		For Reinforcement Steel TMT bars conforming to IS.	NA			

EXECUTIVE ENGINEER (C) BSNL CIVIL DIVISION, UDAIPUR

PERFORMA FOR AGREEMENT (ON NONJUDICIALSTAMP PAPER OF APPROPRIATE VALUE)

CONTRACT	AGREEMENT	FOR	THE	WORK	OF			· · · · · · · · · · · · · · · · · · ·		
DATED_	1		M/s inafter	called t	he co	`	,		e town shall unl	
the one part ar	repugnant to land the Bharat Sadd by or repugna	oe subject anchar Ni	t or cor igam Li	itext inclu imited her	de its einaft	successor er called t	s and p he BSN	ermitte L (whic	d assigns) ch term sh	of all
WHEREAS										
mentioned, enur of the Contract	is desirous that merated or referrence, Special Conditions, Schedule of	red to in the	he tende e Contr	er includin act, Specif	g Noti ication	ce Inviting s, Drawin	Tender gs, Plan	, Gener s, Time	al Condition Schedule	ons of
and has satisfies surface, strata, so nature and mag work, the mean require and has and things refer considered the interferences to has examined contingencies, as	or has inspected and himself by cassoil, subsoil and a mitude of the work of access to sit made local and interest to or implies and extensive and considered and generally all the work and which the exect and considered and generally all the work and which	refully ex- grounds, the rk the ava e, the sup- ndepender d in the tent of all ution and all other matters in	aminatione form ailability ply of punt enquirender duthe procession matter cidental	on before and nature y of labour ower and cries and ob- locuments robable and tion of the rs, condition thereto an	submite of the and newater to tained or have done work to one and ancil	ting his to site and lo naterials not thereto and complete ing any cosible situa o be carried and things lary thereo	ender as ocal con- ecessary of the accinformations, distributed out unand proof affect.	to the ditions to for the commodition as on there elays, I hader the obable	nature of the quantition he matto the matto with, and laindrances contract, a and possii	the ies, of nay ers has or and ble
Special Condition Drawings, plans of agreed varia	locuments includions of Contract, time schedule f tions with its enly set out herein	, Schedule or comple closures o	e of Qu ti0n of copies o	nantities an work. Lett of which a	nd rate er of <i>A</i> re here	es, Genera Acceptance eto annexe	l obliga of tended form	tions, S ler and a part of	pecification any statementh this contr	ns, ent
AND WHEREA	AS									
construction of	epted the tender	(dated	at at the	rates	and c stated in t	onveyed he Sche	l vide le dule of	tter No quantities	for
	s of the contract.	onL (here	ınaiter (called the S	schedu	ie oi Kate	s) upon	ine term	s and subj	ect

NOW THIS AGREEMENT WITNESSTH & IT IS HEREBY AGREED AND DECLARED AS FOLLOWS.

- 1. In consideration of the payment to be made to the contract for the work to be executed by him, the contractor hereby convenient with the BSNL that the contractor shall and will duly provide, execute, complete and maintain the said work and shall do and perform all other acts and things in the contract mentioned or described or which are to be implied and there from or may be reasonably necessary for the completion of the said works and at the said times and in the manner and subject to the terms and conditions or stipulations mentioned in the contract, AND
 - 2. In consideration of the due provisions execution, completion and maintenance of the said work, the BSNL does hereby agree with the contractor that the BSNL will pay to contractor the respective amounts for the work actually done by him and approved by the BSNL at the Schedule or Rates and such other sum payable to the contractor under provision of the contract, such payment to be made at such time in such manner as prescribed for in the contract.
- 3. It is specifically and distinctly understood and agreed between the BSNL and the contractor that the contractor shall have no right, title or interest in the site made available by the BSNL for execution of the works or in the building, structures or works executed on the said site by the contractor or in the goods, articles, materials, etc. brought on the said site (unless the same specifically belongs to the contractor) and the contractor shall not have or deemed to have any lien whatsoever charge for unpaid bills will not be entitled to assume or retain possession or control of the site or structures and the BSNL shall have an absolute and unfettered right to take full possession of site and to remove the contractor, their servants, agents and materials belonging to the contractor and lying on the site.
- 4. "The contract is subject to the jurisdiction of Court at Udaipur (Rajasthan) only," (Where the NIT/ Tender has been issued)

In Witness whereof the parties here to have hereinto set their respective hands and seals in the day and the year first above written.

Signed and delivered for and on behalf of BSNL	Signature and delivered for and on behalf of the contractor	
(BHARAT SANCHAR NIGAM LIMITED)	(Contractor)	
OFFICIAL ADDRESS		
Date	Date	
Place	Place	
IN PRESENCE OF TWO WITNESSES		
SIGNATURE	SIGNATURE	
NAME	NAME	
SIGNATURE	SIGNATURE	
NAME	NAME	

• •
Shri
For Partnership Concern
M/s
i) Shri, And
ii) Shris/oetc
For Companies
M/s
requires otherwise include its successors and assign).

For Proprietary Concern

EXECUTIVE ENGINEER (C) BSNL CIVIL DIVISION, UDAIPUR

GUARANTEE TO BE EXECUTED BY THE CONTRACTOR FOR REMOVAL OF DEFECTS AFTER COMPLETION IN RESPECT OF WATER SUPPLY AND SANITARY INSTALLATIONS

The agreement made this_	day of	two thousand and	between
		called the GUARANTOR	
BHARAT SANCHAR NIG	AM LIMITED (hereinaft	er called the BSNL of the of	her part).
WHEREAS THIS agreem dated and made part, whereby the contractor stable workmanship and use	between the GUARANT interalia, undertook to r	OR OF THE ONE PART A	ND the BSNL of the other
AND WHEREAS THE GU remain structurally stable a materials and leakages etc.			
NOW THE GUARANTOR the expiry of maintenance po from the date after the expiring charge with regard to nature.	eriod prescribed in the corry of maintenance period	ntract for the minimum life of prescribed in the contract. The	of ten years, to be reckoned
During the period of guaran in charge calling upon him some other contractor at the payable by the Guarantor shape	to rectify the defects, fail guarantor's cost and risk	ing which the work shall be	got done by the BSNL by
That if the guarantor fails to indemnify the Principal and incurred by him by reason of this supplementary agrees the decision of the Engineer	his successor against all of any default on the part ment. As to the amount of	loss, damage cost expense of of the GUARANTOR in per f loss and/or damage and/or	or otherwise which may be erformance and observance
IN WITNESS WHEREC and by for an and year first above written.	d on behalf of the BHAR	ve been executed by AT SANCHAR NIGAM LI	
Signed sealed and delivery b	y OBLIGATOR in presen	nce of:	
1	_		
2			
SIGNED FOR AND ON BE		T SANCHAR NIGAM LIM	ITED
BY	_in the presence of:		
1	_		
2.			

GUARANTEE BOND TO BE EXECUTED BY THE CONTRACTOR FOR WATER PROOFING					
TREATMENT FOR BASEMENT/ TERRACE/ TOI	LETS.				
The agreement made this	day of	two thousand and			
between S/o	(hereinaf	ter called the			
GUARANIOR of the one part) and the BHARAI SA	NCHAR NIGAM LIMITED	(hereinafter called the			
BSNL of the other part).					
WHEREAS this agreement is supplementary to a contra					
datedand made between the GUARAN					
other part, whereby the contractor interalia, undertook		said contractor of the			
work in the said contract recited completely water and le					
THE GUARANTOR hereby guarantee that the water					
Structures completely leak proof and the minimum life					
to be reckoned from the date after the expiry of mainter	ance period prescribed in the	contract. Provided that			
the guarantor will not be responsible for leakage caused		efects. The decision of			
the Engineer in charge with regard to cause of leakage s					
During the period of guarantee the guarantor shall male					
found render the structure water proof to the satisfact					
commence the work for such rectification within sev					
Engineer in charge calling upon him to rectify the defe					
BSNL through some other contractor at the guarantor's cost and risk. The decision of the Engineer in charge					
as to the cost payable by the Guarantor shall be final and binding.					
That if the guarantor fails to execute the water proofing, or commits breach there-under then the guarantor					
will indemnify the Principal and his successor against a					
may be incurred by him by reason of any of any default on the part of the GUARANTOR in performance					
and observance of this supplementary agreement.					
As to the amount of loss and/ or cost incurred by the BSNL on the decision of the Engineer in charge will be					
final and binding on the parties.					
IN WITNESS WHEREOF those presents	have been executed	by the obligator			
and by for and on beh	ılf of the BHARAT SANCHA	AR NIGAM LIMITED			
on the day, month and year first above written.		Signed sealed and			
delivered by OBLIGATOR in presence of:					
1 2					
SIGNED FOR AND ON BEHALF OF THE BHARAT SANCHAR NIGAM LIMITED					
BY					

2._____

In presence of: 1._____

ADDITIONAL CONDITIONS OF CONTRACT

1. GENERAL

- 1.1. The "Contract" shall, in general, be governed by the BSNL General Conditions of Contract (Appended with the tender documents) consisting of:
 - a) General Rules and Directions,
 - b) Conditions of Contract,
 - c) Various standard clauses with correction(s) up to the date stipulated in Schedule 'F' of Tender Document,
 - d) Safety Code,
 - e) Modal Rules for the protection of Health and Sanitary arrangements for Workers employed by BSNL or its contractors,
 - f) Contractor's Labour Regulations,
 - g) Proforma of Registers and Forms
- 1.2. However, all additions and modifications to the conditions as available in this tender document consisting of:
 - a) Notice Inviting Tender (i.e., BSNL W-6),
 - b) BSNL W-8 (i.e., Item Rate Tender & Contract for Works),
 - c) Schedules "A" to "F",
 - d) Additional Conditions
 - e) Special conditions and Particular specifications
 - f) Drawings and designs, if any, and the agreement/ guarantee bonds on non-judicial stamp paper and acceptance thereof together with any correspondence leading thereto shall also form part of the contract.
- 1.3. The work shall generally be carried out in accordance with the CPWD Specifications with up to date correction slips, Additional/Particular Specifications, architectural/ Structural drawings and as per instructions of Engineer-in-Charge. Any additional item of the work, if taken up subsequently, shall also confirm to the CPWD/other relevant specifications as mentioned above. If there is any difference or discrepancy between the description of items as given in the schedule of quantities, particular specifications for individual items of work (including special conditions) and I.S. Codes etc., the following order of preference shall be observed.
 - a) Description of items as given in Schedule of quantities
 - b) Particular specifications
 - c) Special conditions
 - d) Additional Conditions
 - e) CPWD Specifications including correction slips issued up to the last date of uploading/submission of tender.
 - f) General Conditions of Contract.
 - g) Indian Standards Specifications of B.I.S. h) Decision of Engineer-in-Charge.
- 1.4. Wherever any reference to any Indian Standard (BIS) Specifications occurs in the documents relating to this contract, the same shall be inclusive of all up to date amendments or revisions.
- 1.5. The nomenclature of the item given in the schedule of quantities gives in general the work content but is not exhaustive i.e. does not mention all the incidental works required to be carried out for

complete execution of the item of work. The work shall be carried out, all in accordance with true intent and meaning of the specifications and the drawings taken together, regardless of whether the same may or may not be particularly shown on the drawings and/or described in the specifications, provided that the same can be reasonably inferred. There may be several incidental works, which are not mentioned in the nomenclature of each item but will be necessary to complete the item in all respects. All these incidental works / costs which are not mentioned in item nomenclature but are necessary to complete the item shall be deemed to have been included in the rates quoted by the contractor for various items in the schedule of quantities. No adjustment of rates shall be made for any variation in quantum of incidental works due to variation / change in actual working drawings. Also, no adjustment of rates shall be made due to any change in incidental works or any other deviation in such element of work (which is incidental to the items of work and are necessary to complete such items in all respects) on account of the directions of Engineer-in-Charge. Nothing extra shall be payable on this account.

- 1.6. The works to be governed by this contract shall cover delivery and transportation of materials up to destination, storage and safe custody at site, insurance, erection, testing and commissioning of the entire works.
- 1.7. It is presumed that the Contractor shall satisfy himself for all possible contingencies, incidental charges, wastages, bottlenecks etc. likely during execution of work and acts of coordination, which may be required between different agencies. Nothing extra shall be payable on this account.
- 1.8. The work shall be carried out in accordance with the approved architectural drawings, structural drawings, services drawings to be issued from time to time, by the Engineer-in-Charge. Before commencement of any item of work the contractor shall correlate all the relevant architectural and structural drawings, nomenclature of items and specifications etc. issued for the work and satisfy himself that the information available from there is complete and unambiguous. The figure and written dimension of the drawings shall be superseding the measurement by scale. The discrepancy, if any, shall be brought to the notice of the Engineer- in- charge before execution of the work. The contractor alone shall be responsible for any loss or damage occurring by the commencement of work on the basis of any erroneous and or incomplete information and no claim whatsoever shall be entertained by the department on this account.
- 1.9. The drawings for the work are uploaded on website along with the tender documents for information of bidders. The Department shall not bear any responsibility for the lack of knowledge and also the consequences, thereof to the Contractor. The information and data shown in the drawings and mentioned in the tender documents have been furnished, in good faith, for general information and guidance only. The Engineer-in-Charge, in no case, shall be held responsible for the accuracy thereof and/or interpretations or conclusions drawn there from by the Contractor and all consequences shall be borne by the Contractor. No claim, whatsoever, shall be entertained from the Contractor, if the actual working drawings are at variance with the drawings available for inspection or attached to the tender documents.
- 1.10. Several documents forming the tender are to be taken as mutually complementary to one another. Detailed drawings shall be followed in preference to small scale drawings and figured dimensions in preference to scale dimensions.

- 1.11. The Contractor(s) shall take instructions from the Engineer-in-Charge regarding collection and stacking of materials at any place. No excavated earth or building rubbish shall be stacked on areas where other buildings, roads, services and compound walls are to be constructed. The stacking shall take place as per stacking plan however, if any change is required, the same shall be done with the approval of Engineer-in-Charge.
- 1.12. For works below ground level the contractor shall keep that area free from water. If de-watering or bailing out of water is required the contractor shall do the same at his own cost and nothing extra shall be paid.

2. ADDITIONAL CONDITIONS PERTAINING TO SITE FACILITIES / RESTRICTIONS

- 2.1 The buildings are to be constructed in military protected areas. The agency shall be required to strictly follow security norms and procedure in terms of entry/ exit passes to all the vehicles/ persons/ materials, issue/ reissue/ surrender of labour passes and other rules and regulations that will be brought in force from time to time by Army authorities. Photo ID cards for labourers along with their credentials will be required to obtain permission to enter the site. The strict access control to site may result in loss of man-hours for which no extra payment shall be made.
- 2.2 The bidders are advised to take utmost care while executing the work so that minimum/ no disturbances happens to the users. The bidder shall also protect site of work from the unauthorized entry of any persons by erecting necessary barricading wherever required as per direction of Engineer-in-Charge and nothing extra shall be paid on this account.
- 2.3 The bidders shall fully understand restrictions before participating in the tender. Nothing extra shall be paid on this account. No delay or claims of any kind shall be entertained from the Contractor on this account.
- 2.4 Since the work is to be done in army campus, no concrete plant/ batch mix plant/ ready mix plant shall be allowed inside the campus. Nothing extra shall be paid on this account.
- 2.5 Water for construction purposes shall be responsibility of contractor. Bore well will be allowed only after permission from Army authorities (subjected the quality of water confirms to CPWD specification/ applicable BIS Code) and after obtaining all approval from local body/ administration/ competent authority. The contractors shall handover the bore well in working condition to BSNL/Army after completion of work for which nothing extra shall be paid. In case approval for drilling bore well not granted by Army/BSNL/ local body/ competent authority, the contractor shall make own arrangement for tanker water for which nothing extra shall be paid.
- 2.6 Contractor shall have to apply for temporary Electricity connection to local bodies and shall be required to pay electricity charges directly to the concerned distributor. Final bill shall be paid only after proof of up to date payment of electricity charges submitted to the Engineerin- Charge.
- 2.7 The Contractor shall abide by the rules/ bye laws applicable in respect of water/ electricity connection and he shall be solely responsible for any penalty on account of violation of any of the rules / bye laws in this regard. The Contractor shall indemnify the BSNL/Government against any claim arising out of pilferage, theft, damage, penalty, non-settlement of bills etc. whatsoever on this account.
- 2.8 Efforts shall be made for providing limited space at the designated place for labour hutments at site. The contractor shall make his own arrangement for erection of labour hutment and for which nothing extra shall be paid. Before tendering, he shall visit the site and assess the manner in which he is able to arrange above facilities. The Engineer-in-Charge shall in no way be responsible for any delay on this account and no claim, whatsoever, shall be entertained if place for labour hutments cannot be made available.

2.9 Efforts shall be made to provide space for site office, site store yard and worker rest rooms (including toilets) in the vicinity of site free of ground rent. The agency shall be required to establish all such facilities and for which nothing extra shall be paid. It shall be responsibility of agency to transport the material from material stacking yard to site and for which nothing extra shall be paid. In case any building or infrastructure work is required to be executed on the land occupied by the site office/site store/workers rest room/ labour camp, agency shall relocate these shelters for which nothing extra shall be paid.

3. COMPLIANCE TO LAW

- 3.1 The Contractor shall keep himself fully informed of all acts and laws of the Central & State Governments, all orders, decrees of statutory bodies, tribunals having any jurisdiction or authority, which in any manner may affect those engaged or employed and anything related to carrying out the work. All the rules & regulations and bye-laws laid down by Collector / Municipal bodies/ Cantonment boards and any other statutory bodies shall be adhered to, by the contractor, during the execution of work. The Contractor shall also adhere to all traffic restrictions notified by the local authorities. The water charges (for municipal water connection as well as tanker water) shall be borne by the contractor. Also, if the contractor obtains water connection for the drinking purposes from the municipal authorities or any other statutory body, the consequent sewerage charges shall be borne by the contractor. All statutory taxes, levies, charges (including water and sewerage charges, charges for temporary service connections of electricity/water and / or any other charges) payable to such authorities for carrying out the work, shall be borne by the Contractor. The Contractor shall arrange to give all notices as required by any statutory / regulatory authority and shall pay to such authority all the fees that is required to be paid for the execution of work. He shall protect and indemnify the Department and its officials & employees against any claim and /or liability arising out of violations of any such laws, ordinances, orders, decrees, by himself or by his employees or his authorized representatives. Nothing extra shall be payable on these accounts. The fee payable to statutory authorities for obtaining the various permanent service connections and Occupancy Certificate for the building shall be borne by the Department.
- 3.2 The contractor(s) shall give to the local body, police and other authorities all necessary notices etc. that may be required by law and obtain all requisite licenses for temporary obstructions, enclosures etc. and pay all fee, taxes and charges which may be levied on account of these operations in executing the contract. He shall make good any damage to the adjoining property whether public or private and shall supply and maintain lights either for illumination or for cautioning the public at night.
- 3.3 Royalty at the prevalent rates shall be paid by the Contractor or the RMC supplier as per the terms of supply between them, on all materials such as boulders, metals, all sizes stone aggregates, brick aggregates, coarse and fine sand, moorum, earth, river sand/M sand, gravels and bajri etc. collected by him for the execution of the work, directly to the revenue authority of the state government concerned. Further, contractor needs to submit proof of submission of full royalty to the state government or local authority. Nothing extra shall be payable on this account.
- 3.4 Income Tax and surcharges over Income Tax etc. at the rates fixed by the Ministry of finance, Government of India, shall be deducted from all the running and final bills of the contractor. Should there be any increase in rate of Income Tax and surcharge during execution of the contract, the same shall be payable by the contractor.
- 3.5 The building and other construction workers welfare cess @1% shall be deducted from all the running and final bills of the contractor.

4. SAFETY PROVISIONS

4.1. The Contractor(s) shall take all precautions to avoid accidents by exhibiting necessary caution boards day and night. In case of any accident of labours/ contractual staff the entire

- responsibility will rest on the part of the contractor and any compensation under such circumstances, if becomes payable, shall be entirely borne by the contractor.
- 4.2. Wherever required for the execution of work, all the scaffolding shall be provided and suitably fixed, by the Contractor. It shall be provided strictly with steel double scaffolding system, suitably braced for stability, with all the accessories, gangways, etc. with adjustable suitable working platforms to access the areas with ease for working and inspection. It shall be designed to take all incidental loads. It should cater to the safety features for workmen.

Nothing extra shall be payable on this account. It shall be ensured that no damage is caused to any structure due to the scaffolding.

4.3. The Engineer-in- Charge shall not be responsible for any claims for injuries to person/workmen or for structural damage to property happening from any neglect, default, want of proper care or misconduct on the part of the Contractor or of any other of his representatives, in his employment during the execution of the work. The compensation, if any, shall be paid directly to the Department/ authority / persons concerned, by the Contractor at his own cost.

5. ENVIRONMENTAL PROTECTION AND CONSERVATION MEASURES

- 5.1. The Contractor shall take all precautions to abide by the environmental related restrictions imposed by any statutory body having jurisdiction in the area as well as prevent any pollution of streams, ravines, river bed and waterways. All waste or superfluous materials shall be transported by the Contractor, entirely to the satisfaction of the Engineer- in-Charge and disposed at designated places only.
- 5.2. The contractor shall take all necessary precautions to prevent any nuisance or inconvenience to the owners, tenants or occupiers of adjacent properties and to the public in general and to prevent any damage to such properties from pollutants like smoke, dust, noise. The contractor shall use such methodology and equipment so as to cause minimum environmental pollution of any kind and minimum hindrance to road users and to occupants of the adjacent properties or other services running adjacent/near vicinity. The contractor shall make good at his cost and to the satisfaction of the Engineer-in-Charge, any damage to roads, paths, cross drainage works or public or private property whatsoever caused due to the execution of the work or by traffic brought thereon by the contractor. All waste or superfluous materials shall be carried away by the contractor, without any reservation, entirely to the satisfaction of the Engineer-in-Charge.
- 5.3. The contractor will take reasonable precautions to prevent his workman and employees from removing and damaging any flora (tree/plant/vegetation) from the project area.
- 5.4. Existing drains, pipes, cables, over-head wires, sewer lines, water lines and similar services, if any, encountered in the course of the execution of work shall be protected against the damage by the contractor at his own expense. In case the same are to be removed and diverted, expenditure incurred in doing so shall be payable to the contractor. The contractor shall work out the cost; get the same approved by Engineer-in-Charge before taking up actual execution. The contractor shall not store materials or otherwise occupy any part of the site in a manner likely to hinder the operation of such services.
- 5.5. All fossils, coins, articles of value of antiquity, structures and other remains or things of geological or archaeological interest discovered on project location during excavation/construction shall be the property of the Government, and shall be dealt with as per provisions of the relevant legislation. The contractor will take reasonable precaution to prevent his work men or any other persons from removing and damaging any such article or thing. He will, immediately upon discovery thereof and before removal acquaint the

Engineer- in-charge of such discovery and carry out the official instructions of Engineer-incharge for dealing with the same, till then all work shall be carried out in a way so as not to disturb/damage such article or thing.

6. SECURITY AND TRAFFIC ARRANGEMENTS

- 6.1. In the event of any restrictions being imposed by the Security agency, BSNL/ Defence authorities, Traffic or any other authority having jurisdiction in the area on the working or movement of labour/ material, the contractor shall strictly follow such restrictions and nothing extra shall be payable to the contractor on such accounts. The loss of time on these accounts, if any, shall have to be made up by augmenting additional resources whatever required.
- 6.2. The Contractor shall make all necessary arrangements for protecting from rains, fog or likewise extreme weather conditions, the work already executed and for carrying out further work, during monsoon including providing and fixing temporary shelters, protections etc. Nothing extra shall be payable on this account and also no claims for hindrance shall be entertained on this account.
- 6.3. No payment shall be made for any damage caused by rain, snowfall, flood or any other natural calamity, whatsoever during the execution of the work. The contractor shall be fully responsible for any damage to the govt. property and the work for which payment has been advanced to him under the contract and he shall make good the same at his risk and cost. The contractor shall be fully responsible for safety and security of his material, T&P/Machinery brought to the site by him.
- 6.4. The contractor shall construct suitable godowns, yard at the site of work for storing all other materials so as to be safe against damage by sun, rain, damages, fire, theft etc. at his own cost and also employ necessary watch and ward establishment for the purpose at his cost.
- 6.5. The contractor shall be responsible for the watch and ward/guard of the buildings, safety of all fittings and fixtures including all equipment, services provided by him against pilferage and breakage during the period of Installations and thereafter till the building is physically handed over to the Client Department. No extra payment shall be made on this account and no claim shall be admissible on this account.

7. **SETTING OUT**

- 7.1. The Contractor shall carry out survey of the work area, at his own cost, setting out the layout of buildings/ roads/ services in consultation with the Engineer -in-Charge & proceed further. Any discrepancy between architectural drawings and actual layout at site shall be brought to the notice of the Engineer -in-charge. It shall be responsibility of the Contractor to ensure correct setting out of alignment. Total station survey instruments only shall be used for layout, fixing boundaries, and centre lines, etc., Nothing extra shall be payable on this account.
- 7.2. The Contractor shall establish, maintain and assume responsibility for grades, lines, levels and benchmarks. He shall report any errors or inconsistencies regarding grades, lines, levels, dimensions etc. to the Engineer -in-Charge before commencing work. Commencement of work shall be regarded as the Contractor's acceptance of such grades, lines, levels, and dimensions and no claim shall be entertained at a later date for any errors found.
- 7.3. If at any time, any error appears due to grades, lines, levels and benchmarks during the progress of the work, the Contractor shall, at his own expense rectify such error, if so required, to the satisfaction of the Engineer -in-Charge. Nothing extra shall be payable on this account.
- 7.4. The Contractor shall protect and maintain temporary/ permanent benchmarks at the site of work throughout the execution of work. These benchmarks shall be got checked by the

Engineer-in-Charge or his authorized representatives. The work at different stages shall be checked with reference to bench marks maintained for the said purpose. Nothing extra shall be payable on this account.

- 7.5. The approval by the Engineer-in-Charge, of the setting out by the Contractor, shall not relieve the Contractor of any of his responsibilities and obligation to rectify the errors/ defects, if any, which may be found at any stage during the progress of the work or after the completion of the work.
- 7.6. The Contractor shall be entirely and exclusively responsible for the horizontal, vertical and other alignments, the level and correctness of every part of the work and shall rectify effectively any errors or imperfections therein. Such rectifications shall be carried out by the Contractor at his own cost to the entire satisfaction of the Engineer in-Charge.

8. TOOLS AND PLANTS

- 8.1. The bidder should have own constructions equipment required for the proper and timely execution of the work. Nothing extra shall be paid on this account.
- 8.2. No tools and plants including any special T&P etc. shall be supplied by the Department and the Contractor shall have to make his own arrangements at his own cost. No claim of hindrance (or any other claim) shall be entertained on this account.

9. CO-OPERATION WITH OTHER CONTRACTORS/SPECIALIZED AGENCIES/ ASSOCIATE CONTRACTORS

- 9.1. The Contractor shall cooperate with and provide the facilities to the associate Contractors and other agencies working at site for smooth execution of the work. The contractor shall indemnify the Department against any claim(s) arising out of such disputes. The Contractor shall:
 - a) Allow use of scaffolding, toilets, sheds etc.
 - b) Properly co-ordinate their work with the work of other Contractors.
 - c) Provide control lines and benchmarks to his associate Contractors and the other Contractors.
 - d) Provide electricity and water at mutually agreed rates.
 - e) Provide hoist and crane facilities for lifting material at mutually agreed rates.
 - f) Co-ordinate with other Contractors for leaving inserts, making chases, alignment of services etc. at site.
 - g) Adjust work schedule and site activities in consultation with the Engineer-in- Charge and other Contractors to suit the overall schedule completion.
 - h) Resolve the disputes with other Contractors/ associate contractors amicably and the Engineer-in-Charge shall not be made intermediary or arbitrator.
- 9.2. The work should be planned in a systematic manner so as to ensure proper co-ordination of various disciplines viz. sanitary & water supply, drainage, rain water harvesting, electrical, fire fighting& fire alarm system, information technology, communication & electronics and any other services.

10. SUPERVISION OF WORK

10.1. The Contractor shall depute Site Engineer & skilled workers as required for the work. He shall submit organization chart along with details of Engineers and supervisory staff. It shall be ensured that all decision making powers shall be available to the representatives of the Contractor at the site itself to avoid any likely delays on this account. The Contractor shall also furnish list of persons for specialized works to be executed for various items of work. The Contractor shall identify and deploy key persons having qualifications and experience in the similar and other major works, as per the field of their expertise. If during the course of execution of work, the Engineer-in-Charge is of the opinion that the deployed staff is not sufficient or not well experienced, the Contractor shall deploy more staff or better- experienced staff at site to complete the work with quality and in stipulated time limit. Principle Technical representative of

the Contractor having requisite experience in similar nature of work as mentioned in the clause 36 of the General Conditions of the Contract and specifically mentioned in Schedule F under Clause 36 of tender document, shall always be available at the site during the actual execution of the work.

11. The Department shall in no way be responsible for either any delay in getting electric and/or water and/or telephone connections for carrying out the work or not getting connections at all. No claim of delay or any other kind, whatsoever, on this account shall be entertained from the Contractor. Also contingency arrangement of stand-by water & electric supply shall be made by the Contractor for commencement and smooth progress of the work so that work does not suffer on account of power failure or disconnection or not getting connection at all. No claim of any kind whatsoever shall be entertained on this account from the Contractor. Nothing extra shall be payable on this account.

12. CLEANLINESS OF SITE

- 12.1. The Contractor shall not stack building material/malba/muck on the land or road of the institute or on the land owned by the others, as the case may be. So the muck, rubbish etc. shall be removed periodically as directed by the Engineer-in-Charge, from the site of work to the approved dumping grounds as per the local bye laws and regulations of the concerned authorities and all necessary permissions in this regard from the local bodies shall be obtained by the Contractor. Nothing extra shall be payable on this account. In case, the Contractor is found stacking the building material/malba as stated above, the Contractor shall be liable to pay the stacking charges/penalty as may be levied by the local body or any other authority and also to face penal action as per the rules, regulations and bye-laws of such body or authority. The Engineer –in-Charge shall be at liberty to recover, such sums due but not paid to the concerned authorities on the above accounts, from any sums due to the Contractor including amount of the Security Deposit and performance guarantee in respect of this contract agreement.
- 12.2. The contractor shall take instructions from the Engineer-In-Charge regarding collection and stacking of materials at any place. No excavated earth or building rubbish shall be stacked on areas where other buildings, roads, services and compound walls are to be constructed. The Contractor shall take all care to prevent any water- logging at site. The waste water, slush etc. shall not be allowed to be collected at site. For discharge into public drainage system, necessary permission shall be obtained from relevant authorities after paying the necessary charges, if any, directly to the authorities. The work shall be carried out in such a way that the area is kept clean and tidy. All the fees/charges in this regard shall be borne by the Contractor. Nothing extra shall be payable on this account.

13. DEFECT LIABILITY PERIOD (REFUND OF SECURITY DEPOSIT)

13.1. Besides observing other formalities prescribed in the General Conditions of the Contract, for release of security deposit, the contractor shall have to produce a certificate stating that no defects pointed out by Engineer-in-charge for rectification.

14. INSURANCE POLICIES

- 14.1. Before commencing the execution of work, the Contractor shall, without in any way limiting his obligations and liabilities stated elsewhere in the contract, shall maintain insurance policies as per Clause 46 of the General Conditions of contract.
- 14.2. The Contractor shall, from time to time, provide documentary evidence as regards payment of premium for all the Insurance Policies for keeping them valid till the completion of the work. The Contractor shall ensure that Insurance Policies are also taken for the workers of his Sub-Contractors / specialized agencies also. Without prejudice to any of its obligations and responsibilities specified above, the Contractor shall within 10 days from the date of letter of acceptance of the tender and thereafter at the end of each quarter submit a report to the Department giving details of the Insurance Policies along with Certificate of these insurance policies being valid, along with documentary evidences as required by the Engineer-in- Charge. No work shall be commenced by the Contractor unless he obtains the Insurance Policies as mentioned above. Also, no payment shall be

made to the Contractor on expiry of insurance policies unless renewed by the Contractor. Nothing extra shall be payable on this account. No claim of hindrance (or any other claim) shall be entertained from the contractor on these accounts.

- 14.3. He shall protect and indemnify the Department and its officials & employees against any claim and /or liability arising out of violations of any such laws, ordinances, orders, decrees, by himself or by his employees or his authorized representatives. Nothing extra shall be payable on these accounts.
- 14.4. The Contractor shall assume all liability, financial or otherwise in connection with this contract and shall protect and indemnify the Department from any and all damages and claims that may arise on any account. The Contractor shall indemnify the Department against all claims in respect of patent rights, royalties, design, trademarks- of name or other protected rights, damages to adjacent buildings, roads or members of public, in course of execution of work or any other reasons whatsoever, and shall himself defend all actions arising from such claims and shall indemnify the Department in all respect from such actions, costs and expenses. Nothing extra shall be payable on this account.

EXECUTIVE ENGINEER, BSNL CIVIL DIVISION UDAIPUR

ADDITIONAL CONDITIONS ADDITIONAL & PARTICULAR SPECIFICATIONS

GENERAL

The quoted rates for various items in the tenders shall be inclusive of all additional conditions and particular specifications and for adherence to all these conditions and specifications, no extra payment shall be made to the contractor. Any infringement and/or breach of these specification(s) and condition(s) etc. shall render the contractor liable to action(s) under various clauses of the contract and such action stipulated in conditions therein.

"A" ADDITIONAL CONDITIONS

- 1. The contractor shall maintain safe custody of materials bought to the site. The Contractor shall also employ necessary watch and ward establishment for the work and other purposes as required at his own cost.
- 2. For Cement and Steel and other materials, as prescribed, the quantities brought at site shall be entered in the respective material at site accounts and shall be treated as issued for maintenance of daily consumption.
- 3. The procurement of Cement and Reinforcement Steel, and their issue and consumption shall be governed as per conditions laid down hereunder.

3.1. Cement

- 3.1.1. The contractor shall procure **43 grade** (Conforming to IS: 8112) Ordinary Portland cement, as required in the work, from reputed manufactures of cement, having a production-capacity of one million tonnes per annum or more, such as A.C.C., L&T, Vikram, Shri Cement and cement Corporation of India, etc. as approved by Ministry of Industry. Government of India, and holding license to use ISI certification mark for their product whose name shall be got approved from Engineer-in-Charge. Supply of cement shall be taken in 50 kg. Bags bearing manufacture's name and ISI marking. Sample of cement arranged by the contractor shall be taken by the Engineer-in-Charge and got tested in accordance with provisions of the relevent BIS codes. In case test results indicate that the cement arranged by the contractor does not conform to the relevent BIS codes, the same shall stand rejected and shall be removed from the site by the contractor at his own cost within a week's time of written order from the Engineer-in Charge to do so.
- 3.1.2. The Cement shall be brought at site in bulk supply of approximately 50 tonnes or as decided by the Engineer-in- charge.
- 3.1.3. The Cement godown of the capacity to store about 2000 bags of cement or as decide by the Engineer-in-charge shall be constructed by the contractor at site of work for which no extra payment shall be made. Double lock provision shall be made to the door of the cement godown. The keys of one lock shall remain with the Engineer-in –charge or his authorized representative and the key of other lock shall remain with the contractor. The contractor shall facilitate the inspection of the cement godown by the Engineer-in-charge at any time.
- 3.1.4. The contractor shall supply free of charge the cement required for testing .The cost of tests shall be borne by the contractor/Department in the manner indicated below:
 - i. By the contractor, if the results show that cement does not conform to relevant BIS codes.
 - ii. By the Department, if the results show that the cement conforms to relevant BIS codes.

3.2. STEEL

- 3.2.1. The contractor shall procure steel reinforcement bars conforming to relevant BIS codes from main producers as approved by the Ministry of steel or from secondary producers and re-rollers having BIS License to produce CTD bars as specified in Schedule –F subject to following stipulations:
 - a) If it is provided in the agreement that steel is to be procured from primary producers and procurement of steel from secondary producers is allowed then a deduction based on the difference in market rate of steel from primary producers and secondary producers shall be made in the running/ final bills.
 - b) However, if the stipulation is for procurement of steel from secondary procures then if the contractor uses steel from primary producers the same shall be allowed but nothing extra shall be payable on this account.

The procurement of TMT Bars conforming to relevant BIS codes shall be made from main producers as approved by the Ministry of steel or from secondary producers having BIS License to produce TMT bars as specified in Schedule–F subject to following stipulations:

- i. If it is provided in the agreement that steel is to be procured from primary producers and procurement of steel from secondary producers is allowed by Engineer –in- charge then a deduction based on the difference in market rate of steel from primary producers and secondary producers shall be made in the running/ final bills.
- ii. However, if the stipulation is for procurement of steel from secondary procures then if the contractor uses steel from primary producers the same shall be allowed but nothing extra shall be payable on this account.

The contractor shall have to obtain and furnish test certificate to the Engineer — in- charge in respect of all supplies of steel brought by him to the site of work. Samples shall also be taken and got tested by the Engineer —in- charge as per the provisions in this regard in the relevent BIS codes. Incase the test result indicate that the steel arranged by the contractor does not conform to BIS codes, the same shall stand rejected and shall be removed from the site of work within; a weeks' time from written order from the Engineer —in- charge to do so.

*Deduction item made on account of use of steel from secondary producers instead of primary producers shall not be treated as sub standard work.

- 3.2.2. The steel reinforcement shall be brought to the site in quantity of lots as approved by the Engineer-in-charge.
- 3.2.3. The steel reinforcement shall be stored by the contractor at site of work in such a way as to prevent distortion and corrosion and nothing extra shall be paid on this account. Bars of different sizes (diameters) and lengths shall be stored separately to facilitate easy counting and checking.
- 3.2.4. For steel procured from main producers or secondary producer, for checking nominal mass, tensile strength, bend test, etc. specimen of sufficient length shall be cut from each diameter of the bar at random at frequency not less than that specified below. In case of works costing more than Rs. 2 Crores and when the steel is procured from other than main producers, additional tests such as, retest, re-bend test, elongation test, proof stress may also be conducted.

Size(Diameter)	For consignment				
of bar	Below 100 tonnes Over 100 tonnes				
Under 10m dia.	One sample for each 25	One sample for each 40			
	tonnes or part thereof	tonnes or part thereof			
10mm to 16mm	One sample for each 35	One sample for each 45			
dia.	tonnes or part thereof	tonnes or part thereof			
Over 16mm dia.	One sample for each 45	One sample for each 50			
	tonnes or part thereof	tonnes or part thereof			

- 3.2.5. The contractor shall supply free of charge the steel bars required for testing. The cost of tests shall be borne by the contractor/ Department in the manner indicated below:
 - i. By the contractor, if the results show that the steel does not conform to relevent BIS codes.
 - ii. By the Department, if the results show that the steel conforms to relevent BIS codes.
- 3.2.6. Coefficient of weight i.e. the weight per unit length of the steel procured by the contractor shall be ascertained at site before using it and certified by the Engineer-in-charge. In case weight per unit length is beyond the rolling margin as laid down in the BIS: 1786, the steel will be rejected and shall be removed from the site of work within; a week's time from written order from the Engineer-in Charge to do so. In case weight per unit length is more than the standard coefficient of weight for the diameter, but is within the rolling margin, then the payment shall be made as per the standard weight per unit length, and, where the weight per unit length is lesser than the standard coefficient of weight for the diameter, but is within the rolling margin, the payment shall be restricted with respect to the actual weight per unit length of the diameter.
- 3.2.7. The standard sectional weights referred to in standard table under para 5.3.3, page 75 of the revised CPWD specifications 2002 for cement mortar, cement Concrete and RCC works, are to be considered for conversion of length of various sizes of Steel Reinforcement bars into weight and are reproduced below ready reference.

SIZE (mm)	WEIGHT (Kg/M	SIZE(mm)	WEIGTH (Kg/M)
6	0.222	20	2.470
8	0.395	22	2.980
10	0.617	25	3.850
12	0.888	28	4.830
16	1.580	32	6.310
18	2.000	36	7.990

- 3.3. The actual issue and consumption of steel and Cement on the work shall be regulated and proper accounts maintained as provided in clause 10 of the contract. The theoretical consumption of steel shall be worked out as per procedure prescribed in clause 42 of the contract and shall be governed by conditions laid therein.
- 3.4. Steel and Cement brought to site and remaining unused shall not be removed from site without written permission of the Engineer-in-charge.
 - Cement used in ready mix concrete shall be evaluated based on the certification by the incharge of the RMC plant in accordance with design approved by the Engineer in-charge.
- 4. No payment shall be made to the contractor for any damage caused during the execution of work because of cause(s) not covered under clause 43 of the contract. The damage to work will be made good by the contractor at his own cost, and no claim on this account shall be entertained.
- 5. Some restrictions may be imposed by the security staff etc. on the working and/ or movement of labour, materials etc. and the contractor, shall be bound to follow all such restrictions / instructions and nothing shall be payable on this account.
- 6. The contractor shall comply with proper legal orders and directions of the local or public authority or municipality and abide by their rules and regulations and pay all fees and charges which he may be liable and nothing extra shall be payable on this account. The work shall be carried out without infringing on any of the local municipal bye-laws.
- 7. The contractors shall given a performance test of the entire installations as per standard specifications before the work is finally accepted and nothing extra what so ever shall be payable to the contractor for the tests.
- 8. The contractor shall engage licensed plumber for sanitary, water supply, drainage work and also get all the materials and system (including the materials supplied if any, by the department) tested by the municipal authority, whenever required, at his own cost including testing fees, transport etc. According to Municipal bye Laws. The contractor shall produce necessary certificate from Municipal Authorities after completion of work. Nothing extra will be paid on this account. The contractor shall execute the guarantee for removal of defects after completion in respect of water supply and sanitary installation.
- 9. The water supply sanitary installation and drainage work shall be carried out in a manner complying in all respects with the requirement of relevent by laws of the local municipal authority of the place at no extra cost of department.
- 10. The rate for every item of work to be done under this contract shall be for all heights, depth, lengths, and width of the structure (except where specially mentioned in the item) and nothing extra will be paid on this account.
- 11. The contractor shall take all precautions to avoid all accidents by exhibiting necessary caution boards such as day and night boards, speed limit boards and flags, red lights and providing barriers etc. He shall be responsible for all damages and accidents caused due to negligence on his part. no hindrance shall be caused to traffic during execution of work .nothing extra shall be paid on this account.
- 12. The contactor will work in close liaison, during the works, with other contractor of water supply, sanitary, drainage arrangements, electrical installation and any other works and adjust his work plan accordingly.

13. Other Taxes and Royalties

13.1. Income Tax and surcharges over Income Tax etc. at the rates fixed by the Ministry of finance, Government of India, shall be deducted from all the running and final bills of the contractor. Should there be any increase in rate of Income Tax and surcharge during execution of the contract, if any, and the contractor thereupon necessarily and properly pays such taxes / levies, the contractor shall be reimbursed the amount so paid, provided such payments, if any, is not, in the opinion of the

<u>Superintending Engineer (whose decision shall be final and binding on the contractor) attributable</u> to delay in execution of work within the control of the contractor.

13.2. The rates quoted by the agency shall be inclusive of all types of taxes / levies / duty and GST as applicable by the Govt. including Labour Cess and nothing extra shall be payable on such account.

13.3. Royalty shall have to be paid by the contractor on all materials such as stone, bricks, boulders, metal, shingle, bajri, stone aggregate, coarse sand and fine sand etc. or any other materials used for the execution of the work direct to the Revenue Authority of the District/State Govt. concerned. The contractor shall obtain "No Demand" certificate from the District/State Govt. authority concerned before the final bill is paid, failing which necessary recovery will be effected at the applicable rates in the final bill

14. Secured Advance:

- 14.1. Secured advance on bricks, stone, stone aggregate brought at site for use in the work shall be paid only after receipt of satisfactory test results from the laboratory and provisions under rules.
- 14.2. Secured advance on steel doors, steel windows, etc. shall be paid only after the Engineer-in-Charge has personally verified that the materials brought at site of work, for use in work, conforms to the sample approved by him.
- 14.3. Secured advance whenever admissible on water supply, sanitary installation materials and fittings shall be allowed only after the Engineer-in-Charge has verified that materials brought at site have been checked by him personally and are in conformity with the samples approved by him.
- 14.4. Secured advance for terrazzo tiles Shall be paid only after satisfactory results are received from the laboratory.

ADDITIONAL SPECIFICATIONS AND PARTICULAR SPECIFICATIONS

ADDITIONAL SPECIFICATIONS

1. **GENERAL**

1.1. The Work shall, in general, conform to the CPWD' Specifications. The CPWD specifications shall mean "C.P.W.D. Specifications - 2019 (Volume I to Volume II) with all up to date correction slips as on the date of opening of tenders".

Should there be any difference between the specifications mentioned above and the specifications given in the schedule of quantities, the later shall prevail.

- 1.1.2. If the specifications for any item are not available in the CPWD Specifications cited above, relevant BIS Specifications should be followed.
- 1.1.3 In case BIS Specifications are also not available, the decision of Engineer-in- Charge given in writing based on acceptable sound engineering practice and local usage shall be final and binding on the contractor.
- 1.2 The work will be carried out in accordance with the architectural drawings and structural drawings to be issued by the Engineer-in-Charge the structural and architectural drawings shall have to be properly correlated before executing the work.
- 1.2.1. In case of any difference noticed between Architectural and Structural drawings, the contractor shall obtain final decision in writing of the Engineer-in-charge.
- 1.2.2 In case of any discrepancy in the item given in the schedule of quantities appended with the tender and architectural drawings relating to the relevent item, former shall prevail unless otherwise given in writing by the Engineer-in-Charge.
- 1.3 For items where so desired, samples shall be prepared before starting the particular items of work for prior approval of the Engineer-in-Charge and nothing extra shall be payable on this account.
- 1.4 Materials brought at site of work shall not be used in the work before getting satisfactory Mandatory test results. For details, relevent provisions in the CPWD specification shall be referred to.
 - 1.4.1. Wherever it is desired to procure factory-made materials, such factory-made materials shall be procured from reputed and approved manufacturers or through their authorized dealers. The contractor shall obtain the approval from the Engineer-in-Charge of such firms prior to procurement of such factory -made materials. The Engineer-in-charge may, at any stage, inspect such factories/ manufacturing units. The contractor shall have no claim if the factory made materials brought to the site are rejected by the Engineer-in-charge in part or in full due to bad workmanship/ quality etc. even after the inspection of the manufacturing units.
 - 1.4.2. The manufactured materials brought at site of work shall, in general, conform to the relevant specifications. The source for supply of the manufactured materials shall be approved by the Engineer-in-charge. The contractor shall have no claim if the manufactured materials brought to the site are rejected by the Engineer-in-charge in part or in full due to bad Workmanship/ Quality etc.
 - 1.4.3. The contractor shall procure the material required of material specified different item preferably from the mentioned brands below:
 - a) MS pipe, tubes-TATA, Jindal.
 - b) Acrylic Distemper/OBD-Asian paints, Nerolac, ICI, Burger :Plastic Emulsion Paint-First Quality of Asian, Luis Berger, ICI Dulux, Nerolac: Synthetic Enamel Paint-ICI (Dulux Gloss) & Asian Paint (Premium Apcolite Gloss), Nerolac.

- c) Steel Primer ICI, Asian Paints, Burger, Nerolac: Wood Primer ICI, Asian Paints, Burger, Nerolac: Admixtures Dr.Fixit, Fosroc & Sika.
- d) Aluminium Sections Hindalco, Jindal, Indal.
- e) Aluminium Fittings Ebco, Dorma, Ozone, Classic & Everite : Hydraulic Door Closer Dorset, Dorma, Ozone, Hardwyn, Everite : Floor Springs Hardwyn, Hyper.
- f) Wall Putty Birla Care, J K White.
- g) Pre coated galvanized sheet TATA, JSW.
- 1.4.4. The preference amongst the various alternative materials available shall be as follows:
 - a) The materials shall be as per the Brand specified to be used in the work.
 - b) If the Brand specified material is not available then the material shall be ISI marked.
 - c) If ISI marked item is not available then it should be from ISO certified company.
 - d) If the ISI marked or ISO certified items are not available then the best available items in the market to be procured.
- 1.4.5. Equivalents for the various materials and the materials of approved make shall be got approved from the Engineer-in-Charge of work in writing before using them on the work.

2. The following modifications to the above specifications shall, however, apply.

2.1. Earth Work

- 2.1.1. During excavation and trenching work etc., the contractors shall ensure compliance to the guidelines in such matters laid down by the local body / bodies to ensure that there is minimum hazard to the operating personnel's and users, minimum inconvenience to the users, minimized damage to the underground plant/services of other utilities in a coordinated way, in the interest of public convenience and overall safety.
- 2.1.2. Any trenching and digging for laying sewer lines/ water line/ cables etc. shall be commenced by the contractor only when all men, machinery's and materials have been arranged and closing of the trench(s) thereafter shall be ensured within the least possible time.
- 2.1.3. Surplus excavated earth which is beyond the requirement or the B.S.N.L. shall have to be disposed of by the contractor at his own cost beyond the municipal limits or at places identified by the local bodies or as directed by the Engineer-in-Charge after obtaining written permission of the Engineer-in-Charge and no payment will be made by the Department for such disposal or this surplus excavated earth.
- 2.1.4. The contractor shall, at his own expense and without extra charges, make provision for all shoring, pumping, dredging or bailing out water, if necessary, irrespective of the source of water. The foundation trenches shall be kept free from water while all the works below Ground Level are in progress, without any extra payment.

2.2. Reinforced Cement Concrete Work & Plain Cement Concrete- General

- 2.2.1. Stone Aggregate. Stone aggregate to be used in work shall be of hard broken stone to be obtained from source approved by Engineer-in-Charge and shall conform to the relevent provisions in the CPWD Specifications.
- 2.2.2. Fine Sand/ Coarse Sand: Fine sand/ Coarse sand to be used in the work shall be obtained from sources approved by Engineer-in-Charge and shall conform to the relevent provisions in the

CPWD Specifications.

- 2.2.2.1. Where only one variety of sand is available, the sand will be sieved for use in finishing work to achieve the required particle size distribution as per CPWD Specifications in order to obtain smooth surface and nothing extra shall be paid to the contractor on this account
- 2.2.3. Water: It shall conform to requirements laid down in IS 456-2000 and CPWD Specification.
- 2.3. R. C. C. work (Design Mix Concrete) Wherever the RCC work is specified to be done with Design Mix Concrete, the particular specifications, as applicable, shall apply.
- 2.4. R.C.C. Work (Nominal mix concrete)- Water-Cement Ratio: For RCC Works, wherever nominal mix of concrete is stipulated In the items for work, for maintaining proper quality and durability requirements of the structure, maximum water-cement ratio shall be restricted to 0.55 If in normal course of work, the required workability is not achieved; suitable plasticizers/admixtures may he used for improving the workability of concrete With the approval of Engineer-in-Charge for which nothing extra shall be paid.
- 2.5. Non-destructive Testing for Concrete/RC.C Work: The Engineer-in-charge shall, at his discretion, get the non-destructive testing (Such as Ultrasonic Pulse Velocity Test etc.) done and the Contractor shall make all necessary arrangements for getting such tests done and make good the same after the test, for which nothing extra shall be paid. The results of such tests shall be binding on the Contractor. In case of non-conformity of the test to the standards, the contractor shall be liable to re-do the concrete work at his cost including the cost of test, subject however to the acceptability of the work as laid down in the mandatory test defined in the relevent CPWD specifications.
- 2.6. Cement slurry, if any, added over base surface (or) for continuation of concreting for better bond is deemed to have been in built in the items (Unless otherwise explicitly stated) and nothing extra shall be payable (or) extra cement considered in consumption on this account.
- 2.7. Centering and Shuttering for R.C.C Work: - The concrete surface shall be free from honey combing, offsets, superfluous, mortar, cement slurry and foreign matter. The formwork shall be assembled in such a way 'as to facilitate removal of their parts in proper sequence without any damage to the exposed cement concrete surfaces and corners etc. The contractor shall keep skilled staff for special care and supervision to check the formwork and concreting so that every member is made true to its size, shape, level and alignment so that it does not result in any deformation, snug, buldges etc. The contractor shall also take suitable precautionary measure to prevent breaking and chipping of corners and edges' of completed work until the building is handed over. The size of shuttering plates for slabs shall not be less than 0.6m x 0.9m in general. However, contractor has to provide tape or wooden fillets or rubber gaskets to seal the joint properly to get smooth surface. Further shuttering shall be of such quality that there are no undulations and surfaces will be fairly even and no extra thick ceiling plaster shall be permitted to make the surface even. Any honeycombed: or poorly formed concrete shall be repaired with polymer concrete of any suitable design by the Contractor at his own cost, in accordance with, the specifications laid down in hand book of Repairs and Rehabilitation of RCC buildings by CPWD.
- 2.8. BRICK WORK: Bricks used in the work shall be F.P.S. to be obtained from kilns approved by Engineer-In-Charge. In all other respects they shall conform to the provisions in CPWD specifications.
- 2.9. STONE WORK: Stone used for stone masonry work shall be hard granite/ basalt/ quartz stone/sand stone to be obtained from quarries approved by Engineer-In-Charge and shall conform to the relevant provision in the CPWD specifications.
- 2.10. All above materials like stone aggregates, coarse, fine sand, bricks, surkhi stone etc. confirming to the CPWD specifications to be brought from the sources approved by Engineer-In-Charge. In case, at any stage during execution of work, the material from the approved source being not available or otherwise, and, is required to be arranged from other sources conforming to relevant CPWD specifications and duly approved of Engineer-in-charge, involving extra lead etc. nothing

extra shall be paid on this account.

- 2.11. WOOD WORK: Timber required for manufacture of chowkhats and shutters for doors, windows, ventilators, and partitions etc. in the work shall be kiln seasoned and preservative treated. The Timber shall be kiln seasoned before applying preservative treatment. The rate quoted for various Items shall be inclusive of kiln -seasoning and preservative treatment of wood. The wood used in the work shall conform to the provisions in the CPWD Specifications for works.
- 2.12. FACTORY MADE SHUTTERS etc.:- The shutters for doors, windows & ventilators, and, chowkhats etc. shall be factory made and obtained from suppliers approved by the Engineer-in-Charge.
- 2.13. STEEL WORK: All steel doors, steel windows, steel ventilators, wire gauge, steel glazing, and steel grill shall be according to the Architect's detailed drawings and factory made and obtained from approved suppliers.
 - 2.13.1. In the case of composite steel windows the rates shall include the cost of coupling mullion and transom etc. Where windows with inside openable shutters are fixed along-with windows with shutters openable outside, such inside openable windows shall be fitted with suitable friction hinges and openable outside with box type hinges. lever handles or otherwise as approved by the Engineer-in-Charge of the work. For such windows, cement concrete blocks of size 15cmx 10cmx 10cm shall be provided. Nothing extra shall be paid on this account.
 - 2.13.2. In the case of steel windows and doors, steel glazing, wire gauge steel ventilators, rolling shutters, grills etc. an approved quality-priming coat of zinc chromate shall be applied over and above shop coat of primer. Nothing extra shall be payable for providing Shop-coat primer.

2.14. Sanitary and Water supply installations

The contractor shall engage licensed plumber/Sewerman for sanitary, water supply, drainage work and shall be carried out in manner complying in all respects with the requirement of relevant by laws of the local municipal authority. The Contractor shall give a guarantee to the effect that the, work shall remain structurally stable and shall guarantee against faulty workmanship, finishing, manufacturing defects of materials and leakages etc. The Contractor shall furnish a Guarantee Bond, as per prescribed format. The Guarantee Period shall be for 10 (Ten) years.

- 2.15. Approval of sample work of repetitive/ typical nature prior to general execution of work shall be as enumerated hereafter.
 - 2.15.1. Samples of typical portion of the works of repetitive nature such as typical room, toilet room, or any other work shall be prepared by the contractor under the directions and to the satisfaction of Engineer-in-Charge and got approved from him in writing before the commencement of these items for the entire work.
 - 2.15.2. The work shall be so arranged to be carried out that the requirement for preparation of samples are observed and fulfilled without any detriment to the general progress of work. In other words, this will not allows having any effect on the general progress of work or on any of the terms and conditions of the contract. No claims of any kind whatsoever including the claim of extension of time will be entertained due to the incorporation of this requirement.
- 2.16. FLOOR TEST FOR TELEPHONE EXCHANGE BUILDINGS The floor of Technical rooms in the T.E. buildings shall be laid in such a way that the limits in floor levels would not be exceeded as follows.
 - a) The levels at any places when checked over a distance of one metre in any direction would not show variation in floor levels in excess of 3mm.
 - b) The levels if checked over a distance of 4 metre in any direction shall not to exceed 5mm.

- c) The maximum permissible variation in the levels at any two points more than 4 meters away in any direction in the same room shall not be more than 8mm.
- d) Floor levels shall be taken at every metre and recorded in a "Level chart" for flooring in all technical room this shall be checked, prepared and Certified by the Assistant Engineer-in-Charge of the work and contractor. this level chart shall be checked by the Engineer-in-Charge of work to satisfy himself that levels in the floors of 'technical rooms are within the variation limits laid down at i) to iii) above.
- 2.16.1. No. payment of flooring in Technical room shall be allowed till "Level Chart" is prepared and meets the requirements of levels mentioned above.

2.17. TEST RESULTS & RELATED ASPECTS

- 2.17.1. Normally, part-rate payment shall be allowed in the running account bills only if the materials conforming to the CPWD specifications for works as mentioned in the work are tested and test results are found to be satisfactory by the Engineer –in- charge.
- 2.17.2. The Engineer –in- charge of work shall check the test results and satisfy himself before allowing any payment in the running / final bill.

2.18. WATER PROOFING: -

- 2.18.1. Treatment for roof surfaces: The treatment of Roof Surfaces, wherever done with integral cement based compound (Brick-koba), the particular specifications shall be applicable
- 2.18.2. The Contractor shall associate himself with the specialized firm, to be approved by the Engineer'-in-charge, for execution of water proofing treatment. The contractor shall furnish a Guarantee Bond, as per prescribed format, from the specialized firm and duly counter-signed by the contractor as a token of overall responsibility. The Guarantee Period shall be for 10(Ten) Years.
- 2.18.3. Ten percent of the cost of items of water proofing treatment for sunken floors and on roofs would be retained as guarantee to watch the performance of the work done. However half of the amount withheld would be released after (5) live years. if the performance of the work done IS satisfactory. If any defect is noticed during the guarantee period, it should be rectified by the contractor within seven days, and if not attend to, the same will be got done from another agency at the risk and cost of the contractor. However, this security deposit can be released in full, if bank guarantee of equivalent amount for 10 (ten) years after completion of maintenance period is produced and deposited with the BSNL.

PARTICULAR SPECIFICATIONS

1. PROCUREMENT OF RAW MATERIALS

- 1.1. Stone Aggregate: Stone aggregate used in the work shall be crushed or broken hard stone to be obtained from approved source/ quarry and shall conform to the relevant provisions in the CPWD specifications
- **1.2. Coarse Sand:** Coarse sand used in the work shall be obtained from approved source and shall conform to the relevant provision in the CPWD specifications.
- **1.3. Fine Sand:** Fine sand used in the work shall be obtained from approved source and shall conform to the relevant provision in the CPWD specifications. In case, sand available at above source does not conform to the required specifications, coarse sand shall be mixed in it to bring it to the required specifications. Nothing extra shall, however be paid for it

1.4. **NOTE**:

- **1.4.1.** Where only one variety of sand is available, the sand will be sieved for use in finishing work, as directed by the Engineer-in-charge, in order to obtain smooth surface and nothing extra will be paid on this account.
- **1.4.2.** The use of manufactured sand (M sand) is also allowed wherever there is scarcity of natural/ river sand. The manufactured sand shall be of good quality and should conform to CPWD specifications regarding grading of sand for its use in different civil works. Use of filter sand should not be used for civil works in any case.
- **1.5. Sand for filling in Plinth: The sand for filling in plinth under floor shall be** obtained from approved source and shall conform to Clause-2.22.1 of CPWD specifications.
- 1.6. The fineness modulus of sand to be used in different works shall be as follows:

Coarse Sand	Fineness modulus between 2.5 to 3.5	As specified in the item like plain concrete, RCC work, flooring work etc.
Fine Sand	Fineness modulus between 1.2 to 1.6	As specified in the items like, finishing coat of cement plaster, skirting, dado etc.

- 1.7. Water: It shall conform to requirements laid down in IS: 456-2000 and CPWD Specifications.
- 1.8. Bricks for Brick Work: Bricks used in the work shall be well burnt FPS bricks of uniform colour throughout the cross section to be obtained from approved kilns. In all other respect they shall conform to Class designation-75 (for works at Delhi, Punjab J&K, UP and West Bengal), Class designation-50 (for Rajasthan and Karnataka) and Class designation-35 (for MP, Maharashtra and Goa).
- 1.9. All above materials like stone aggregates, coarse sand, fine sand, Bricks, Stone etc. confirming to the CPWD specifications to be brought from the sources approved by Engineer-in-Charge. In case, at any stage during execution of work, the material from the approved source being not available or otherwise, and, is required to be arranged from other sources conforming to relevant CPWD specifications and duly approved of Engineer-in-Charge, involving extra lead etc, nothing extra shall be paid on this account.

2. PROCUREMENTOFREADYMADEMATERIALS

- 2.1. The manufactured materials brought at site of work shall, in general, conform to the relevant specifications. The source for supply of the manufactured materials shall be approved by the Engineer-in-Charge. The contractor shall have no claim if the manufactured materials brought to the site are rejected by the Engineer-in-Charge in part or in full due to bad workmanship/ quality etc.
- 2.2. The preference amongst the various alternative materials available shall be as follows:
- 2.2.1. The materials shall be as per the Brand specified in the schedule of items.

- 2.2.2. If the brand specified in the schedule of item is not available then the material shall be used as per the brand specified in the list of preferred make.
- 2.2.3. If the brand specified is not available in the preferred list then the material shall be ISI marked.
- 2.2.4. If ISI marked item is not available then it should be from ISO certified Company.
- 2.2.5. If the ISI marked or ISO certified items are not available then the best available items in the market to be procured as decided by the Engineer-in-charge.
- 2.3. Equivalents for the various materials and the materials of approved make shall be got approved from the Engineer-in-Charge of work in writing before using them on the work.
- 2.4. Variation in basic cost of material in specified items: In case of some items, the basic cost of primary material conforming to the nomenclature varies in a very wide range, for eg. Decorative veneers, granite slab, marble stone, laminated sheet etc. In these items, the basic cost of primary material proposed to be used has been mentioned in the nomenclature of item. In such cases, cost-adjustment shall be done as per following procedure.
- 2.4.1. In those items where basic rate is mentioned in the nomenclature, no deduction or extra-payment shall be made if the actual basic rate of material approved & provided is within +/- 10% of the basic rate mentioned in the nomenclature.
- 2.4.2. If the actual cost of material approved & provided at the time of execution is beyond +/- 10% of the basic rate mentioned in nomenclature, then the amount on account this variation (beyond +/-10% of the rate mentioned in nomenclature) shall be paid extra or deducted as the case may be. The procedure for making such additional payment/ deduction shall be similar to that detailed in Clause 12 of the General Conditions of Contract for extra item/substitute items.
- 2.4.3. It shall be the responsibility of contractor to provide sufficient documentary proof such as bills, invoice, quotations, and price list etc. regarding variation in pricing. The Engineer-in- charge may independently verify the lowest market rates and decide the admissibility and quantum of cost-adjustment which shall be final and binding upon the contractor.
- 2.4.4. This condition of extra payment for variation in basic cost of materials shall be applicable only for those items of schedule of quantities where the basic rate of material adopted in the estimate has been specifically mentioned in the nomenclature of item.

3. TESTING OF MATERIALS & RELATED ASPECTS

- **3.1.** Materials brought at site of work shall not be used in the work before getting satisfactory Mandatory test results. For details, relevant provisions in the CPWD specification shall be referred to.
- **3.2.** If the testing specifications for any material are not available in the CPWD Specifications cited above, relevant BIS Specifications should be followed.
- **3.3.** The contractor shall procure all the materials/ samples in advance, so that there is sufficient time for testing of the same before use in work.
- **3.4.** Samples of various materials required for testing shall be provided free of charge by the contractor.
- **3.5.** All other expenditures incurred for testing such as packing, sealing, transportation, loading, unloading etc shall be borne by the contractor himself.
- **3.6.** Part rate payment shall be allowed in the running account bills only if the materials conforming to the CPWD specifications for works as mentioned in the work are tested and test results are found to be satisfactory by the Engineer-in-Charge.
- **3.7.** The Engineer-in-Charge of work shall check the test results and satisfy himself before allowing any payment in the running/final bill.

- **3.8.** No claims of any kind whatsoever including the claim of extension of time shall be entertained due to incorporation of above requirements for testing of materials.
- **3.9.** CC Cube Test: With a view to avoid controversy about quality of cement concrete as revealed in the test result of 7 days cubes falling short of the prescribed standard by over 10% to 20% and pending testing of balance 3 cubes for 28 days as final confirmatory acceptance test, crushed samples of cement concrete from the failed 7 days cubes should be preserved in a sealed bag.

4. PARTICULAR SPECIFICATIONS FOR EARTHWORK

- **4.1.** Earthwork in excavation, in general, shall be carried out as per the CPWD Specifications.
- **4.2.** The earthwork in excavation, wherever required, shall be carried out in slushy position. Rates for earthwork shall include cost of the element for working in or under water / liquid mud including pumping of water / liquid mud. Nothing extra shall be payable on this account. Therefore, the Contractor shall quote his rates after studying the site conditions.
- **4.3.** During excavation and trenching work etc. the contractors shall ensure compliance to the guidelines in such matters laid down by the local body/bodies to ensure that there is minimum hazard to the operating personnel's and users, minimum inconvenience to the users, minimized damage to the underground plant/services of other utilities in a coordinated way, in the interest of public convenience and overall safety.
- **4.4.** Any trenching and digging for laying sewer lines/water lines/cables etc. shall be commenced by the contractor only when all men, machinery and materials have been arranged and closing of the trench (s) thereafter shall be ensured within the least possible time.
- **4.5.** Surplus excavated earth which is beyond the requirement of the India Army shall have to be disposed off by the contractor at his own cost after obtaining written permission of the Engineer-incharge and no payment will be made by the BSNL for disposal of this surplus excavated earth.
- **4.6.** The excavated earth (or building materials) shall not be stacked on areas where other buildings, road, services or compound wall or any other structure are to be constructed.

5. PARTICULAR SPECIFICATIONS FOR DE-WATERING

- **5.1.** De-watering shall be carried out by suitable means with adequate stand-by arrangements of pumps etc. and it shall be ensured that its disposal is carried out as per the regulations of the local bodies. The agencies are, therefore, advised to inspect and acquaint themselves of the site and location of disposal point(s) of water / slush and satisfy themselves as regards method of pumping and disposal required to be adopted. Any default or failure on the part of the Contractor to acquaint himself with the aforesaid aspect of work shall not absolve him from his responsibility for the execution / performance of this contract. Also, all permissions in this regard, to be taken from local authorities, shall be obtained by the Contractor. Nothing extra shall be payable on these accounts.
- **5.2.** In trenches where surface water is likely to get into cut / trench during monsoons, a ring bund of puddle clay or by any other means shall be formed outside, to the required height, and maintained by the Contractor. Also, suitable steps shall be taken by the Contractor to prevent back flow of pumped water into the trench. Nothing extra shall be payable on this account.
- **5.3.** The cost of de watering or working under water and / or liquid mud for execution of all the items for the work is deemed to be included in quoted rates of the respective items and shall not be measured separately for payment. Nothing extra shall be payable for de watering in this work, irrespective of whether specified or not, in the item descriptions or in the specifications / conditions in this contract agreement.
- **5.4.** This shall also include water encountered from any source such as rains, floods, sub soil water table being high and/or due to any other cause whatsoever.

6. PARTICULAR SPECIFICATIONS FOR CONCRETE AND RCC WORKS

- **6.1.** The work in general shall be carried out as per the CPWD specifications.
- **6.2.** Non-destructive Testing for Concrete/R.C.C Work: The Engineer-in-Charge shall, at his discretion, get the non-destructive testing (Such as Ultrasonic Pulse Velocity Test etc.) done and the Contractor shall make all necessary arrangements for getting such tests done and make good the same after the test, for which nothing extra shall be paid. The results of such tests shall be binding on the Contractor. In case of nonconformity of the test to the standards, the contractor shall be liable to redo the concrete work at his cost including the cost of test, subject however, to the acceptability of the work as laid down in the mandatory test defined in the relevant CPWD specifications.
- **6.3.** Cement slurry, if any, added over base surface (or) for continuation of concreting for better bond is deemed to have been in built in the items (Unless otherwise explicitly stated) and nothing extra shall be payable (or) extra cement considered in consumption on this account.
- **6.4.** Proper Grooves shall be provided in plaster along junctions of RCC Work and Brick/Stone work as per directions of the Engineer-in-charge and nothing extra will be paid on this account.
- **6.5.** In the item of RCC walls, railings and roofs etc. nothing extra shall be paid for making designs as per pattern given by Architects or for thickness of sections.
- **6.6.** The rate of item for reinforcement in R.C.C. work includes all operations including straightening, cutting, bending, binding with annealed steel wire and placing in position at all the floors with all leads and lifts complete.
- **6.7.** Before taking up the RCC (wall / box) work for external façade as mentioned in the structural drawings of the respective buildings, the contractor shall submit a method statement for carrying out shuttering and RCC work, for approval of Engineer-in-Charge. The work for this portion shall be executed only after approval of method statement, after taking into consideration the observations of Engineer-in-Charge, if any.
- **6.8.** In case, expansion strip is required to be provided as per the structural requirement in any of the buildings, the contractor shall follow the scheme provided by Engineer-in-Charge including keeping the shuttering in position for extended period. Nothing extra shall be paid on this account.
- **6.9.** Construction joints in RCC shall be provided only at places as per approved structural drawings. It shall not in any manner structurally or functionally affect the structure. If, any additional construction joint is required to be provided, it shall be done with approval of the Engineer-in-Charge.
- **6.10.** The centering, shuttering, strutting etc., required for the construction joint in RCC shall be provided as per the CPWD Specifications

7. CENTRING AND SHUTTERINGF OR R.C.C. WORK

- **7.1.** The concrete surface shall be free from honeycombing, offsets, superfluous mortar, cement slurry and foreign matter. The formwork shall be assembled in such a way as to facilitate removal of their parts in proper sequence without any damage to the exposed cement concrete surfaces and corners etc.
- 7.2. The contractor shall keep skilled staff for special care and supervision to check the formwork and concreting so that every member is made true to its size, shape, level and alignment so that it does not result in any deformation, snug, bulges etc. The Contractor shall also take suitable precautionary measure to prevent breaking and chipping of corners and edges

of completed work until the building is handed over.

- **7.3.** The size of shuttering plates for slabs shall not be less than 0.6m x 0.9m in general.
- **7.4.** However, contractor has to provide tape or wooden fillets or rubber gaskets to seal the joint properly to get smooth surface.
- 7.5. Further, shuttering shall be of such quality that there are no undulations and surfaces will be fairly even and no extra thick ceiling plaster shall be permitted to make the surface even. Any honeycombed or poorly formed concrete shall be repaired with polymer concrete of any suitable design by the Contractor at his own cost, in accordance with the specifications laid down in hand book of Repairs and Rehabilitation of RCC Buildings by CPWD.
- 7.6. Steel centering & shuttering, scaffolding and props shall be used for all the items of RCC. All propping and centering shall be either of steel tubes with extension pieces or built up sections of rolled steel. Shuttering used for concreting shall be sufficiently stiffened and of good quality mild steel plates free from dents, bends or warping and rusting. For shuttering of beam bottom, staircase and fins and for other places where use of steel shuttering is not found to be feasible, waterproof shuttering ply shall be used with prior approval of the engineer-in-charge.
- 7.7. All scaffolding, centering and shuttering shall be with properly designed system which shall be got approved from Engineer-in-Charge and centering and shuttering required for RCC work will be brought to site by the contractor well in advance so that the progress of the upper floors is not hampered due to non-availability of the same. Nothing extra shall be paid for this.
- **7.8.** In respect of projected balconies, projected slabs at roof level and projected verandah, payment for the RCC work shall be made under the item of RCC slabs. The payment for centering and shuttering of such item shall similarly be paid under the item of centering and shuttering of RCC slab. Nothing extra shall be paid for the side shuttering at the edges of these projected balconies and projected verandahs, all the exposed edge shall however, be finished as per specification and nothing extra shall be paid for this

8. PARTICULAR SPECIFICATIONS – FINISHING

- **8.1.** General (applicable for all items under this sub-head)
 - **8.1.1.** The work shall in general be carried out as per the CPWD specifications and the manufacturer's specifications (where CPWD specifications are not available).
 - **8.1.2.** The theoretical consumptions of the various materials like plaster, primer, paint, etc. shall be as per the CPWD specifications and the various coefficients specified herein. Wherever coefficients are not mentioned in CPWD specifications, the same shall be as specified under relevant items. Nothing extra shall be payable on account of actual consumption exceeding the theoretical consumption. However, in exceptional cases, if the actual consumption is lesser than the theoretical consumption, cost adjustment shall be made for lesser consumption of material at the prevailing market rate.
- **8.2.** The material for melamine polish shall be of the approved make as specified.
- 9. CHECK LIST FOR QUALITY ASSURANCE: For works with estimated cost Rs.10 Lakhs and above, quality Assurance Check list for Back Filling, Plain Cement Concrete, Shuttering, Reinforced Cement Concrete and Structural Steel fabrication as available in BSNL W-8 shall form a part of the Tender Document. Compliance of this Quality Assurance Check List shall be before release of the payment.

SPECIFIC CONDITIONS & SPECIFICATIONS

GENERAL:

The quoted rates for various items in the tender shall be inclusive of all the additional conditions and particular specifications and for adherence to all these conditions and specifications, no extra payment shall be made to the contractor. Any infringement and/or breach of these specification and condition(s) etc. shall render the contractor liable to action(s) under various clauses of the contract and such action stipulated in conditions therein.

1. **RATES**

- 1.1. Unless otherwise specified, the rates quoted for the items shall include all labour, material, taxes, insurance, watch & ward, necessary T&P required for the work, tests, all weighing / measuring equipments etc. all complete. Nothing extra shall be paid over and above the quoted rates for the items.
- 1.2. The contractor shall pay Octroi wherever applicable. The Form "C" & "D", Octroi exemption certificates etc will not be issued by BSNL for any materials required in the work. The contractor shall quote all inclusive rates only. Nothing extra shall be paid over the quoted rates.

2. PROTECTION OF LIFE, PROPERTY AND EXISTING FACILITIES:

- 2.1 The contractor is fully responsible for taking all possible safety precaution during preparation for and actual performance of the works, and for keeping the construction site in a reasonable safe condition. The Contractor shall protect all life and property from damage or losses resulting from his construction operations and shall minimize the disturbance and inconvenience to the public.
- 2.2 In this connection, the attention of the contractors are drawn to the safety measures and precautions including code of conduct while safely carrying out the work and also detailed Engineering Instructions enumerated in this tender document.
- 2.3 The contractor shall be solely liable for all expenses for and in respect of repairs and / or damage occasioned by injury of or damage to such underground and over-ground structures or other properties and undertake to indemnify and keep indemnified the BSNL from and against all actions, cause of actions, damages, claims and demands what-so-ever either in law or in quality and all losses and damages and costs (inclusive between attorney and client), charges and expenses in condition therewith and / or incidental thereto.
- 2.4 In case any commodities (supplied by the BSNL) is lost or damaged by the contractor, the cost of the same shall be paid by the contractor together with such additional sums as necessary to liquidate the personal or property damages resulting there from, as decided by the Engineer-in-Charge.
- 3. It shall be the responsibility of the contractor to offer the completed work for inspection and approval of the A/T as per the directions of the Engineer-in-charge and nothing extra shall be payable on this account. If the completed work is not found satisfactory as per the prescribed specifications, corrective measures ordered by the Engineer-in-charge shall be carried out immediately by the contractor without any additional expenditure liability to the BSNL.
- 4. The rate for every item of work to be done under this contract shall be for all **heights**, depths, lengths and widths of the structure (except where specially mentioned in the item) and nothing extra will be paid on this account. The rate for all items of work, where in cement is used, is inclusive of charges of curing.
- 5. The contractor shall maintain in good condition all work during execution till completion of entire work allotted to him.
- 6. The site of work should be seen by the tenderer before quoting his rates with respect to approaches to the site and conditions of the same. If any approach road from main road is required at the site or

- existing approach is to be improved and maintained, for cartage of materials by the contractor, the same shall be provided, improved and maintained by the contractor at his own cost.
- 7. If as per municipal rules the huts for laborers are not to be erected at the site of work by the contractor, the contractors are required to provide such accommodation as is acceptable to local bodies and nothing extra shall be paid on this account.
- 8. The contractor shall take all precautions to avoid all accidents by exhibiting necessary caution boards such as day and night boards, speed limit boards and flags, red lights and providing barriers etc. He shall be responsible for all damages and accidents caused due to negligence on his part. No hindrance shall be caused to traffic during the execution of work. Nothing extra shall be paid on this account. Any damage done by the contractor to any existing work during the course of execution of the work awarded to him shall be made good by him at his own cost.
- 9. The contractor will work in close liaison, during the works, with other contractors of water supply, sanitary, drainage arrangements, electrical installation and any other works and adjust his work plan accordingly at no extra cost to the department.

BID SECURITY DECLARATION FORM

To

Executive Engineer (Civil) BSNL Civil Division Udaipur

I/We, The undersigned, declare that:

I/We understand that, according to your conditions, bids must be supported by a Bid Security Declaration.

I/We accept that I/We may be disqualified from bidding for any contract with you for a period of one year from the date of notification if I am /We are in a breach of any obligation under the bid conditions, because I/We

- a) have withdrawn/modified/amended, impairs or derogates from the tender, my/our Bid during the period of bid validity specified in the form of Bid; or
- b) having been notified of the acceptance of our Bid by the purchaser during the period of bid validity (i) fail or reuse to execute the contract, if required, or (ii) fail or refuse to furnish the Performance Security, in accordance with the Instructions to Bidders.

I/We understand this Bid Security Declaration shall cease to be valid if I am/we are not the successful Bidder, upon the earlier of (i) the receipt of your notification of the name of the successful Bidder; or (ii) thirty days after the expiration of the validity of my/our Bid.

Yours faithfully,	
(TENDERER)	(Tenderer's signature along with seal) NAME:

Note: In case of a partnership firm this Certificate is to be signed by all Partners / directors of the company

UNDERTAKING FOR NO NEAR RELATIVE IN BSNL, RAJASTHAN

(TO BE GIVEN BY EVERY TENDERER)

I/We		S/o Sh	 		 	R	esident of
	• • • • • • • • • • • • • • • • • • • •						
	territorial jurisdi						
	Executive empl		ĺ	, 3	J 1	,	

- a) Members of a Hindu undivided family.
- b) Husband/wife
- c) Father
- d) Mother
- e) Son(s)
- f) Son's wife (Daughter-in-law)
- g) Daughter(s). h) Daughter's husband (Son-in-law).
- i) Brother
- j) Brother's wife. k) Sister(s)
- 1) Sister's Husband (Brother-in-law)

In case at any stage, it is found out that information given by me is false/incorrect, BSNL shall have the absolute right to take any action as deemed fit without any prior intimation to me.

Signature of Tenderer

Note:

In case of a partnership firm this Certificate is to be signed by all Partners / directors of the company.

BANK GUARANTEE BOND

1	exempt the terms and conditions of an A between	arat Sanchar Nigan (herein after called	the said "CONT	RACTOR(s)") from the	aving agre	ea to under
	the terms and conditions of an A	Agreement No			_ dated		made
	between	and		for		the	work
		(hereinafter called	"the said agreen	nent)" of s	ecurity depo	osit for the	e due
	fulfillment by the said contract production of a bank Guarantee f	tor(s) of the terms	and conditions	contained	in the said	Agreeme	nt or
	We	(indicate the nan	ne of "the bank"	(Hereinafte	er referred to	as "the B	ank"
	at the request of contractor(s) Rs on demand.	·					
2.	2. We name of Bank) the amounts due	do her	eby undertake to	pay		(indicat	te the
	from the BSNL stating that the		•			-	
	form the said contractor(s). An	•				•	
	due and payable by the Bank u	inder this guarantee	e. However, on	liability un	der this gua	arantee sha	all be
3.	restricted to an amount not excee 3. We undertake to pay to the BSN	U any manay sa da	·	atandina an	vy diamuta ar	dianutas r	raigad
٥.	by the contractor(s) any suit or pr	•		_	•		
	under this present being absolute		before any court o	i illoullai	lelating there	cio, oui na	Dinty
	The payment so made by us und		he a valid discha	rge of our	liability for	navment t	there.
	under and the contractor(s) shall					payment	.IICI C
4.						erein cont	ained
••	shall remain in full force and ef						
	Agreement and that it shall conti						
	said agreement have been fully p					•	
	of the BSNL certified that the						
	carried out by the said contractor					J 1	1 ,
5.	5. We				the BSNL	that the E	3SNL
	shall have the fullest liberty w						
	hereunder to vary any of the terr	ns and conditions o	f the said contrac	tor(s) from	time to time	e or to pos	tpone
	for any time or from time to time	e any of the powers	excersizable by t	he BSNL a	gainst the sa	id contrac	tor(s
	and to forbear or enforce any of	the terms and condi	tions relating to t	he said Agı	reement and	we shall r	ot be
	relieved from our liability by	reason of any su	ch variation or	extension	being grant	ed to the	saic
	contractor(s) or for any forbearar						
	to the said contractor(s) or by an			hich under	the law rela	ating to su	reties
	would but for this provision have						
Ó.							
7.	7. We	lastly undertak	e not to revoked t	this guarant	ee except w	ith the pre	vious
	consent of the BSNL in writing.						
8.	8. This guarantee shall be valid upto	0	unless extended	on demand	l by BSNL n	ot withsta	nding
	anything mentioned above, our li	ability against this	- guarantee is restri	cted to Rs.	3	(R	upees
		only) and unless	a alaim in syritir	ra is ladaa	d with ne wi	thin giv m	antho
	of the date of expiry or the exte	ended date of expir	y of this guarante	e all our li	ability unde	r this guar	antee
	shall stand discharged.		·		•	J	
	D 4 4	S C	C				
	Date the I	Jay 01	ior	ha Nama -	f Donle)		
			(indicate t	ne mame of	ı bank).		

AFFIDAVIT

I/We have submitted a bank guar	rantee for the work	<u> </u>	
(Name o	of Work), Agreeme	ent No.	
Dated:	from		(Name of the
Division) with a view to seek ex-	emption from payr	ment of performance guarantee in	cash. This Bank
guarantee expires on			
I/ We undertake to keep the vali	dity of the bank g	uarantee intact by getting it exter	nded from time to time at
my/our own initiative upto a pe	riod of	months after the recorded of	late of completion of the
work or as directed by the Engin	eer in charge.		
I/We also indemnify the BHAR	AT SANCHAR N	NIGAM LIMITED against any l	losses arising out of non-
encashment of the bank guarante	e if any.		
		(1)	Deponent)
		Signatu	are of Contractor

Note: The affidavit is to be given by the Executants before a first class Magistrate

Notice for appointment of Arbitrator [Refer Clause 25]

То
The Chief Engineer BSNL Civil Zone
Dear Sir,
In terms of clause 25 of the agreement, particulars of which are given below, I/we hereby give notice to you to appoint an arbitrator for settlement of disputes mentioned below:
1. Name of applicant 2. Whether applicant is Individual/Prop. Firm/Partnership Firm/Ltd. Co. 3. Full address of the applicant 4. Name of the work and contract number in which arbitration sought 5. Name of the Division which entered into contract 6. Contract amount in the work 7. Date of contract 8. Date of contract Date of initiation of work 9. Stipulated date of completion of work 10. Actual date of completion of work (if completed) 11. Total number of claims made 12. Total amount claimed 13. Date of intimation of final bill (if work is completed) 14. Date of payment of final bill (if work is completed) 15. Amount of final bill (if work is completed) 16. Date of request made to SE for decision 17. Date of receipt of SE's decision
18. Date of appeal to you19. Date of receipt of your decision.
Specimen signatures of the applicant (Only the person/authority who signed the contract should sign)
I/We certify that the information given above is true to the best of my/our knowledge. I/We enclose following documents. 1. Statement of claims with amount of claims. 2. 3.
4. Yours faithfully, (Signatures)

1. The Executive Engineer,Division.

List of Preferred Makes for Civil Works

SN	Name of Materials	Preferred Makes
1	Ordinary Portland cement	ACC, Ultratech, Gujarat Ambuja, Vikram, Birla & JKCement.
2	Pozzolona Cement (Grey) - 43 Grade	JP Rewa & Shree
3	White Cement	Birla White / J. K. White
4	Flush Door Shutters	Kitply Industries , Century , Greenlam & Samrat Laminates
5	PVC Pipe & Fittings	Supreme, Ashirwad & Prince.
6	Acrylic Distemper / Plastic Paint / OBD	ICI & Asian Paints (Tractor Acrylic)
7	Synthetic Enamel Paint	ICI (Dulux Gloss) & Asian Paint (Premium Apcolite Gloss)
8	Steel Primer	ICI & Asian Paints
9	Wood Primer	ICI & Asian Paints
10	Stainless Steel Sink (Out of Salem Steel only)	DIAMOND, NIRALI, Neelkant & Jayna
11	Float Valve	Viking & Prayag.
12	Vitreous China Sanitary Ware	Parryware, Hindware & Cera
13	Plastic Seat Cover of W.C. (ISI Mark only)	Hindware,Parryware & Cera
14	CP Fittings / Mixer Pillar taps Washers	EXCEL,ESS ESS or equivalent
15	Centrifugally Cast (Spun) Iron Pipes	NECO, or any other B.I.S marked Product & Fittings
16	G.I. Pipes	Jindal (Hissar) , TATA
17	G.I. Fittings	Unik ,SVW & UU
18	Gun metal Valves	Leader, Zoloto & Sant
19	Mirror Glass	Atul, Modi Guard & Saint Gobain
20	Aluminium Sections	Hindalco, Jindal
21	Aluminium Fittings	Classic & Everite
22	Hydraulic Door Closer	Everest, Sandhu, Classica
23	Exterior Paint	Asian, Nerolac, Berger & Snowcem India
24	6 mm / 12 mm thick Ply	Century, Duro & Green or equivalent
25	Telescopic Drawer Channel	Earl Bihari & Hettich
26	Ceramic Glazed Floor Tiles	Nitco, Johnson, Naveen, Orient, Asian & Kajaria
27	19 mm Block Board	Century, Green Ply & Archid or equivalent
28	Wall Putty	Birla Care & JK White
29	Ceramic Wall Tiles for Dado	Nitco, Johnson, Naveen, Orient, Asian & Kajaria
30	W.C., EWC, Wash Basin, Urinal & Urinal Division Plates	Hindware, Parryware & Cera

31.	PVC Antistatic Sheet	Krishna Vinyal, Tusker, wonder floor or equivalent.
32.	False Flooring Tiles/ Stud/ Channel/Jack etc.	As approved by Engineer-in-charge.
33.	False Ceiling	Armstrong or equivalent as approved by Engineer-in-charge.
34.	Gypboard	Gyprock or equivalent as approved by Engineer-in-charge.
35	Health Shower, Taps, Jet Spray	Jaguar or equivalent
36	PVC water Tank	Sintex, Diplast or ISI mark as approved by Engineer-in-charge.

I/We hereby undertake that I/we/my authorized representative have received the copy of the stated list (along with the tender documents) of brand names of various items to be used for the above work and I/we shall quote my rates of various items accordingly.

(Signature of the Contractor or his authorized representative authorized to receive the tender)

Executive Engineer (Civil) BSNL Civil Division, Udaipur

SCHEDULE OF QUANTITY

Name of work:- Miscellaneous civil maintenance and repair works of BSNL buildings & Staff quarters at Udaipur city Area. (For 07 months FY 2024-25)

DESCRIPTION OF ITEM	Quantity	UNIT	Rate in figure	Rate in words	Amount
SH:- MISCELLENIOUS ITEMS					
Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq.metres and under including cutting the patch in proper shape and preparing and plastering the surface of the walls complete including disposal of rubbish to the dumping ground within 50m lead all complete as per directions of EIC.					
With cement mortar 1:4 (1 cement : 4 fine sand)	35.00	Sqm			
Renewing glass panes, with putty and nails wherever necessary including racking out the old putty:					
Float glass panes of nominal thickness 4 mm (weight not less than 10kg/sqm)	3.00	Sqm			
Providing & fixing White vitreous china water closet squatting pan (Indian type) along with "S" or "P" trap including dismantling of old WC seat and "S" or "P" trap at site complete with all operations including all necessary materials, labour and disposal of dismantled material i/c malba, all complete as per the direction of Engineer-in charge.					
Orissa pattern W.C Pan of size 580x440 mm	6.00	Each			
Providing and replacement of unservicable floor trap for making leakproof including cutting and making good floors/walls etc. by replacing PVC/ china vitreous trap with cement mortar 1:3 with neat cement after taking out grating from floor including demolishing of C.C. work and stacking of useful materials near the site and disposal of unserviceable materials to municipal dumps.	6.00	each			
Providing Sewerman as and when required for attending complaints of drainage and sewerage works such as removal of choking of sewerline,gully traps and manholes of the quarters / buildings i/c cost of bamboo, phawra etc. (inclusive of cost of all T&P for attending the work shall be arranged by the contractor and nothing extra shall be paid.)	65.00	Per day			
	SH:- MISCELLENIOUS ITEMS Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq.metres and under including cutting the patch in proper shape and preparing and plastering the surface of the walls complete including disposal of rubbish to the dumping ground within 50m lead all complete as per directions of EIC. With cement mortar 1:4 (1 cement: 4 fine sand) Renewing glass panes, with putty and nails wherever necessary including racking out the old putty: Float glass panes of nominal thickness 4 mm (weight not less than 10kg/sqm) Providing & fixing White vitreous china water closet squatting pan (Indian type) along with "S" or "P" trap including dismantling of old WC seat and "S" or "P" trap at site complete with all operations including all necessary materials, labour and disposal of dismantled material i/c malba, all complete as per the direction of Engineer-in charge. Orissa pattern W.C Pan of size 580x440 mm Providing and replacement of unservicable floor trap for making leakproof including cutting and making good floors/walls etc. by replacing PVC/ china vitreous trap with cement mortar 1:3 with neat cement after taking out grating from floor including demolishing of C.C. work and stacking of useful materials near the site and disposal of unserviceable materials to municipal dumps. Providing Sewerman as and when required for attending complaints of drainage and sewerage works such as removal of choking of sewerline, gully traps and manholes of the quarters / buildings i/c cost of bamboo, phawra etc. (inclusive of cost of all T&P for attending the work shall be arranged by the contractor and nothing	SH:- MISCELLENIOUS ITEMS Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq.metres and under including cutting the patch in proper shape and preparing and plastering the surface of the walls complete including disposal of rubbish to the dumping ground within 50m lead all complete as per directions of EIC. With cement mortar 1:4 (1 cement : 4 fine sand) Renewing glass panes, with putty and nails wherever necessary including racking out the old putty: Float glass panes of nominal thickness 4 mm (weight not less than 10kg/sqm) Providing & fixing White vitreous china water closet squatting pan (Indian type) along with "S" or "P" trap including dismantling of old WC seat and "S" or "P" trap at site complete with all operations including all necessary materials, labour and disposal of dismantled material i/c malba, all complete as per the direction of Engineer-in charge. Orissa pattern W.C Pan of size 580x440 mm 6.00 Providing and replacement of unservicable floor trap for making leakproof including cutting and making good floors/walls etc. by replacing PVC/ china vitreous trap with cement mortar 1:3 with neat cement after taking out grating from floor including demolishing of C.C. work and stacking of useful materials near the site and disposal of unserviceable materials to municipal dumps. Providing Sewerman as and when required for attending complaints of drainage and sewerage works such as removal of choking of sewerline,gully traps and manholes of the quarters / buildings i/c cost of bamboo, phawra etc. (inclusive of cost of all T&P for attending the work shall be arranged by the contractor and nothing	SH:- MISCELLENIOUS ITEMS Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq.metres and under including cutting the patch in proper shape and preparing and plastering the surface of the walls complete including disposal of rubbish to the dumping ground within 50m lead all complete as per directions of EIC. With cement mortar 1:4 (1 cement : 4 fine sand) Renewing glass panes, with putty and nails wherever including racking out the old putty: Float glass panes of nominal thickness 4 mm (weight not less than 10kg/sqm) Providing & fixing White vitreous china water closet squatting pan (Indian type) along with "S" or "P" trap including dismantling of old WC seat and "S" or "P" trap at site complete with all operations including all necessary materials, labour and disposal of dismantled material i/c malba, all complete as per the direction of Engineer-in charge. Orissa pattern W.C Pan of size 580x440 mm 6.00 Each Providing and replacement of unservicable floor trap for making leakproof including cutting and making good floors/walls etc. by replacing PVC/ china vitreous trap with cement mortar 1:3 with neat cement after taking out grating from floor including demolishing of C.C. work and stacking of useful materials near the site and disposal of unserviceable materials to municipal dumps. Providing Sewerman as and when required for attending complaints of drainage and sewerage works such as removal of choking of sewerline.gully traps and manholes of the quarters / buildings i/c cost of bamboo, phawra etc. (inclusive of cost of all T&P for attending the work shall be arranged by the contractor and nothing	SH:-MISCELLENIOUS ITEMS Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq.metres and under including cutting the patch in proper shape and preparing and plastering the surface of the walls complete including disposal of rubbish to the dumping ground within 50m lead all complete as per directions of EIC. With cement mortar 1:4 (1 cement: 4 fine sand) Renewing glass panes, with putty and nails wherever including racking out the old putty: Float glass panes of nominal thickness 4 mm (weight not less than 10kg/sqm) Providing & fixing White vitreous china water closet squatting pan (Indian type) along with "S" or "P" trap including dismantling of old WC seat and "S" or "P" trap at site complete with all operations including all necessary materials, labour and disposal of dismantled material i/c malba, all complete as per the direction of Engineer-in charge. Orissa pattern W.C Pan of size 580x440 mm Providing and replacement of unservicable floor trap for making leakproof including cutting and making good floors/walls etc. by replacing PVC/china vitreous trap with cement mortar 1:3 with neat cement after taking out grating from floor including demolishing of C.C. work and stacking of useful materials near the site and disposal of unserviceable materials to municipal dumps. Providing Sewerman as and when required for attending complaints of drainage and sewerage works such as removal of choking of sewerline,gully traps and manholes of the quarters / buildings i/c cost of bamboo, phawra etc. (inclusive of cost of all T&P for attending the work shall be arranged by the contractor and nothing	SH:- MISCELLENIOUS ITEMS Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq.metres and under including cutting the patch in proper shape and preparing and plastering the surface of the walls complete including disposal of rubbish to the dumping ground within 50m lead all complete as per directions of EIC. With cement mortar 1:4 (1 cement : 4 fine sand) Renewing glass panes, with putty and nails wherever necessary including racking out the old putty: Float glass panes of nominal thickness 4 mm (weight not less than 10kg/sqm) Providing & fixing White vitreous china water closet squatting pan (Indian type) along with "S" or "P" trap at site complete with all operations including all necessary materials, labour and disposal of dismantled material i/c malba, all complete as per the direction of Engineer-in charge. Orissa pattern W.C Pan of size 580x440 mm Providing and replacement of unservicable floor trap for making leakproof including cutting and making good floors/walls etc. by replacing PVC/ china vitreous trap with cement mortar 1:3 with neat cement after taking out grating from floor including demolishing of C.C. work and stacking of unserviceable materials to municipal dumps. Providing Sewerman as and when required for attending complaints of drainage and sewerage works such as removal of choking of sewerline,gully traps and manholes of the quarters / buildings i/c cost of bamboo, phawra etc. (inclusive of cost of all T&P for attending the work shall be arranged by the contractor and nothing

6	Providing Plumber as and when required for attending complaints of plumbing, sanitary installations, water supply fittings and related works complete excluding the cost of material except washers,nails,clamps,screws, M- seal, taplon tap, drill machine, bit etc. as per direction of Engineer-in-Charge. The material required for attending the complaints shall be arranged by the contractor at site and paid under sub head of 'supply of material' of the agreement.	65.00	Per day		
7	Providing carpenter as and when required for attending all complaints of carpentry works such as repair of doors, windows, cupboard shutters as per requriment on need basis for all jobs in one working day i/c cost of screws, nails, fevicol clamps etc. (The material required for attending the complaints shall be arranged by the contractor at site and will be paid under sub head 'supply of material' of the agreement except cost of all T&P for attending the work shall be arranged by the contractor and nothing extra shall be paid.	15.00	Per day		
8	Providing Beldar/helper as and when required for attending maintenance job for carpentry,plumbing job and for other miscellaneous works such as cleaning the colonies compound, roof etc. including the cost of ledder, tagari, phawra etc.for all jobs in one working day.	18.00	per day		
9	P/ F red sand stone manhole cover/OH tank slab of approx. size 0.60 x0.90 m and 30 to 45 mm thick i/c cost of cutting in size, transportation and wastage etc.	15.00	Each		
	OU. OUDDLY OF MATERIAL				
-	SH:-SUPPLY OF MATERIAL MILD STEEL FITTINGS BRIGHT FINISHED OR BLACK ENAMELLED.				
1	Sliding door bolts bright finished or / Black enamelled including necessary screws & nuts and bolts:				
1.1	250 x 16 mm	8.00	Each		
2.1	Tower bolts (barrel type) including necessary screws 150 x 10 mm	8.00	Each.		
2.1	100 X 10 IIIII	0.00	Lacii.		
3	M.S handle for doors, windows etc. including bolts, nuts, screws and washers.				
3.1	125 mm.	8.00	Each.		
4	Hydraulic door closer sleek type M.S. body with necessary accessories and screws complete	2.00	Each.		

5	Aluminium hanging floor door stopper with twin rubber & stopper including necessary screws.	10.00	Each.	 	
6	Supply of wire gauge of 0.46mm dia and aperture 1.4mm for renewing of wiregauge of doors & window including new wooden beading of required size if required as per site conditions.	6.00	Sqm	 	
7	Supply of G.I. UNIONS.				
7.1	15 mm nominal bore.	8.00	Each.	 	
7.1	20 mm nominal bore.	8.00	Each.	 	
7.3	25 mm nominal bore.	8.00	Each.	 	
7.4	32 mm nominal bore.	2.00	Each.	 	
7.4	oz min nominar soro.	2.00	Luon.		
7.5	50 mm nominal bore.	2.00	Each.	 	
8	Supply of Flat back wash basin (Vitreous China)				
8.1	550 x 400 mm.	5.00	Each.	 	
9	Supply of P.V.C. waste pipe for sink and wash				
0.4	basin.	20.00	Галь		
9.1	32 mm dia length not less than 700 mm.	20.00	Each.	 	
10	Supply of FLUSHING CISTERN				
10.1	PVC 10 litres capacity (low level) (white) (with fittings, accessories and flush pipe of required size) of Hindware , Cera or equivalent.	4.00	Each.	 	
11	Supply of Unplasticised PVC connection pipe with brass union.				
11.1	30 to 45 Cm. long, 15 mm bore.	20.00	Each.	 	
12	Supply of C.P.brass pillar tap (of Wt not less than 650 gms.) 15mm dia.	3.00	each	 	
13	Supply of Polyethylene water storage tank with cover and suitable locking arrangement.	500.00	litre	 	
14	Supply of Brass Bib cock.				
14.1	15 mm dia.	5.00	Each	 	
		2.00			
15	Supply of Brass stop cock.				
15.1	15 mm dia	5.00	Each	 	
16	Supply of PTMT Bib Cock /Stop Cock 15mm	50.00	Each	 	
17	Supply of PTMT Pillar Cock 15 mm	30.00	Each	 	
18	Supply of PTMT Ball Cock 15mm	12.00	Each	 	
19	Supply of PTMT Shower 15mm	12.00	Each	 	
<u> </u>					

20	Supply of STAINLESS STEEL /PTMT GRATING.					
20.1	125 mm dia. Gratting with or without waste hole ,	20.00	Each			
	including fixing in cement					
21	Supply of PTMT waste coupling 32 mm	20.00	Each			
	cappily of Frint waste ocapiling of mini	20.00	Lacii			
22	Supplying White plastic seat (solid) with lid C.P. brass hinges and rubber buffers for E/WC.	6.00	Each			
23	Supplying of C.I. or M.S. Bracket / fastener for	6.00	Pair			
25	wash basin and sinks	0.00	ı alı			
24	PVC coupler/socket for PVC drainage pipes 75 mm	18.00	Each			
	3 11					
25	PVC coupler/socket for PVC drainage pipes 110 mm	18.00	Each			
26	PVC single equal Tee (without door) 75x75x75 mm	8.00	Each			
	The single equal res (maleut user) rexist and	0.00				
27	PVC single equal Tee (without door) 110x110x110 mm	8.00	Each			
28	PVC bend 87.5° 75 mm bend	8.00	Each			
		0.00				
29	PVC bend 87.5° 110 mm bend	8.00	Each			
30	PVC pipes (working pressure 4 kg / cm2) Single socketed pipe					
30.1	75 mm dia	18.00	Metre			
31	PVC pipes (working pressure 4 kg / cm2) Single socketed pipe					
31.1	size 110 mm dia	20.00	Metre			
33	G.I. ELBOWS./Equal/ Reducers.					
33.1	15 mm dia.	5.00	Each			
33.2	20mm dia	5.00	Each			
33.3	25 mm dia.	5.00	Each.			
34	G.I.NIPPLES UP TO 230MM					
34.1	15 mm dia.	5.00	Each.			
34.1	20mm dia	5.00	Each.			
34.3	25 mm dia.	5.00	Each.			
34.0	25 mm did.	5.00	aon.	-	-	
35	G.I. PLUGS.		+			
35.1	15 mm dia.	5.00	Each			
35.2	20 mm dia.	5.00	Each.			
35.3	25mm dia	5.00	Each.			
36	G.I. TEES (EQUAL/Reducing).					
36.1	15 mm dia.	5.00	Each.			
36.2	20 mm dia.	5.00	Each.			
36.3	25mm dia	5.00	Each.			

37. G.I. PIPE SOCKETS EQUAL/UNEQUAL(Higher dia to be measured) 37.1 15 mm dia. 5.00 Each. 37.3 25 mm dia 5.00 Each. 37.3 25 mm dia 5.00 Each.	1					
dia to be measured 15 mm dia. 5.00 Each.	37	G.I. PIPE SOCKETS EQUAL/UNEQUAL(Higher				
37.2 20 mm dia. 5.00 Each.						
37.3 25mm dia	37.1	15 mm dia.	5.00	Each.	 	
38 C. P brass spreader for urinals 5.00 Each. 39 Brass full way valve with handle (Italian type handle valves of approved make)	37.2	20 mm dia.	5.00	Each.	 	
38 C. P brass spreader for urinals 5.00 Each. 39 Brass full way valve with handle (Italian type handle valves of approved make)	37.3	25mm dia	5.00	Each.	 	
39 Brass full way valve with handle (Italian type handle valves of approved make) 39.1 15 mm dia.						
39 Brass full way valve with handle (Italian type handle valves of approved make) 39.1 15 mm dia.	38	C. P brass spreader for urinals	5.00	Each.	 	
39.1 15 mm dia. 4.00 Each. 39.2 20 mm dia. 4.00 Each. 39.3 25 mm dia. 4.00 Each. 39.4 40 mm dia. 2.00 Each. 39.5 50 mm dia. 2.00 Each. 40 Supplying unplasticised Rigid uPVC pipes of approved brand & manufacture. 75.00 Metre 40.1 20 mm diameter 75.00 Metre 40.2 25mm diameter 75.00 Metre 41.1 20 mm diameter 75.00 Metre 40.2 25mm diameter 75.00 Metre 41.1 20 mm diameter 75.00 Metre 41.1 20 mm diameter 75.00 Metre 41.1.1 Tee 15.00 Each.		·				
39.1 15 mm dia. 4.00 Each. 39.2 20 mm dia. 4.00 Each. 39.3 25 mm dia. 4.00 Each. 39.4 40 mm dia. 2.00 Each. 39.5 50 mm dia. 2.00 Each. 40 Supplying unplasticised Rigid uPVC pipes of approved brand & manufacture. 75.00 Metre 40.1 20 mm diameter 75.00 Metre 40.2 25mm diameter 75.00 Metre 41.1 20 mm diameter 75.00 Metre 40.2 25mm diameter 75.00 Metre 41.1 20 mm diameter 75.00 Metre 41.1 20 mm diameter 75.00 Metre 41.1.1 Tee 15.00 Each.	39	Brass full way valve with handle (Italian type handle				
39.2 20 mm dia.						
39.2 20 mm dia.						
39.3 25 mm dia.	39.1	15 mm dia.	4.00	Each.	 	
39.4 40 mm dia. 39.5 50 mm dia. 2.00 Each	39.2	20 mm dia.	4.00	Each.	 	
39.5 50 mm dia. 2.00 Each.	39.3	25 mm dia.	4.00	Each.	 	
40. Supplying unplasticised Rigid uPVC pipes of approved brand & manufacture. 40.1 20 mm diameter 75.00 Metre	39.4	40 mm dia.	2.00	Each.	 	
approved brand & manufacture. 40.1 20 mm diameter 75.00 Metre	39.5	50 mm dia.	2.00	Each.	 	
approved brand & manufacture. 40.1 20 mm diameter 75.00 Metre						
approved brand & manufacture. 40.1 20 mm diameter 75.00 Metre						
40.1 20 mm diameter 75.00 Metre 40.2 25mm diameter 75.00 Metre 41 Supply of Upvc fittings 41.1 20mm 41.1.1 Tee 15.00 Each. 41.1.2 Elbow 90 Degree 20.00 Each. 41.1.3 Coupler/Socket 15.00 Each. 41.1.4 Female Adapter (PVC Thread) 10.00 Each. 41.1.5 Male Adapter (Brass Thread) 10.00 Each. 41.1.6 Female Adapter (Brass Thread) 10.00 Each. 41.1.7 Male Adapter (Brass Thread) 10.00 Each. 41.2.1 Tee 5.00 Each. 41.2.2 Elbow 90 Degree 5.00 Each. 41.2.3 Coupler/Socket 10.00 Each.	40	Supplying unplasticised Rigid uPVC pipes of				
40.2 25mm diameter 75.00 Metre 41 Supply of Upvc fittings 41.1 20mm 41.1.1 Tee 15.00 Each. 41.1.2 Elbow 90 Degree 20.00 Each. 41.1.3 Coupler/Socket 15.00 Each. 41.1.4 Female Adapter (PVC Thread) 10.00 Each. 41.1.5 Male Adapter (Brass Thread) 10.00 Each. 41.1.6 Female Adapter (Brass Thread) 10.00 Each. 41.1.8 uPVC Tee (Brass Thread) 10.00 Each. 41.2.1 Tee 5.00 Each. 41.2.1 Tee 5.00 Each. 41.2.3 Coupler/Socket 10.00 Each. 41.2.4 Female Adapte		approved brand & manufacture.				
41 Supply of Upvc fittings 41.1 20mm 41.1.1 Tee 41.1.2 Elbow 90 Degree 41.1.3 Coupler/Socket 41.1.4 Female Adapter (PVC Thread) 41.1.5 Male Adapter (PVC Thread) 41.1.6 Female Adapter (Brass Thread) 41.1.7 Male Adapter (Brass Thread) 41.1.8 uPVC Tee (Brass Thread) 41.1.8 uPVC Tee (Brass Thread) 41.2 25mm 41.2.1 Tee 41.2.2 Elbow 90 Degree 41.2.3 Coupler/Socket 41.2.4 Female Adapter (PVC Thread) 41.2.5 Male Adapter (PVC Thread) 41.2.6 Female Adapter (Brass Thread) 5.00 Each. 41.2.7 Male Adapter (Brass Thread) 5.00 Each. 41.2.6 Female Adapter (Brass Thread) 5.00 Each. 41.2.6 Female Adapter (Brass Thread) 5.00 Each. 41.2.8 UPVC Tee (Brass Thread)	40.1	20 mm diameter	75.00	Metre	 	
41.1 20mm 41.1.1 Tee 15.00 Each. 41.1.2 Elbow 90 Degree 20.00 Each. 41.1.3 Coupler/Socket 15.00 Each. 41.1.4 Female Adapter (PVC Thread) 10.00 Each. 41.1.5 Male Adapter (Brass Thread) 10.00 Each. 41.1.6 Female Adapter (Brass Thread) 10.00 Each. 41.1.7 Male Adapter (Brass Thread) 10.00 Each. 41.2.1 Tee 5.00 Each. 41.2.1 Tee 5.00 Each. 41.2.2 Elbow 90 Degree 5.00 Each. 41.2.3 Coupler/Socket 10.00 Each. 41.2.4 Female Adapter (PVC Thread) 5.00 Each. 41.2.5 Male Adapter (Brass Thread) 5.00 Each. <td>40.2</td> <td>25mm diameter</td> <td>75.00</td> <td>Metre</td> <td> </td> <td></td>	40.2	25mm diameter	75.00	Metre	 	
41.1 20mm 41.1.1 Tee 15.00 Each. 41.1.2 Elbow 90 Degree 20.00 Each. 41.1.3 Coupler/Socket 15.00 Each. 41.1.4 Female Adapter (PVC Thread) 10.00 Each. 41.1.5 Male Adapter (Brass Thread) 10.00 Each. 41.1.6 Female Adapter (Brass Thread) 10.00 Each. 41.1.7 Male Adapter (Brass Thread) 10.00 Each. 41.2.1 Tee 5.00 Each. 41.2.1 Tee 5.00 Each. 41.2.2 Elbow 90 Degree 5.00 Each. 41.2.3 Coupler/Socket 10.00 Each. 41.2.4 Female Adapter (PVC Thread) 5.00 Each. 41.2.5 Male Adapter (Brass Thread) 5.00 Each. <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
41.1.1 Tee 15.00 Each. 41.1.2 Elbow 90 Degree 20.00 Each. 41.1.3 Coupler/Socket 15.00 Each. 41.1.4 Female Adapter (PVC Thread) 10.00 Each. 41.1.5 Male Adapter (PVC Thread) 10.00 Each. 41.1.6 Female Adapter (Brass Thread) 10.00 Each. 41.1.7 Male Adapter (Brass Thread) 10.00 Each. 41.1.8 uPVC Tee (Brass Thread) 10.00 Each. 41.2.1 Tee 5.00 Each. 41.2.2 Elbow 90 Degree 5.00 Each. 41.2.3 Coupler/Socket 10.00 Each. 41.2.5 Male Adapter (PVC Thread) 5.00 Each. 41.2.6 Female Adapter (Brass Thread) 5.00 Each. 41.2.7 Male Adapter (Brass Thread) 5.00 Each. 42 Unplasticised PVC connection pipe	41	Supply of Upvc fittings				
41.1.2 Elbow 90 Degree 20.00 Each. 41.1.3 Coupler/Socket 15.00 Each. 41.1.4 Female Adapter (PVC Thread) 10.00 Each. 41.1.5 Male Adapter (Brass Thread) 10.00 Each. 41.1.6 Female Adapter (Brass Thread) 10.00 Each. 41.1.7 Male Adapter (Brass Thread) 10.00 Each. 41.1.8 uPVC Tee (Brass Thread) 10.00 Each. 41.2.1 Tee 5.00 Each. 41.2.2 Elbow 90 Degree 5.00 Each. 41.2.3 Coupler/Socket 10.00 Each. 41.2.4 Female Adapter (PVC Thread) 5.00 Each. 41.2.5 Male Adapter (Brass Thread) 5.00 Each. 41.2.8 uPVC Tee (Brass Thread) 5.00 Each. <td>41.1</td> <td>20mm</td> <td></td> <td></td> <td></td> <td></td>	41.1	20mm				
41.1.3 Coupler/Socket 15.00 Each.	41.1.1	Tee	15.00	Each.	 	
41.1.4 Female Adapter (PVC Thread) 10.00 Each.	41.1.2	Elbow 90 Degree	20.00	Each.	 	
41.1.5 Male Adapter (PVC Thread) 10.00 Each. 41.1.6 Female Adapter (Brass Thread) 10.00 Each. 41.1.7 Male Adapter (Brass Thread) 10.00 Each. 41.1.8 uPVC Tee (Brass Thread) 10.00 Each. 41.2.1 Tee 5.00 Each. 41.2.2 Elbow 90 Degree 5.00 Each. 41.2.3 Coupler/Socket 10.00 Each. 41.2.4 Female Adapter (PVC Thread) 5.00 Each. 41.2.5 Male Adapter (PVC Thread) 5.00 Each. 41.2.6 Female Adapter (Brass Thread) 5.00 Each. 41.2.8 uPVC Tee (Brass Thread) 5.00 Each. 42 Unplasticised PVC connection pipe with brass union. Unplasticised PVC connection pipe with brass union.	41.1.3	Coupler/Socket	15.00	Each.	 	
41.1.6 Female Adapter (Brass Thread) 10.00 Each. 41.1.7 Male Adapter (Brass Thread) 10.00 Each. 41.1.8 uPVC Tee (Brass Thread) 10.00 Each. 41.2 25mm 25mm<	41.1.4	Female Adapter (PVC Thread)	10.00	Each.	 	
41.1.7 Male Adapter (Brass Thread) 10.00 Each. 41.1.8 uPVC Tee (Brass Thread) 10.00 Each. 41.2 25mm 41.2.1 Tee 5.00 Each. 41.2.2 Elbow 90 Degree 5.00 Each. 41.2.3 Coupler/Socket 10.00 Each. 41.2.4 Female Adapter (PVC Thread) 5.00 Each. 41.2.5 Male Adapter (Brass Thread) 5.00 Each. 41.2.6 Female Adapter (Brass Thread) 5.00 Each. 41.2.8 uPVC Tee (Brass Thread) 5.00 Each. 42 Unplasticised PVC connection pipe with brass union.	41.1.5	Male Adapter (PVC Thread)	10.00	Each.	 	
41.1.8 uPVC Tee (Brass Thread) 10.00 Each. 41.2 25mm 5.00 Each. 41.2.1 Tee 5.00 Each. 41.2.2 Elbow 90 Degree 5.00 Each. 41.2.3 Coupler/Socket 10.00 Each. 41.2.4 Female Adapter (PVC Thread) 5.00 Each. 41.2.5 Male Adapter (Brass Thread) 5.00 Each. 41.2.6 Female Adapter (Brass Thread) 5.00 Each. 41.2.7 Male Adapter (Brass Thread) 5.00 Each. 42 Unplasticised PVC connection pipe with brass union. Unplasticised PVC connection pipe with brass union.	41.1.6	Female Adapter (Brass Thread)	10.00	Each.	 	
41.2 25mm 41.2.1 Tee 5.00 Each. 41.2.2 Elbow 90 Degree 5.00 Each. 41.2.3 Coupler/Socket 10.00 Each. 41.2.4 Female Adapter (PVC Thread) 5.00 Each. 41.2.5 Male Adapter (PVC Thread) 5.00 Each. 41.2.6 Female Adapter (Brass Thread) 5.00 Each. 41.2.7 Male Adapter (Brass Thread) 5.00 Each. 41.2.8 uPVC Tee (Brass Thread) 5.00 Each. 42 Unplasticised PVC connection pipe with brass union.	41.1.7	Male Adapter (Brass Thread)	10.00	Each.	 	
41.2.1 Tee 5.00 Each. 41.2.2 Elbow 90 Degree 5.00 Each. 41.2.3 Coupler/Socket 10.00 Each. 41.2.4 Female Adapter (PVC Thread) 5.00 Each. 41.2.5 Male Adapter (PVC Thread) 5.00 Each. 41.2.6 Female Adapter (Brass Thread) 5.00 Each. 41.2.7 Male Adapter (Brass Thread) 5.00 Each. 41.2.8 uPVC Tee (Brass Thread) 5.00 Each. 42 Unplasticised PVC connection pipe with brass union.	41.1.8	uPVC Tee (Brass Thread)	10.00	Each.	 	
41.2.1 Tee 5.00 Each. 41.2.2 Elbow 90 Degree 5.00 Each. 41.2.3 Coupler/Socket 10.00 Each. 41.2.4 Female Adapter (PVC Thread) 5.00 Each. 41.2.5 Male Adapter (PVC Thread) 5.00 Each. 41.2.6 Female Adapter (Brass Thread) 5.00 Each. 41.2.7 Male Adapter (Brass Thread) 5.00 Each. 41.2.8 uPVC Tee (Brass Thread) 5.00 Each. 42 Unplasticised PVC connection pipe with brass union.						
41.2.2 Elbow 90 Degree 5.00 Each. 41.2.3 Coupler/Socket 10.00 Each. 41.2.4 Female Adapter (PVC Thread) 5.00 Each. 41.2.5 Male Adapter (Brass Thread) 5.00 Each. 41.2.6 Female Adapter (Brass Thread) 5.00 Each. 41.2.7 Male Adapter (Brass Thread) 5.00 Each. 41.2.8 uPVC Tee (Brass Thread) 5.00 Each. 42 Unplasticised PVC connection pipe with brass union.	41.2	25mm				
41.2.3 Coupler/Socket 10.00 Each. 41.2.4 Female Adapter (PVC Thread) 5.00 Each. 41.2.5 Male Adapter (PVC Thread) 5.00 Each. 41.2.6 Female Adapter (Brass Thread) 5.00 Each. 41.2.7 Male Adapter (Brass Thread) 5.00 Each. 41.2.8 uPVC Tee (Brass Thread) 5.00 Each. 42 Unplasticised PVC connection pipe with brass union. Unplasticised PVC connection pipe with brass union.	41.2.1	Tee	5.00	Each.	 	
41.2.3 Coupler/Socket 10.00 Each. 41.2.4 Female Adapter (PVC Thread) 5.00 Each. 41.2.5 Male Adapter (PVC Thread) 5.00 Each. 41.2.6 Female Adapter (Brass Thread) 5.00 Each. 41.2.7 Male Adapter (Brass Thread) 5.00 Each. 41.2.8 uPVC Tee (Brass Thread) 5.00 Each. 42 Unplasticised PVC connection pipe with brass union. Unplasticised PVC connection pipe with brass union.	41.2.2	Elbow 90 Degree	5.00	Each.	 	
41.2.4 Female Adapter (PVC Thread) 5.00 Each. 41.2.5 Male Adapter (PVC Thread) 5.00 Each. 41.2.6 Female Adapter (Brass Thread) 5.00 Each. 41.2.7 Male Adapter (Brass Thread) 5.00 Each. 41.2.8 uPVC Tee (Brass Thread) 5.00 Each. 42 Unplasticised PVC connection pipe with brass union.	41.2.3	•	10.00	Each.	 	
41.2.5 Male Adapter (PVC Thread) 5.00 Each. 41.2.6 Female Adapter (Brass Thread) 5.00 Each. 41.2.7 Male Adapter (Brass Thread) 5.00 Each. 41.2.8 uPVC Tee (Brass Thread) 5.00 Each. 42 Unplasticised PVC connection pipe with brass union.		Female Adapter (PVC Thread)	5.00	Each.	 	
41.2.6 Female Adapter (Brass Thread) 5.00 Each. 41.2.7 Male Adapter (Brass Thread) 5.00 Each. 41.2.8 uPVC Tee (Brass Thread) 5.00 Each. 42 Unplasticised PVC connection pipe with brass union.		. ,	5.00		 	
41.2.7 Male Adapter (Brass Thread) 5.00 Each. 41.2.8 uPVC Tee (Brass Thread) 5.00 Each. 42 Unplasticised PVC connection pipe with brass union. union.	ļ	,			 	
41.2.8 uPVC Tee (Brass Thread) 5.00 Each 42 Unplasticised PVC connection pipe with brass union.				Each.	 	
42 Unplasticised PVC connection pipe with brass union.					 	
union.		,				
union.	42	Unplasticised PVC connection pipe with brass				
42.1 45 to 60 cm long for hot water & other appliances. 5.00 Each						
	42.1	45 to 60 cm long for hot water & other appliances.	5.00	Each.	 	

43	Supply of PVC over head tanks cover of standard dia and approved manufacture and as per requirment of specification etc.	5.00	Each	 	
44	Brass Spindle for Pillar Taps/bib cock/stop cock-15 mm nominal bore.	5.00	Each	 	
45	C. P brass long body bib cock of approved quality.	3.00	Each		
45	C. F brass long body bib cock or approved quality.	3.00	Lacii	 	
46	Towel rails CP pipe 600x20mm with brackets.	2.00	Each	 	
47	Supplying of GI/PTMT tank nipples of required dia 15 to 25mm for connecting the PVC tank as per requirements and approved quality.	2.00	Each	 	
48	Supplying of P.V.C. syphon set of approved make for maintenance of existing PVC 10litre flushing cisterns.	5.00	Each	 	
49	Supplying of 15mm dia CP brass hand operated shower with CP coil pipe for EWC of approved brand.	3.00	Each	 	
50	Supply of Kota stone Sink of 20mm thick kota stone approximate 600x450mm i/c bracket and 32 mm Cp brass waste	4.00	Each	 	
51	Supplying of 600x450 mm edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete	5.00	Each	 	
	C. H. CREDITITEMS				
	S. H : CREDIT ITEMS				
	CREDIT of materials / items obtained from dismantling being unserviceable.				
1	CP brass items	30.00	Kg	 	
2	CI/GI/MS items	50.00	Kg	 	
3	PVC/UPVC/CPVC items	25.00	Kg	 	
4	Aluminium items	20.00	Kg	 	
5	SCI items	10.00	Kg	 	
6	Wooden doors received from dismanteling i/c fittings	10.00	Sqm	 	
7	Hydraulic door closer.	4.00	each	 	